


Panasonic

Device Product Catalog



What You Need Is Not Just Devices...

But Solutions.



Panasonic's Cross-Value Innovation

Panasonic for business. Panasonic is accelerating its BtoB activities in all fields of business.

And spearheading those activities is the Automotive & Industrial Systems Company.*

Panasonic has cultivated extensive product development know-how in worldwide markets as a comprehensive electronics manufacturer. This know-how is not only concentrated in the individual devices supplied by Panasonic, but also used and cross-linked to create the power to shape new solutions.

Innovative devices that drive the future of your business - from Panasonic.

*The Automotive & Industrial Systems (AIS) Company is one of four in-house companies that comprise Panasonic Corporation.

Devices and Know-How That Only Panasonic Can Provide Based on a Wealth of Experience in All Fields of Electronics.


From sensors, semiconductors and batteries to materials, Panasonic supplies a diversity of devices.

Each and every one of them is packed with the know-how that Panasonic has cultivated and refined as a comprehensive electronics manufacturer.

Look for clues to the solutions your company is seeking in Panasonic's vast array of devices and technologies.



And let Panasonic's know-how and expertise help your company find the solutions you want.

Sensors/Passive Components/Connectors




- Sensors
- Factory Automation Sensors
- Resistors
- Capacitors
- Inductors (Coils)
- Thermal Solutions, EMC Components, ESD Components, Surge Components
- Fuses, Thermistors
- Relays
- Connectors
- Switches
- Encoders, Potentiometers

Semiconductors




- Microcomputers
- Logic LSIs
- Analog ICs
- Discrete Devices
- Opto Electronic Devices
- Radio Frequency Devices
- Power Devices
- Image Sensors

Materials



- Circuit Board Materials
- Advanced Films (Optical Films)
- Semiconductor Encapsulation Materials
- Adhesive Materials, Sealing Materials
- Plastic Molding Compound
- Thermal Solutions

Industrial Devices



- Optics Components
- Acoustic Components
- Communication Devices
- Thermal Insulation Materials
- Display Devices
- Input/Output Units
- Electromagnetic Wave Shield Films
- Power Generation Plate

Batteries



- Nickel Metal Hydride Batteries
- Lead-Acid Batteries
- Lithium Batteries
- Lithium Ion Batteries
- Dry Batteries

Recording Devices



- Archival grade Blu-ray Discs
- Industrial SD Memory Card
- MicroSD Card
- eSD

Factory Automation Devices



- Programmable Controllers
- Programmable Displays (HMI)
- Machine Vision Systems
- Energy Consumption Visualization Components
- Laser Markers
- UV Curing Systems
- Wire-savers Systems
- Static Control Devices

Motors/Compressors



- Motors for Factory Automation & Industrial Application
- Motors for Equipment Home, Appliances, Automotive
- Compressors
- DC Pumps
- Cooling Fans
- Cooling Roller
- nanoe™

Infotainment

Telematics / Car navigation system / ETC System / e-call

- Touch Panels
- Light Touch Switches
- Gyro sensors
- Common Mode Noise Filters
- Multilayer NTC Thermistors
- Multilayer Varistor, Chip Type
- ESD Suppressors
- "PGS" Graphite Sheet
- Vehicle Audio Integrated LSI
- HDMI Communication LSIs
- Cooling Fan for Car Navigation

- 1-chip LSI for Vehicle DVD Players
- HMI (Human Machine Interface) Display LSI
- Microphone
- Industrial SD Memory Card / micro SD Memory Card / eSD Module / eSD BGA
- Lithium Batteries
- Cylindrical Type Primary Lithium Batteries
- Nickel Metal Hydride Batteries

Power Management

Engine Control / HEV / EV AT / CVT / Idling stop system

- DC-DC Converter for ISS / EV / HEV / 48V
- Electric Double Layer Capacitor
- Film Capacitors for Hybrid Electric Vehicle
- Large Capacity Current Sensor
- Water / Oil Temperature Sensors
- Intake Air Temperature Sensors
- EV Relays
- Automotive Relays
- Vehicle Microcomputer
- High Voltage IPD for Control Power Supply of HEV / EV (MIP2NxSeries)
- VRLA Batteries for EV
- Industrial SD Memory Card / micro SD Memory Card / eSD Module / eSD BGA
- The Battery Cooling Fan Motor Unit for EV / HEV
- Multilayer NTC Thermistors
- Multilayer Varistor, Chip Type
- Anti-Sulfurated Chip Resistors
- Current Sense Resistors, Metal Plate Type
- Current Sense Resistors, Thick Film Type
- BMS-IC

Electronic Control Unit Device

Electronic Components for ECU

- Aluminum Electrolytic Capacitors
- Conductive Polymer Hybrid Aluminum Electrolytic Capacitors
- Conductive Polymer Tantalum Solid Capacitors
- Noise Suppression Metallized Polyester Film Capacitors
- Current Sense Resistors, Metal Plate Type
- Current Sense Resistors, Thick Film Type
- Anti-Surge Chip Resistors
- Anti-Sulfurated Chip Resistors
- Metal (Thin Film) Chip Resistors
- Multilayer Varistor, Chip Type
- Multilayer NTC Thermistors
- Power Choke Coils (Metal Composite Type)
- Power Choke Coils(Dust Core Type)
- "ZNR" Surge Absorbers (High energy SMD Type)
- "PGS" Graphite Sheets
- Low Side Switching IPD for ECU
- Zener Diodes for Automotive
- Thermal Conductive Resin
- Coin Type Primary Lithium Batteries

Safety

High Intensity Discharge / Adaptive Front Lighting / Airbag System Safety Driving Support / ABS Control Unit / Electronic Stability Control

- Multilayer NTC Thermistors
- Small & High Power Chip Resistors
- Current Sense Resistors, Metal Plate Type
- Current Sense Resistors, Thick Film Type
- Gyro Sensors
- Turquoise Switch Series
- LED driver IC
- Cooling Fan for LED Headlight
- Camera Module for Automotive
- Microphone for Automotive
- White LEDs for Automotive
- Coin Type Primary Lithium Batteries
- Nickel Metal Hydride Batteries
- ABS · ESC Motor

Comfort / Accessory

Keyless entry / Power window / Air conditioner / Power seat / TPMS

- Light Touch Switches
- Encoders / Potentiometers
- Coin Type Lithium Batteries (for hearing aids electronic thermometers)
- Transparent Touch Panels
- Automotive Relays
- Vehicle Microcomputer
- In the car/Ambient air Temperature Sensors
- In-vehicle Inverter Microcomputer
- Multilayer NTC Thermistors
- Multilayer Varistor, Chip Type
- Small & High Power Chip Resistors
- Current Sense Resistors, Thick Film Type
- Detector Switches
- Signal Switches
- Coin Type Primary Lithium Batteries for High Temperature

Passive Components

- Micro Chip Fuse
- Anti-Sulfurated Chip Resistors
- Current Sensing Thick Film Chip Resistors
- "ZNR" Surge Absorbers
- Power Choke Coils
- Conductive Polymer Aluminum Electrolytic Capacitors
- Conductive Polymer Tantalum Solid Capacitors
- Conductive Polymer Aluminum Solid Capacitors
- Conductive Polymer Hybrid Aluminum Electrolytic Capacitors
- Electric Double Layer Capacitors
- Film Capacitors

Smart Meters

for Gas

- Gas Meter Safety Devices
- Gas AMR Products
- Ultrasonic Devices
- PhotoMOS
- Cylindrical Type Primary Lithium Batteries

for Electricity

- HMI Display LSIs
- "ZNR" Surge Absorbers
- PhotoMOS
- Cylindrical Type Primary Lithium Batteries
- Primary and Rechargeable Coin Type Lithium Batteries

Sensor Network

- PIR Motion Sensor PaPIRs
- Infrared Array Sensors Grid-EYE
- Sensing Camera LSIs
- Ambient Light and Proximity Sensors
- NFC Tag LSIs / Modules
- Metal (Thin Film) Chip Resistors
- Security Sensor

Power Electronics

- Power Detection Units
- Current Sense Resistors, Metal Plate Type
- IPD Series
- MOS FET Series
- PhotoMOS
- Programmable Displays (HMI)
- GaN Power Devices
- DC-DC Module with Built-in Inductor (PSiP)
- Motor Driver ICs
- Inverter Control Microcomputers

Battery System

- Direct Methanol Fuel Cells
- Lithium Ion Battery Modules (for Store Energy)
- Lithium Ion Batteries
- VRLA Batteries for EV Application
- Electric Double Layer Capacitors (Gold Capacitor)
- EP Relays
- PhotoMOS
- Vacuum Insulation Materials
- Fan Motors
- Nickel Metal Hydride Batteries for Infrastructure Type

LED Lighting

- LED Illumination Module
- Cooling Devices for LED Lighting
- LED Lighting Devices

Security

- Cylindrical Type Primary Lithium Batteries
- Nickel Metal Hydride batteries (for Emergency light, Guidance light)
- AC Servo Motors

Appliance

- Compressors
- Compressors for Household Refrigerator
- DC Pumps
- HEMS Controllers / Thermostat
- Fan Motors for Appliance and Air Conditioner
- nanoe™
- Human Machine Interface Display LSIs
- NFC Tag LSIs / Modules
- Nickel Metal Hydride Batteries (Toothbrush, Shaver)
- Power Relays

Electronic Materials

Circuit Board Materials

- Multi-layer circuit board materials
HIPER series
Halogen-free series
MEGTRON series
PreMulti
- High thermal conductive circuit board materials
ECOOL series
- Double/Single-sided circuit board materials
- Flexible circuit board materials
FELIOS series

Plastic Molding Compound

- Phenolic Molding Compound
- Thermoplastic Molding Compound

Advanced Films

- Optical Films
Fine Tiara series

Electronic Materials

Circuit Board Materials

- Multi-layer circuit board materials
HIPER series
Halogen-free series
- High thermal conductive circuit board materials
ECOOL series
- Double/Single-sided circuit board materials
- Flexible circuit board materials
FELIOS series

Plastic Molding Compound

- Urea/Melamine Molding Compound
- Unsaturated Polyester Molding Compound
- Thermoplastic Molding Compound

Advanced Films

- Optical Films
Fine Tiara series



User Experience

- NFC Tag LSIs / NFC Tag Modules
- Giant Magneto Resistive Sensor
- "PGS" Graphite Sheet
- LCD Panels
- Optical Imaging Unit
- Resistive / Capacitive Transparent Touch Panels
- Light Touch Switches
- Detector Switches
- Switch Modules
- LSIs for HMI Display
- ReRAM Built-in MCU
- Micro Speakers

Communication / Interface

- Dual Wavelength High Power Laser Diode
- Aspherical Lenses
- Optical Disc Controllers
- Image Sensors
- Blu-ray Disc™ Series
- Industrial SD Memory Card / eSD
- SD Memory Card Sockets
- CCD Output Compound Devices
- HDMI Communication LSIs
- Devices for Commercial 3D Camera
- Devices for Consumer 3D DSC
- Voltage Step-up Coils (HAC Coils)
- "PGS" Graphite Sheet
- ESD Suppressors
- Common mode Noise Filters
- Radio Frequency Devices
- Narrow Pitch Connectors
- FPC Connectors
- 3D Packaging Devices

Power Supply

- Lithium Ion Batteries
- Primary and Rechargeable Coin Type Lithium Batteries
- Nickel Metal Hydride Batteries for Backup
- Nickel Metal Hydride Batteries for Infrastructure Type
- Multilayer Type Film Chip Capacitors
- "ZNR" Surge Absorbers
- Power Inductors (Wire Wound Type)
- Power Choke Coils
- IPD Series
- Micro Chip Fuse
- Current Sensing Thick Film Chip Resistors
- MOS FET Series
- DC-DC Module with Built-in Inductor (PSIP)
- Conductive Polymer Aluminum Electrolytic Capacitors
- Conductive Polymer Tantalum Solid Capacitors
- Conductive Polymer Aluminum Solid Capacitors
- Conductive Polymer Hybrid Aluminum Electrolytic Capacitors

EMC Components / Thermal Solutions

- ESD Suppressors
- Multilayer Varistor, Chip Type
- Common mode Noise Filters
- Coil Type EMI Filters
- "PGS" Graphite Sheet
- Multilayer NTC Thermistors
- Cooling Devices
- Heat Exchangers
- Air Conditioning Units
- Diodes Series



Sensors

- Inductive Proximity Sensors
- Fiber Sensors
- Laser Displacement Sensors
- IC Hall Sensors
- Pressure Sensors / Flow Sensors
- Micro Photo Sensors
- Thru-beam Type Ultrasonic Sensors
- Magneto Resistive Sensors
- Linear Position Sensors
- Steering Angle Sensors
- Security Sensor
- Infrared Array Sensors Grid-EYE
- MA Motion Sensor
- Pressure Sensor
- Gyro Sensors

Industrial Devices

- Connectors
- Power-supply Switches
- Detector Switches
- Solid State Relays
- PhotoMOS
- Power Relays
- nanoe™
- Energy Consumption Visualization Components
- Industrial Ink Jet Head
- Programmable Displays
- Programmable Controllers
- Machine Vision Systems
- Air Flow Monitors
- Static Control Devices
- Aspherical Glass Lenses
- Laser Markers
- Network Cameras
- AC Servo Motors
- Compact AC Geared Motors
- Brushless Motors
- Fan Filter Units
- Light Touch Switches
- Nickel Metal Hydride Batteries
- Cylindrical Type Primary Lithium Batteries
- Primary and Rechargeable Coin Type Lithium Batteries
- Valve Regulated Lead-Acid Batteries for Industrial Use
- Industrial SD Memory Card / micro SD Memory Card / eSD Module / eSD BGA
- Valve Regulated Lead-Acid Batteries for EV Application
- VRLA Batteries for Infrastructure Type

Passive Components

- "ZNR" Surge Absorbers
- Conductive Polymer Aluminum Electrolytic Capacitors
- Conductive Polymer Tantalum Solid Capacitors
- Conductive Polymer Aluminum Solid Capacitors
- Conductive Polymer Hybrid Aluminum Electrolytic Capacitors
- Current Sensing Thick Film Chip Resistors
- Small & High Power Chip Resistors
- Anti-Surge Chip Resistors
- Anti-Sulfurated Chip Resistors
- Metal (Thin Film) Chip Resistors
- Common mode Noise Filters
- Coil Type EMI Filters
- Power Inductors / Wire Wound Type
- Power Choke Coils
- Multilayer NTC Thermistors
- Multilayer Varistors (Chip Type)
- Film Capacitors
- Optical Imaging Unit

Communication

- Communication RF Units
- Low Power Wireless Modules
- Wireless Modules
- Echo-Net Wireless Units
- Radio Sensor
- Connectors
- Nickel Metal Hydride Batteries
- Aspherical Glass Lenses

Thermal Solution

- Multilayer NTC Thermistors
- Vacuum Insulation Materials
- "PGS" Graphite Sheet
- Thermal Conductive Resin

Semiconductors

- MOSFET Series
- Diodes Series
- IPD Series
- DC-DC Module with Built-in Inductor (PSIP)
- Inverter Control Microcomputers
- NFC Tag LSIs / Modules
- Motor Driver ICs

Electronic Materials

Circuit Board Materials

- Multi-layer circuit board materials MEGTRON series
- HUPER series
- Halogen-free series
- MEGTRON GX series
- Flexible circuit board materials FELIOS series

Semiconductor Encapsulation Materials

- ECOM Super Fine (Halogen free Epoxy Molding Compound)
- ECOM Fine Flow (Liquid Epoxy Encapsulant)
- ECOM Fine Sheet (Encapsulation Sheet Materials)

Advanced Films

- Optical Films
- Fine Tiara series

Adhesive Materials, Sealing Materials

- Fine Glue

Electronic Materials

Circuit Board Materials

- Multi-layer circuit board materials HUPER series
- Halogen-free series
- PreMulti
- High thermal conductive circuit board materials ECOOL series
- Double/Single-sided circuit board materials
- Flexible circuit board materials FELIOS series

Advanced Films

- Optical Films
- Fine Tiara series



Operating Room

- Remote Head HD Camera Modules (for Endoscope)
- Mos Image Sensors (for Endoscope)
- LEDs
- Hybrid ICs
- Intraoral Cameras
*Not ready to market in Europe (Non MDD approved yet)
- High resolution LCD Panels for Medical Monitor
- Cylindrical Type Primary Lithium Batteries (for Endoscope etc.)



In-home Medical Equipment

- Nickel Metal Hydride Batteries (for Blood Pressure Monitor and Blood Glucose Measuring Devices)
- Coin Type Primary Lithium Batteries (for Hearing Aids and Electronic Thermometers and Blood Glucose Measuring Devices)
- Lithium Ion Batteries (Blood Glucose Measuring Devices)
- NFC Tag LSI / NFC Tag Modules
- Switches
- Multilayer Varistors, Chip Type (for Hearing Aid)
- Aspherical Glass Lenses
- Connectors
- Common mode Noise Filters (for USB)
- Current Sensing Thick Film Chip Resistors
- Metal (Thin Film) Chip Resistors
- ESD Suppressors
- Multilayer NTC Thermistors
- Micro Chip Fuses
- Voltage Step-up Coils
- IPD Series
- MOS FET Series
- Diode series
- DC-DC Module with Built-in Inductor (PSIP)
- Pressure Sensors

Devices Line-up

I N D E X

Sensors..... 11

Batteries..... 14

Semiconductors..... 15

Passive Components..... 16

Connecting Components..... 19

Recording Devices..... 22

Industrial Devices..... 23

Materials..... 25

Factory Automation Devices..... 27

Motors / Compressors..... 29

In-hospital

- Nickel Metal Hydride Batteries (Pager for Calling Patients)
- HEPA Filters
- Power Choke Coils
- PhotoMOS
- Connectors
- Signalrelay
- MA motion Sensors
- "PGS" Graphite Sheet
- AC Servo Motors
- Compact AC Geared Motors

Examination Room

- SD Memory Card Sockets
- Film Capacitors
- Industrial SD Memory Cards (for Storing Electrocardiographic Data)
- Nickel Metal Hydride Battery (Dialysis)

AED / Emergency

- Cylindrical Type Primary Lithium Battery (for AED)
- Coin Type Primary Lithium Battery (for Emergency call)
- Nickel Metal Hydride Battery (Back-up for AED)

Care & Wellness Facilities

- Vacuum Insulation Panels
- Brushless Motor

*Each medical equipment has a different quality standard. Please contact our sales representatives before using our products for medical equipment.

Electronic Materials

Circuit Board Materials

- Multi-layer circuit board materials
HIPER series
Halogen-free series
PreMulti



- Double/Single-sided circuit board materials



- Flexible circuit board materials
FELIOS series



Advanced Films


- Optical Films
Fine Tiara series






Factory Automation Sensors

Photoelectric Sensors




Ultra-minute Photoelectric Sensor EX-Z: W8 x H14 x D3mm, 50% smaller in volume ratio than conventional model. Enable installation in narrow space.

Laser Sensors




Amplifier Built-in Ultra-compact Laser Sensor EX-L200: The customized IC and the new structural design pursue a compact size.

Fiber Sensors




Digital Fiber Sensor FX-500 Ver.2: The sensors have long sensing range, high accuracy, and stability, which open up a whole new era of digital fiber sensors.

Area Sensors




General Purpose & Slim Body Area Sensor NA2-N: The thin resin case type area sensor has a sensing height of 540 mm (28 beam channels).

Light Curtains



Compact & Robust Safety Light Curtain SF4D: High rigidity body with slim & thick frame (28 x 30mm size)

Micro Photoelectric Sensors



U-shaped Micro Photoelectric Sensor PM: Three protection circuits (Reverse supply polarity/Reverse output polarity/Output short-circuit) standard on all models.

Pressure Sensors




Digital Pressure Sensor DP-100: Dual 3-color display makes operation easier.

Inductive Proximity Sensors



Rectangular-shaped Inductive Sensor GX-F/H: Thorough adjustment and control of sensitivity greatly reduces individual sensor differences and variations.

Measurement Sensors




CMOS Type Micro Laser Distance Sensor HG-C: Compact size (W20 x H44 x D25mm) CMOS type laser sensor.



Primary Batteries / Rechargeable Batteries

Coin Type Lithium Batteries



- Coin Type Primary Lithium Batteries (CR /BR/BR(A) series)
- Coin Type Rechargeable Lithium Batteries (VL /ML/MS/CTL/MT series)

Nickel Metal Hydride Batteries



- Back-up (High temperature & long life, High rate discharge & high temperature)
- Button Top
- Standard
- High rate discharge & rapid charge
- Low temperature discharge

Valve Regulated Lead-Acid Batteries



Valve regulated lead-acid batteries for industrial use such as power supplies for communications equipment, uninterruptible power supplies (UPS) and power tools.

Cylindrical Type/Pin Type Lithium Batteries



- Cylindrical Type Primary Lithium Batteries (CR/BR series)
- Pin Type Primary Lithium Batteries (BR series)

Ni-MH Batteries for Infrastructure



Infrastructure type: Lightweight and space-saving for High capacity. Ni-MH Battery & module. Used for Power Storage, Power supply for vehicle.

VRLA Battery for EV



Valve regulated lead-acid batteries for main power and energy storage applications such as electric vehicles, forklifts, streetlights, peak shaving and off-grid power systems.

Dry Batteries



- Alkaline batteries
- Zinc carbon batteries

Pin-type Lithium-ion Battery



A 3.65mm diameter pin-shaped rechargeable battery which expands design options for small devices.

Lithium Ion Batteries




These batteries are also used in backup base stations for mobile telephones, electricity storage systems with solar power generation, and various other industrial uses.




Semiconductors

Microcomputers




32-bit High Performance / Low Power Microcomputers (MN103S/H/L Series), 8-bit Low Power Microcomputers (MN101E/L/C Series), 32-bit Microcomputers with ARM Cortex core (MN1M7/0 Series)

Interface & Communication ICs




Communication ICs, AV Signal Processing ICs (HDMI V2.0 Communication ICs, NFC Tag ICs, HMI Display ICs, etc.)

Analog ICs




Motor Driver ICs, LED Driver ICs, Analog Master Slices, etc.

Discrete Devices




Diode & MOSFET Series with High Quality, Low Loss, Ultra Small Package using Chip Size Package(CSP) technology

Opto Electronic Devices




High Efficient & Color Rendering LEDs, Automotive-use Small White LEDs with High Heat Dissipation

Radio Frequency Devices




Low Power / Low NF / Low Distortion Low Noise Amplifier (LNA)

Power Devices



Fast / High Efficiency GaN Power Devices, High Efficiency DC-DC Regulators ICs with Built-in Inductor, Intelligent Power Devices(IPD), Battery Monitoring ICs

Image Sensors



Small & Low Power Consumption Image Sensors for Security and Network

Capacitors

Conductive Polymer Aluminum Electrolytic Capacitors



Electrolytic capacitors No.1 ultra low ESR
Low profile 1.0mm height (Dsize:7343)
Low ESL is realized by 3-terminals
High voltage (~35 V.DC)

Conductive Polymer Tantalum Solid Capacitors



Low ESR by using conductive polymer.
Small size / Large capacitance / High voltage / High reliability
Rush current resistance characteristics

Conductive Polymer Aluminum Solid Capacitors



Low ESR by using conductive polymer
Long life / High reliability
High voltage 100V.DC max.

Conductive Polymer Hybrid Aluminum Electrolytic Capacitors



Low ESR and High ripple current
Low-temp. characteristic equivalent to a conductive polymer aluminum electrolytic cap., and a frequency characteristic.

Aluminum Electrolytic Capacitors




Wide products range for the high appliance performance (Surface mount type, Radial lead type). Vibration-proof is available upon request (ø8 mm and larger).

Electric Double Layer Capacitors (Gold Capacitor)




Superior charge and discharge performance compared with secondary batteries. Large capacity than aluminum electrolytic cap. Quick charge and discharge cycle (100 thousand times or more).

HEV/EV Film Capacitors




Self protective function by finely-patterned electrode
Capacitor modules are available. (DC-Link, Filtering and Snubbing)

Film Capacitors (general-purpose)



Excellent temperature characteristics and frequency characteristic
High reliability with self healing function


Film Capacitors (AC motor use)



High safety (Safety function installed)
IEC60252-1, UL810 standard authorization

Resistors / Inductors (Coils)

Current Sense Resistors




Current Sensing Resistors with low resistance value for the devices from mobile to automotive.(120A max.)

High Power Chip Resistors/Wide Terminal Type




Quite high reliability for soldering strength with wide terminal structure. Space saving with high power rating spec.

Anti-Surge /Anti-Sulfurated Thick Film Chip Resistors




Special structure for anti-surge brings excellent ESD withstanding performance and space saving tiny size. Anti-sulfurated type has excellent against sulfuration.

Metal Film (Thin Film) Chip Resistors




Thin film resistors are suitable for the circuit which requires high stability against the temp fluctuation because of its precise resistance value.

Power Inductors(Wire Wound type)



Magnetic shielded structure. Low DC resistance and large current capability. Shock resistant ,(ELL*G series)

Power Choke Coils for Automotive application



Excellent inductance sustainability to DC bias current & temperature. High heat resistance. (up to 150°C) & vibration resistant. (30G)


Power Choke Coils for consumer use



Low DCR and High Power. Low buzz noise due to its gap-less structure. Magnetic shield type by metallic magnetic material.


Thermal Solutions / EMC Components / ESD Components / Surge Components / Fuses

"PGS" Graphite Sheet




Excellent thermal conductivity:700 to 1950W/(m·K). Lightweight: Density 0.85 to 2.13 g/cm³. Flexible and easy to be cut or trimmed.

"NASBIS" Insulating Sheet




Low thermal conductivity : 0.020 W/m · K typ. Created thin-film sheet ; Thickness : 100µm to 1000µm. Various proposals are available when combined with PGS Graphite sheet.

Multilayer NTC Thermistors




Highly reliable multi-layer / monolithic structure. Highly reliable multi-layer / monolithic structure. Wide range of resistance / B value.

Common mode Noise Filters




Simple multi-layer structure(sintered solid) brings excellent environmental quality and stable mounting with wide variation for high speed I/F and tiny arrays.

ESD Suppressors



Easy to use for the super high speed data transmission line like HDMI etc because of super low capacitance of 0.5pF. Contact & Air 15KV is available.

Multilayer Chip Varistors




Excellent ESD suppression due to advanced material technology. Can replace 2 Zener Diodes and 1 Capacitor. Wide lineup for lamination structure.

"ZNR" Transient/Surge Absorbers




Surge protection device for electronic equipment of various fields composed primarily of zinc oxide (ZnO). From consumer electronics to power plant applications.

"ZNR" Transient/Surge Absorbers HF Series



ZNR for Load Dump Surge protection. Suitable for requirement of Automotive. Can be smaller and lighter than the EUC Measured by ZD.


Micro Chip Fuses



Fast acting chip fuses for the secondary circuit protection. Small size variation of 0402, 0603 and 0805.


Relays

"PhotoMOS®"




Panasonic offers a wide range of "PhotoMOS" ideal for measurement, telecommunication, security and industrial control equipment.

Power Relays




Mechanical relay with greater than 2A nominal switching capacity that is ideal for power supply applications.

Safety Relays




Safety relay ideal for safety circuit construction, with forcibly guided contact structure.

Solid State Relays




Semiconductor relay ideal for heater control etc.

Signal Relays



Mechanical relay ideal for signal control, etc., with less than 2A nominal switching capacity

Microwave Devices



Lineup spans from relays to coaxial switches. High-frequency devices that support high bandwidth frequencies.

Automotive Relays



Relays for automotive electronics that includes plug-in and PCB type. High-capacity DC cutoff Relays for EV also available.

High-capacity DC Cutoff Relays



DC high voltage switching possible. Up to 300 A current capacity type available. EP Relay : High Capacity of Max.1,000V DC Cut-off Possible.

Connectors

Narrow Pitch Connectors for Board to FPC




0.35 to 0.4mm terminal pitch, 1.7 to 3.6 width, and 0.6 to 1.5mm mated height. Strong resistance to advanced environments with "TOUGH CONTACT" construction.

Narrow Pitch Connectors for Board to Board




0.35 to 0.8mm terminal pitch, 3.6 to 5.8 width, and 1.5 to 14mm mated height. Strong resistance to advanced environments with "TOUGH CONTACT" construction.

FPC/FFC Connectors



0.2 to 0.5mm contact pitch. Easy-to-handle back lock design. Slim and low profile design.

Active Optical Connector




Max.16Gbps high speed optical. Improve EMC characteristics by optical transmission.

High Current Connectors




Small and low profile connectors up to 10A available.

MIPTEC 3D Packaging Technology



Molded components with an electrical circuit directly formed on 3D surface.

SD Memory Card Sockets (*)



AXA series
With a double-sided metallic shell structure, the connector offers outstanding "robustness", "EMI-resistance" and "terminal flatness."

0.8mm Pitch Connector (*)



HDR series
A compact, robust and EMI-compliant 0.8mm pitch interface connector.

Connector with small lock (*)




TAK series
USB2.0 compatible. A fully-shielded type featuring a mold lock mechanism.

*Products of Honda Tsushin Kogyo Co. Ltd.

Switches / Potentiometers / Encoders

Detector Switches




Realize high reliability by original contact technology.

Switch Module




Thin and lightweight design achieved by adopting a metal diaphragm.

Touch Panel




Touch panel for realizing high-visibility and high-endurance properties.

Light Touch Switches



Selectable from a wide variety of types optimized for each application. Reliable switch performance with good tactile feedback.

Operation Switches



Operation switches that achieve comfortable operation. Wide lineup of sizes and shapes are available.

Signal Switches



Realize optimized operation feeling for each application.

Snap Action Switches



Wide lineup of sizes and shapes are available. Sealed type (Turquoise switch series) also available that is highly resistant to harsh environments.

Encoders / Potentiometers



Applicable to various operations. High reliability achieved by original contact technology.



Industrial SD Memory Card / MicroSD Card / eSD

SD High Grade <SLC type>




High grade SLC type suitable for long-term repeated use. With Power Failure Recovery, UHS-I compliant (Over 4 GB). Made in Japan.

SD Basic <MLC type>



Basic series of a high-durability and good cost performance required for industrial SD. cards. MLC flash memory. Made in Japan.

SD UHS-I <MLC Type>



Ultra high-speed (UHS-I compliant) and high-capacity (up to 256GB) series. Suitable for large data recording.

Flexible Connection Type/Semi-Conductor Mounting Type/MLC



Suitable for an embedded-use. Available in 4/8/16GB. (16GB : flexible connection type only). Made in Japan.

microSD High Grade <SLC type>



High grade microSD SLC type suitable for long-term repeated use. With Power Failure Recovery, UHS-I compliant. Made in Japan.

microSD <MLC type>



Highly reliable microSD. Suitable for an embedded-use. Power Failure Recovery while using MLC flash memory. Made in Japan.

Optical Disc Drives

Archival grade Blu-ray Discs




A single-sided 50GB and 25GB write once in 1-6 speed discs. Highly reliable discs featuring a 50-year archival life. "Tough Coating" protects the disc from scratches and affective materials. Made in Japan.



Optics Components / Communication Devices / Energy Creation & Storage / Thermal Insulation Materials

Aspherical Glass Lenses



High reliability, lightweight, compact, high-performance(NA) and with barrel aspherical glass lenses are achieved using high precision "one shot" molding technology.

Aspherical Lenses



Wide variety of Glass & Plastic Lens for Various Application.
High Accurate / Large-Aperture/ Thin / Aspheric Lens for Various Application

Thin Film Coating



Multi layer coating Nano surface coating


Functional coating, such as Nano-surface coating which reduces a visible light reflection to 0.1%, hard, AR, hydrophilic, water repelling coating are available.

Optical Imaging Units




Transfer rate:4Mbps.
Compact size achieved by custom IC, Built-in ATC Circuit.
JIS F07 Connector adopted.

Power Generation Plates



The plate is capable to generate 200W/h max power by 140 degree difference in temperature caused by exhausted heat =< 200 degrees C, unutilized currently.

Vacuum Insulation Panel



U-Vacua multi-cell

Insulation material with high reliability, accommodating wide variation of shape with U-Vacua and multi-cell type, and achieving top performance as industry leader.

Display Devices / Input & Output Units / Power Supplies / Hybrid ICs

LCD Panel Modules



- IPS, Evolved Image Quality, Saved Energy
- Best for Various Applications in B2B
- Customizable to Your Needs

Industrial Ink Jet Head




Line Head for Commercial Digital Printer.
High Quality(1440x1440dpi Resolution).
High Speed:105m/min.(@1440x1440dpi).
High Accurate & Stable Jetting.

Industrial Ink Jet Head Module



Head Module for Wide Format Printers.
Excellent linearity of the ink Jetting, it corresponds to the wide print gap.
Compatible with a wide variety of ink.

Electromagnetic Wave Shield Films




Copper shield layer formed on the surface of thin PET film by vacuum evaporation. Not only excellent electromagnetic wave shield but also flexible and light weight shield film.




Circuit Board Materials / Advanced Films

MEGTRON GX series (Multi-layered)




- For IC-packages
- Low warpage of IC-substrate
- Thinner and smaller of IC-packages

MEGTRON series (Multi-layered)




- For ICT-infrastructure equipment
- Low transmission loss and high thermal resistance
- Faster and low loss for big data

HIPER series (Multi-layered)




- For Automotive
- High heat resistance and high reliability
- Available in harsh usage environment such as engine ECU

Halogen-free series (Multi-layered)




- For ICT terminal devices
- Low Dk and high reliability
- No hazardous gas when burned it

ECOOOL series (Double-sided)



- For LED lightings
- High thermal conductive
- Apply to a wide range of heat dissipation application

Double/Single-sided circuit board materials




- For digital home appliance CEM-3, paper phenolic circuit board materials
- Excellent tracking resistance
- Good processability

FELIOS series (Flexible materials)




- For ICT terminal devices/ automotive
- Thinner and lighter of devices
- Apply to narrow space and bending part

Optical films



"Fine Tiara series" for mobile products. Excel in anti-reflection and anti-fingerprint of touch panel.


Fine Wiring Electrode Films



Superfine Micro Circuitry Film for Touch Panel System.

Semiconductor Encapsulation Materials / Adhesive / Sealing Materials / Plastic Molding Compounds / Thermal Insulation Materials

Halogen-free Epoxy Molding Compounds



- For Advanced Package and Discrete
- Narrow gap filling applicable low-warpage type
- High thermal conductive grade

Heat Resistance Phenolic Molding Compounds



- For Commutator and Structural parts
- Metal substitute and High dimensional stability type
- High insulation type

Urea/Melamine Molding Compounds




- For Wiring accessories and lighting apparatus
- Arc and High tracking resist, rapid curing type
- Super tough grade Melamine Molding Compounds "MEWLUS"

Liquid Epoxy Encapsulant



- For Advanced Package and Module
- Narrow gap filling applicable Ultra low-warpage type
- Rapid curing type

Unsaturated Polyester Molding Compounds



- For Automotive, Home appliance, Electric tool and Motor
- High thermal conductive grade
- Low linear expansion type

Thermoplastic Molding Compounds



- Laser welding compatible flame retardant PBT for Sensor and Switch
- High reflecting, light diffusing PP "FULL BRIGHT PP" for LED
- High weld strength LCP for connector

Adhesive Materials, Sealing Materials




- For Mount reinforcement and Enclosure adhesion
- Thermal curing type (One humoral epoxy adhesive/Rapid)
- UV curing type (Rapid/Time-lagged)

Reflector Materials for LED



- For LED
- High Light diffusion type
- Heat discoloration and UV resistance type

Multi Functional Sheet



- For heat dissipation application, encapsulation, component embedded module
- High fluidity and low-warpage type
- High thermal conductive grade



Factory Automation Devices

Programmable Controllers



Programmable Controller FP7 can control not only machinery but also information. Users can check the accumulated data in the FP7 with a browser.

Programmable Displays(HMI)



Programmable Display (HMI) GT32-E: Superior visibility even in sunlight. Impressive water resistance makes usage possible in areas prone to water contact.

Static Control Devices



Pulse AC Method Area Ionizer ER-X: High-speed, wide area charge removal.

Energy Consumption Visualization Components Control Unit



Control unit ELC1

Energy Consumption Visualization Components Air Flow Monitor



Air Flow Monitor EWA2: Visualize air consumption to eliminate Waste. Air flow meter is essential for air leak detection and energy saving.

Energy Consumption Visualization Components Eco-Power Meter



Eco-Power Meter KW: From Introduction to Measurement and Data Management, "Visualization" of Energy Use is Easy!

UV Curing Systems



LED Spot Type UV Curing Systems Aicure UJ30/35: Easy Operation & High irradiation performance.

Laser Markers (CO₂)



CO₂ Laser Marker LP-400: A high-speed galvanoscanner and the advanced technology makes it possible to mark on products that are moving rapidly.


Laser Markers (FAYb)



FAYb Laser Marker LP-M Series: Productivity and safety in one New 3D fiber laser marker LP-M series.

FA Components

Wire-saving Systems




Flexible Wire-saving System S-LINK V: Ideal wire-saving system that meets the strict demands of the FA worksite.

Solenoids



Solenoids ideal for general industry equipment and incorporation into consumer products.

Timers



The wide variety of product types includes affordable digital timers and multifunctional compact analog timers.

Fan Motors



We have small, large, and thin sizes for both DC and AC types, which are available at affordable prices.

Limits Swiches



Space-saving compact horizontal/vertical limit switches. Long-life and highly reliable. Compliant with overseas standards.

Temperature Controllers



Easy-to-operate high-precision, affordable temperature controllers. All models have multiple input capabilities and support any type of sensor. The short body.

Machine Vision Systems




Machine Vision Systems IMAGECHECKER PV200 : Improved inspection reliability while reducing engineering time.

2D Code Readers



Stable reading of 2D codes marked on parts of diverse shapes and with various surface conditions. DPM-compatible 2D Code Reader LP-ABR10.

Communication Unit for Open Network



Communication Unit for Open Network SC-GU3 : The SC-GU3 Series is easy to install and enables flexible remote operation over a network.



Motors for Factory Automation

AC Servo Motors



MINAS A6 family, rated output: 50W to 22kW. 3.2kHz frequency response. High-speed communication network driver, EtherCAT and Realtime Express (RTEX).

Brushless Motors



MINAS-BL GV/GU/GP/KV series, rated output: 50W to 130W (GV/GU:speed control/GP:position control), 50W to 750W(KV:speed control). Compact and high-efficiency.

Compact AC Geared Motors



Shin-G series, rated output: 1W to 90W. Varieties of models, Long life-10000 hours for Ball bearing type, Low noise geared motor.

Motors for Equipment Home, Appliances, Automotive

DC Brushless Fan Motors for Packaged Air-conditioner



Using for Large-Size Air-Conditioner (Building & Unitary) Fan Driving. Output : 60W~750W

Refrigerator Fan Motors



Full range of AC/DC and DC Input Using for Refrigerator Evaporator & Condenser Fan Driving

Motors for Automotive



Compact and Light Weight DC Motor for Automotive Industry. <Application> ABS/ESC, Cooling fan for various applications

Compressors / Pumps / Cooling Fans / Cooling Roller / nanoe™

DC Inverter Compressors for Air-Conditioner



DC-Inverter rotary compressor model: 2 Piston model suitable for energy saving.

Scroll / CO2 compressors



Scroll / CO2 compressor: Implementation high efficiency and low noise. Broad line-up from small to large for each applications.

DC Pump



We can develop not only pump but also the motor on our own. High-Efficiency. Control of Performance. Low Noise. Low Vibration. Downsizing

Cooling fan with Unique Hydro Dynamic Bearing




Unique Hydro Dynamic Bearing realize reliability by non-contact rotation. Longevity, Low noise Low vibration. High delivery records in the car use.

Cooling Roller



Thermoelectric Cooling Roller does not use water, the excellent cooling capability and quick thermal response are achieved, making cooling system itself compact.

nanoe™ device



A nanoe™ is a nano-sized ion particle coated with water particles, and has the benefits of hygienic environment and beauty. nanoe™ is generated by the nanoe™ device .

Visit the Panasonic Website or Showroom for More Detailed Product Information.


The Panasonic website introduces the latest information on electronic devices by parts type and by application. You can also download product catalogs by category as well as technical documents from the website. At the Panasonic Showroom, you can experience first-hand the core technologies incorporated in Panasonic's devices as well as a host of mainstay products through videos and demonstrations. Please drop in when you're in the area. (For a tour of the showroom, please contact a sales representative.)

Product information websites

<http://industrial.panasonic.com/jp> (Japanese)

<http://industrial.panasonic.com> (English)

<http://industrial.panasonic.com/ea> (Chinese)



Panasonic Devices Showroom (Kadoma City, Osaka)
*Multilingual support in Japanese, English and Chinese

Guidelines and cautions for using the product technical information and the products displayed on this material

- The products described on this material were designed and manufactured for standard applications such as general electronics devices, office equipment, data and communications equipment, measuring instruments, household appliances and audio-video equipment. For special applications in which quality and reliability are required, or if the failure or malfunction of the products may directly jeopardize life or cause threat of personal injury (such as for aircraft and aerospace equipment, traffic and transport equipment, combustion equipment, medical equipment, accident prevention and anti-theft devices, and safety equipment), please use only after your company has sufficiently tested our products' suitability for that application.
- When using our products in equipment that requires a high degree of reliability, regardless of the application, it is recommended that you use protection circuits and redundancy circuits for equipment safety and test for safety.
- The products and product specifications described on this material are subject to change for improvement without prior notice. Therefore, be sure to request and confirm in advance the most current specifications, which explain the specifications in detail, before the final stage of your design, purchasing or use for any application.
- The technical information on this material provides examples of the products' typical operations and application circuits. It is not intended to guarantee the non-infringement of or grant license for intellectual property rights of this company or any third party.
- Permission must be obtained from the Japanese government if products, products specifications and technical information on this material that are subject to the "Foreign Exchange and Foreign Trade Law" are to be exported or taken out of Japan.
- The information contained on this material may not be reprinted or reproduced whether wholly or in part, without the prior written permission of Panasonic Corporation.

Safety Precautions

When using our products, no matter what sort of equipment they might be used for, be sure to confirm the applications and environmental conditions with our specifications in advance.

For further details please contact:

**Industrial Marketing & Sales Division
Automotive & Industrial Systems Company
Panasonic Corporation**

1006 Kadoma, Kadoma city,
Osaka 571-8506, Japan

* Information in this catalog is accurate as of April 2018.