Ü	Bridge on the River Quad	Name
V	Student Activity	Class

Problem 1 – Solving a Quadratic Equation by Completing the Square

Enter the following points into L1 and L2 so that the x-values are in L1 and the y-values are in L2:

(2.5, 0.25), (3.2, 2.56), (3.9, 3.89), (4.6, 4.24), (5.3, 3.61), (6, 2), (6.5, 0.25), (7.2, 2.56), (7.9, 3.89), (8.6, 4.24), (9.3, 3.61), (10, 2), (10.7, 0.25), (11.4, 2.56), (12.1, 3.89), (12.8, 4.24), (13.5, 3.61), (14.2, 2), (14.9, 0.25)

Graph a scatter plot of (L1, L2). Use the **ZoomStat** to view the data.

The scatter plot shows the plan for a trestle bridge. The upper part of each trestle is shaped like a parabola. In this activity, you will solve quadratic equations to answer questions about the bridge.

Let's take a closer look at the curve described by one of the trestle sections. Enter the quadratic function $y = -x^2 + 9x - 16$, which models the curve of the trestle, in **Y1**.

Adjust the window settings as shown at the right.

Press graph to view the graph. The *x*-axis represents ground level. Where does this bridge section meet ground level?

NORMAL	FLOAT	AUTO	REAL	RADIAN	MP	
WIND	DΜ					
Shad	deRes	5=6				
Xmin	1=ר					
	k=15					
Xsc.						
	1- =ר					
Ymax						
Ysc.						
Xres						
↓ △ X=,	.0530	303	0303	303		

You could trace the graph to find an approximate answer. Or you could obtain an exact answer by solving a related quadratic equation, $-x^2 + 9x - 16 = 0$.

To solve the equation, first complete the square. Record your steps below. Some steps have been completed for you.

	Algebra	Step
1.	$-x^2 + 9x - 16 = 0$	original problem
2.	$\frac{-x^2}{-1} + \frac{9x}{-1} - \frac{16}{-1} = \frac{0}{-1}$	divide both sides by $a = -1$
3.		simplify
4.		
5.		
6.		simplify
7.		write the trinomial as a perfect square
8.		set one side equal to 0

Name	
Class	

At this point, stop and wait for the rest of the class to resume the activity. Continue to check your work so far.


Your equation should now be in the form $(x - h)^2 + k = 0$.

To check your algebra, you can compare the values of h and k in your equation with the coordinates of the vertex of the parabola, (h, k).

To find the coordinates of the vertex, use the **maximum** command found in the **Calc** menu (press 2nd trace).


Move the cursor and press enter to input a left bound, right bound, and a guess.

If you completed the square correctly, the coordinates of the vertex match the values of h and k in your equation.



Continue to solve the equation by isolating *x*. Record your steps as before. Some steps have been completed for you.

	Algebra	Step
9.	$(x-4.5)^2-4.25=0$	starting equation
10.		
11.		
12.		simplify
13.		break into two equations
14.		



16. What is the span of this section (the distance from one ground level point to another)?

17. Rewrite the original equation, $y = -x^2 + 9x - 16$, in the form y = a(x - h) + k. What are the corresponding equations for the next two spans of the trestle?

ų,	Bridge on the River Quad			
-	Student Activity			

Name	
Class	

The process you just used to solve this equation—completing the square and isolating x—can be used to solve ANY quadratic equation. Follow along with your teacher to see how this process can be written in a "shorthand" form called the quadratic formula.

Problem 2 – Using the Quadratic Formula

You can store the quadratic formula in your graphing calculator and use it to solve quadratic equations quickly.

Use $\underline{sto+}$ to define the values of **A**, **B**, and **C** to match the equation $2x^2 + 5x + 3 = 0$.

Because of the \pm sign in the quadratic equation, we must store it in two pieces: **Q**, with a + instead of the \pm , and **R**, with a – instead of the \pm . Define **Q** and **R**. (**Q** is shown.)

NORMAL	FLOAT	AUTO	REAL	RADIAN	MP	
2→A						2
5 → B					•••••	··· ~ ·
3→C					•••••	5.
						3

NORMAL FLOAT AUTO REAL RADIAN MP
(-B+√B ² -4AC)/(2A)→Q
NORMAL FLOAT AUTO REAL RADIAN MP
MATTH NUM CMPLX PROB FRAC 4↑3J(
5: ×1
6:fMin(7:fMax(
8:nDeriv(
9:fnInt(0:summation Σ(
A:109BASE(
B:Numeric Solver…

OPTIONAL:

There is another way you can solve quadratic equations with your handheld: using the **Numeric Solver**. The **Numeric Solver** tries many different values for the variable until it finds one that works. Open it by going to the **Math** menu and choosing it from the list.

Enter the equation $2x^2 + 5x + 3$ for E1 and 0 for E2 and press graph. You can guess the solution on the second line and enter an upper and lower bound for the values where the Numeric Solver will look for the solution. Note that the Numeric Solver is asking for the same information that a Calculate command such as maximum asks for on the graph screen.	NORMAL FLOAT AUTO REAL RADIAN MP SELECT VARIABLE; PRESS SOLVE
Press enter graph to run the command. You will notice that the Numeric Solver returns only one solution in X , even though the equation has two solutions. This is because the Numeric Solver stops looking once it finds a value of the variable that makes the equation true. (This solution also may not be exact.)	SOLVE NORMAL FLOAT AUTO REAL RADIAN MP SOLUTION IS MARKED • 2X ² +5X+3=0 • X= -1 bound={ -1E99, 1E99} • E1-E2=0
The expression E1–E2=0 means that the Numeric Solver has checked the solution by substituting it into both sides of the equations and then subtracting the right side from the left, much as you would check the answer to an equation!	SOLVE NORMAL FLOAT AUTO REAL RADIAN MP SELECT VARIABLE: PRESS SOLVE 2X ² +5X+3=0 X=-1.1 bound={-8, -1.1}
To find both solutions, you must run the Numeric Solver twice and tell it where to look for the solutions, as in the screens shown. It is not always easy to guess where to tell the Numeric Solver to look for the solution. For example, if you had looked at < 0 and \ge 0, you would not have found both solutions to this equation.	SOLVE NORMAL FLOAT AUTO REAL RADIAN MP SELECT VARIABLE: PRESS SOLVE 2X ² +5X+3=0 X=-1 bound={-1,8}
The quadratic formula is usually a better tool for solving quadratic equations with your calculator.	SOLVE

Name _____

Class

Bridge on the River Quad

Student Activity

the formula.

Solve each equation using the quadratic formula. You may need to simplify before applying

Bridge on the Student Activity	River Quad	Name Class	
18. $-55x + 30 = 50x^2$	19. $x^2 + 2x + 1 = 0$	20. $6x^2 + x = 12$	
21. $3x^2 = 2x + 5$	22. $-11x^2 + 4x + 7 = 0$	23. $-4x^2 + 16x = -28$	
24. $2x^2 = -9x - 4$	25. $3x^2 + 8x - 11 = 0$	26. $-2x^2 - 5x + 9 = 0$	

- **27.** Graph the function $y = x^2 + 4x + 4$. Solve the corresponding equation $x^2 + 4x + 4 = 0$ using the different methods you've learned (completing the square, using the quadratic formula, etc.). Explain how you got the results, and how the results relate to the graph of the function.
- **28.** Graph the function $y = x^2 + 4x + 6$. Solve the corresponding equation $x^2 + 4x + 6 = 0$ using the different methods you've learned (completing the square, using the quadratic formula, etc.). Explain how you got the results, and how the results relate to the graph of the function.