CI CO

Campus CleanAir TECHNOLOGY DESIGN GUIDE

August 2013

Table of Contents

Introduction

Technology Use Cases

Wireless technology impacts our lives each and every day. As a result of the explosive growth of wireless





Step 10: If you want to view the discovery progress, click **Operate > Discovery**. If you want to instantly update the in-progress results, click the green refresh icon in the upper right corner.



After the process is completed, the status changes from running to completed.



Devices on the network have now been discovered and are ready for other management tasks such as asset, configuration, and software-image management.

Adding Buildings and Floor Plans to Cisco Prime Infrastructure 1.3

1.

Step 2: On the CleanAir template, do the following:

• Provide a meaningful name and description (92 0 57AEO

#? 2 **<ENTER>**

3) Argentina

29) Martinique

3) Argentina

3) Argentina

Step 3: On the Add Mobility Services Engine page, enter the following parameters:

- Device Name-vMSE-VA-7-4-0-31
- IP Address-10.4.48.40
- Contact Name-Networking Team
- Username—admin (do not change this)

.

Step 1:

Step 9: Verify that the Cisco M

Troubleshooting with Cisco CleanAir

With the addition of the Cisco MSE VA, historical Cisco CleanAir information is readably accessible through Cisco Prime I

Step 4: Navigate to Overview >





Please use the feedback form to send comments and