


Preface



CVD Navigator

Introduction



Deployment Details



Step 3: If the Continue to Product License Registration

Before installing, please note the following:

-




Step 2: On the Virtual Machine Properties dialog box, click the

Step 3:



Step 2: Enable JavaScript.

If you are using Internet Explorer 8 or later, navigate to **Tools > Internet Options > Security > Custom level > Settings**, and then under **Scripting of Java applets**, select **Enable**.



If you are using Mozilla Firefox 25.0 or later, enter **about:config** in the address bar and navigate to **javascript.enabled** and set it to **true**.

If you are using Chrome 25.0 or later, enter

Step 2: Log in by using the username **root**

Step 4:



Step 4: In the Name

Step 10: In the expanded SnmpV2 Credential area, select **Enable SnmpV2 Credential**.

Step 11: Click **Add Row**.

Step 12:

Step 1: Navigate to **Administration > Logging** and then click **SysLog Logging Options**. The SysLog Logging Options page appears.



Step 2: Next to Enable Syslog, select **Enable**.

Step 3: In the **SysLog Host** box, enter **10.4.48.35**.

Step 4: In the **SysLog Facility** list, choose **LOCAL7**.

Step 5: Click **Save**.

Step 6: To see syslog messages from managed devices that are correctly configured to send system messages to Prime Infrastructure, navigate to **Operate > Alarms and Events**

Step 7: Under Schedule, configure the following items:

- **Job Name**—Enter a descriptive name for the Cisco.com software image import job.
- **Start Time**—Select **Now**.

Step 2:



Appendix B: Changes

Please use the [feedback form](#) to send comments and suggestions about this guide.