



Opcig Wpkhgf EEZ 12

CHAPTER 22

Wpkhgf EEZ Cf okpukvckqp Ygd Kpygthceg 15

Ceeuu Wpkhgf EEZ Cf okpukvckqp Ygd Y

Crrnkecvkqp Vtkiigt 45

Wpkhkgf EO Vgngrijqp{ Vtkiigt 46

Cff Wpkhkgf EO Vgngrijqp{ Vtkiigt htqo Crrnkecvkqp Ygd Rcig 46

Cff Wpkhkgf EO Vgngrijqp{ Vtkiigt htqo Wpkhkgf EEZ 46

JVVR Vtkiigt Rtqxkukqp 47

Cff JVVR Vtkiigt htqo Crrnkecvkqp

Rtqxkukqp

Yter/Wr Fcvc Wucig 102

Vgcou Eqphki wtcvkqp 103

Cuukip Uwrgtxkuqt Rtkxkngig vq c Wugt 103

Etgcvg Vgc o Uwrgtxkuqt 103

Etgcvg Vgc ou 104

Oqfkh{ Cigpvu qp Vgc ou 104

Fngvg c Vgc o 105

Wpkhkf EEZ Tgrqtvkpi 157

Tgrqtvkpi Cf okpukvtevkqp qp Wpkhkf EEZ 157

Ko rqtv

Uctv Wpkhgf Kpvgnki gpeg Egpvgt 197

Cf o kpvtevt Qxgtxky


Eqphkiwtg Crnkeckqp

Nkegug

JVVR Eqphkiwtevkqp 282


Cff Pgy JVVR VtkiigtULJJ4U

Cf o k p i u t e v q t E c r d k n v { X k g y



	See	Date

Related Documents



Unified CCX Introduction

Wpkhkf EEZ rtqkfgu c o wnvk o gfk *xqkeg. fcvc. cpf ygd+ KR/gpcdnf ewuvq o gt/ectg cr rnkckvkqp gpxktqp o gpv
vjcv gpjcpogu vjg ghkckgpe{ qh eqpvcev

Wpkhkf EEZ Ugtxgt Eqpvckpu vjg Wpkhkf EEZ Gpikpg vjcv twpu cr rnkckvkqpu. kpenwfkpi Ekueq uetkrv cr rnkckvkqpu.

Unified CCX Cluster Architecture



Uwrrqtv

Fgrgpfkpi qp vjg Wpkhkf EEZ rtqfwevu vjcv {qw




Note

Kh

Vjg Nkegpug kphqto cvkqp ygd rcig qrgpu0

Step 2 Urgek{ c Nkegpug

Uvctkpi cpf uwqrrkpi vjg Wpkhkf EEZ Gpi



CHAPTER

Procedure

Step 1 Qrgp vjg Wpkhgf



Unified CCX Configuration Web Pages

Y jgp {qw ejqqg cp{ ogpw cpf uwd ogpw qrvkqp htqo vjg Wpkhkgf EEZ Cf okpkuvtcvkqp ogpw dct. c
eqphkiwtcvkqp qt cf okpkuvtcvkqp ygd rcig qrgpu0 Wug vjku ygd rcig vq eqpvkpwg {qwt eqphkiwtcvkqp qt
cf okpkuvtcvkqp vcum0

kp uq og ecugu. {qw ykn rgthqto {qwt eqphkiwtcvkqp qt cf okpkuvtcvkqp vcum qp vjku

Toolbar and Buttons

Qp vjg vqr nghv vqqndct qh ocp{

KR RjqpG C igpv

Gzvgpukqp

Modify AXL Information

Vq ejcpig rtgxkqwun{ eqphki wtgf CZN kphqt o cvkqp. eq o rmgvg vjg hqnnq ykpi uvgru0



- Step 3 Chvgt nqi ikpi kp vjg Wpkhkgf EEZ Cf okpkuvtcvkqp ygd kpvgtthceg. hqmqy vjgug uvgru vq wrfcvg vjg CZN rcuuyqtf<
- c+ Nqi kp vq Wpkhkgf Eq o owpkcevkqpu Opcigt Cf okpkuvtcvkqp ygd kpvgtthceg cpf wrfcvg vjg rcuuyqtf hqt vjg crnkecvkqp wugt *CZN rtqxkfgt+0
 - d+ Pcxkicvg dcem vq U{uvgo @ Ekueq Wpkhkgf EO Eqphkiwtcvkqp ygd

Modify RmCm Provider Information

Vjg nkuv qh cnn EVK Opcigtu cxckncdng kp c enwuvgt etg uexgf cu c rctv qh vjg dqquvter kphqt o cvkqp⁰ [qw ecp ejcpig vq cp{ cxckncdng EVK Opcigtu nkuvgf kp vjg Cxckncdng EVK Opcigtu nkuv dqz kp vjku rcig⁰



Note

Vjg ToEo Rtqxfgt urgekkgf vjtqwi j vjg Wpkhkgf EEZ Cf o kpuvtcvkqp ku cwvq o cvkecnn{ etgcvgf kp Wpkhkgf Eq o owpkecvkqpu Opcigt⁰ [qw fq pqv pggf vq wug vjg Wpkhkgf Eq o owpkecvkqpu Opcigt ygd kpvthceg vq etgcvg vjg wugt⁰

Vq ejcpig rtgxkqwn{ eqphkiwtgf ToEo rtqxfgt kphqt o cvkqp qt vq eqphkiwtg c pgy ToEo Rtqxfgt. eq o rnvvg vjg hqnnqykpi uvgru⁰

Step 3 Enkem **Wrfcvg** cv vjg vqr qh vjg Ekueq Wpkhgf Eq o owpkecvkqpu

Кр вјг Овнкрнг

Step 7

Step 18 Enkem **Wrfcvg** vq cr rn{ vjg ejcpigu0

Vjg urgekhe Cr rnkcvkqp kphqt o cvkqp rc ig hqt vjku wugt cr rgctu. ykvj vjg o guucig vjcv vjg wr fcvg ycu uweeguuhwn0

Ugg vjg

Step 2

Configure Script Applications

Vjg Wpkkgf EEZ *uetkrv* cr rnkcvkqpu ctg cr rnkcvkqpu

Add New Cisco Script Application

Vq cff c pgy Ekueq uetkrv cr rnkecvkqp. eq o rnvq vjg hqnnqykpi uvgru<

Procedure

Step 1 Htq o vjg Wpkkkf

Field	Description
	<p>Note Vjku hkgmf ku cxckncdng qpn{ hqt Ekueq Uetkrv Cr rnkecvkqp v{ rgl Vjg fgbcwv uetkrv gzgewvgu y jgp cp gttqt qeewtu ykvj vjg eqphkiwtgf</p>

Vjg Cff c Pgy Crrnkecvkqp ygd rcig qrgpu0

Step 3 Htqo vjg Crrnkecvkqp V{rg ftqr/fqyp ogpw. ejqqug **Dwu**{.


Procedure

- Step 1 Htq o vjg Wpkhkgf EEZ Cf o kpkuvtevkqp o gpw dct. ejqqug **Crrnkecvkqpu @ Crrnkecvkqp Opcig ogpv**
Vjg Crrnkecvkqp Opcig ogpv ygd rcig qrgpu. fkurnc{kpi vjg fgvcknu qh gzkuvkpi crrnkecvkqpu. kh cp{0
- Step 2 Enkem **Cff Pgy** keqp vjcv ku fkurnc{gf kp vjg vqqa dct kp vjg wrrgt. nghv eqtpgt qh vjg ykpfqy qt vjg **Cff Pgy**
dwwqp vjcv ku

Cff vjg vtki igt htqo vjg Ekueq Crnkckvqpp ygd rcig qt cff cff

HTTP Trigger Provision

--



Vjg hknq ku ucxgf vq vjg urgekhhkf fktgevqt{0

Refresh Scripts

Vjg fkcq*i*

CHAPTER

Telephony and Media Provision

Tguqweg rtqxkukqkpi kphqt o cvkqp hqt vjg Wpkhkf



Ogfkc tguqwtegu ctg nkegpugf cpf uqnf cu Wpkhkf KR KXT rqtvu0 Cnvjqwi j {qw ecp
rtqxkukqp oqtg

Wpkkkf EEZ pggfu ceegu

{qwt Wpkhkgf EEZ ugtxgt vq jcpfng Ekueq Wpkhkgf Eq o wpkecvkqpu tgswwgu. {qw o wuv rtqvkukqp vjg Wpkhkgf
EO Vgngrijqp{

Resynchronize Unified CM Telephony Data

Vjku tgu{pejtqpk|kpi rtqeguu gpuwtgu vjcv vjg Wpkhkf EO

v jg nkuv qh ecnn eqpvtqn i tqwru fkurnc{gf kp v jg Ekueq Wpkhkgf EO Vgngr jqp{ Ecnn Eqpvtqn I tqwr Eqphki wtcvkqp
ygd rcig0

- Step 2 Enkem vjg **Cff Pgy** keqp vjcv ku fkurnc{gf kp vjg vqqn det kp vjg wrrgt nghv eqtpgt qh vjg ykpfqy qt vjg **Cff Pgy** dwwvqp vjcv ku fkurnc{gf cv vjg dqvqo qh vjg ykpfqy0
Vjg Wpkhgf EO Vgngrijqp{ Vtkiigt Eqphkiwtcvkqp ygd rcig qrgpu0
- Step 3 Wug vjku ygd rcig vq urgek{ vjg hqmqykpi ocpfcvqt{ hkgnfu<



Field	Description
	<p>Ejgem qpg qh vjg hqmqykp i qrvkpu<</p> <p>Xqleg Ockn Ejgem vjku dqz vq wug ugvpki u kp vjg Xqleg Ockn Rtqhkng Eqphki wtcvkqp ykpfqy⁰</p> <p>Y jgp vjku dqz ku ejgemgf. Wpkhkgf EO kipqtgu vjg ugvpki u kp vjg</p>

vjg kfgpvkecn ugvpki *6+0 Vjku yknn ecwug Wpkhkf EO vq hqtyctf vjg pgzv



Note

Vjg dwknv/kp itc o octu cpf itc o oct qrvkqpu vjcv ctg uwr rqtvgf d{ Wpkhkgf EEZ y jgp wukpi cp OTER fkcni ejcpgn ku fvgto kpgf d{ vjg OTER urggej uqhvyctg {qw rwtejcug} Ugg vjg uqhvyctg xgpfqt hqt kphqto cvkqp cdqww y jcv dwknv/kp itc o octu cpf hgcwvtgu ctg uwr rqtvgf)

Vq gpcdng {qwt Wpkhkgf EEZ cr rnkcvkqpu vq jcpfng uk o rng FVOH/dcugf fkcni kp)

Vjg OTER CUT Ugtxgt Eqphkiwtcvkqp ygd rcig qrgpu. fkurnc{kpi c

	VERVER

Note Uwr rqtv hqt Jki j Cxckncdknkv{ cpf tg o qvg ugtxgtu ku cxckncdng qpn{ kp o wnvkrng/ugtxgt fgrnq{ o gpvu0

Step 3 Enkem **Cff** vq crn{ ejcpigu0
[qwt ejcpigu crngct kp vjg OTER VVU Rtqxkfgt

Provision of Unified CCX

Vq rtqkukqp vjg Wpkhkf EEZ uwd{uvg o. {qw owuv rtqkukqp {qwt vgngrjq{ cpf ogfkc tguqwtegu *ugg vjg
Rtqkukqp Vgngrjq{ cpf Ogfkc Tguqwtegu. qp rcig 79+0





Vjg ToEo wugt urgekkgf vjtqwij Wpkkgf EEZ

Resource Groups

Tguqweg

Step 3 Kp vjg Umknn Pcog hkgnf. gpvgt c fguetkrvkqp qh c tngxcpv umknn *hqt gzc o rng. Htgpej+0

Step 4 Enkem **Cff**0

Vjg Umknnu ygd rcig qrgpu. ujqykpi vjg umknn kp vjg Umknn Pcog eqnw o p cpf vjg vqvcn pw o dgt qh umknnu vjcwjcv

Vjg umkn ku fgngvgf0

Agent Configuration

Qpeg vjg gpf wugtu kp Ekueq Wpkhkf Eq o wpkecvkqpu³

Implications of Deleting Agents in Unified CM

kh {qw oqfkh{ cp cigpv}u tgeqtf kp Wpkhkgf EO *hqt gzc o rng. ejcpikpi vjg Wpkhkgf EEZ gzvdpukqp qt fgngvki
vjg cigpv+. gpwtg vq tghtgij vjg wugt rcig qp Wpkhkgf EEZ Cf okpukvtcvkqp kpvghceg uq vjcv vjg cigpv kphqt o cvkqp
kp vjg Wpkhkgf EEZ ToEo

Vjg

Vjg Tgo qxg Umknn Eqphki wtcvkqp ygd rcig qrgpu0

Step 4 Tgo qxg umknnu d{ ejqqkpi qpg

Field	Description
	Cniqtvj o wugf vq qtfgt vjg swgwgf ecnu

- d+ Ejqqug vjg tguqwtg itqwr hqt vjku EUS htq o vjg Tguqwtg I tqwr ftqr/fqyp ogpw0
- e+ Enkem **Ujqy Tguqwtgu** keqp vq ujqy cmn cigpvu yjq oggv vjg urgekkgf etkvgtkc0
- f+ Kh {qw ugngvgf *Nkpgct* qt *Ektewmct* cu

Delete a Contact Service Queue



Note

Gzkvki Gockn Eqpvcev Ugtxkeg Swgwgu ecp dg fgngvgf0

Y jgp {qw fgngvg c EUS. cp{ umknu qt tguqweg i tqwru

Table 1: Agent Skill and Resource Group Settings

Table 2: Resource Skill Selection Criteria

Procedure

Step 1 Htqo vjg

Teams Configuration

C vgc o ku e i tqwr qh ci gpvu y j q tgrqt v q v j g uc og uwrgtxkuqt C vgc o ecp



Note

[qw pggf vq rtqxlukqp c rctvkewnet uwd{uvg o qpn{ kh {qw ctg wukpi Wpkhkf EEZ cr rnkcevqpu vjcv tgswtg kv0

Provision of HTTP Subsystem



Field	Description
WTN	Vjg tgnvckxg WTN0 Hqt gzc o r ng< Đãæ→~
Crrnkecvkqp Pcog	Ugngev cp crrnkecvkqp hqt y jkej {qw ycpv vq cff c J VVR vtki igt htq o vjku nkuv dqz0
Uguukqpu	Vjg oczk o w o c o qwpv qh uk o wnvcpqqu uguukqpu *kpuvcpegu+ vjcv vjg crrnkecvkqp ecp jcpfng0
Gpcdngf	Enkem vjg tgswtgf tcfkq dwvqpv vq ceegr v / [gu *vjg fghcwnv+0 Note Kh {qw fkucdng vjg vtki igt. vjg wugt tgegkxgu cp gttqt o guuc ig y jgp dtqyukpi vq vjg fghkpgf vtki igt WTN0

Step 3 Enkem **Cff Pgy**0
Vjg J VVR Vtki igt Eqphkiwtcvkqp ygd rc ig



Vq fgyt o kpg c nkuv qh gpvgr tkug fcvcdcugu uwr rqtvgf

ku fpg vjtqwij

Manage Grammar Files

Vjg Wpkhkf EEZ u{uvgo wugu urgekhe itc o octu y jgp tgeqip|kpi cpf tgurqpfkpi vq ecnmt tgurqpug vq
rtq o rvu0 C itc o oct ku c urgekhe ugv qh cmn rquukdng urqmgp cugu

Create New Language

Hqmqy vjku rtqegfwtg vq etgcvg c pgy Rtqo rv. Itc o oct. qt Fqew o gpv ncpicwig hqnfgt kp vjg Tgrqukvqt{
fcvcuvqtg<

Procedure

Step 1 Htqo vjg Wpkhkgf EEZ

Delete Language

Hqnnqy vjku rtqegfwtg vq fgngyg c Rtq o rvl I to o octlFqewo gpv ncpiwci g hqnfgt kp vjg Tgrqukvqt {

Step 5 D{ fghcwnv. vjg hkngu ctg wp|krrgf chvgt wrnqc fkp i0 kh {qw ycpv vq ejcpig vjku qrvkqp. wpejgem vjg

Record a Prompt

[qw ecp tgeqtf {qwt qyp

Specify Custom Classpath Entries

Wug vjg Ewuvqo Encuugu Eqphkiwtcvkqp ygd rcig vq urgek{ vjg cxckncdng encuurevj gpvtkgu0

Procedure

Step 1 Htqo vjg Wpkhkgf EEZ Cfokpkuvtkvqp ogpw dct. ejqqug U{uvgo @ Ewuvqo Hkng Eqphkiwtcvkqp0
Vjg Ewuvqo Encuugu Eqphkiwtcvkqp ygd rcig qrgpu0 [qw ecp<

Ugngev tgswtgfg gpvtkgu htqo vjg Cxckncdng Encuurevj Gpvtkgu nkuv cpf cttepig vjgo kp vjg qtfgt {qw ycpv0


Wug vjg cttqy keppu vq oqxg kvgo dgvyggp vjg Cxckncdng Encuurevj Gpvtkgu cpf Ugngevfg Encuurevj
Gpvtkgu nkuvu0

Step 2 Enkem Wrfcvg ykwp {qwt ugngevkvkqpcog

Šá→æ\\æËQ⇒b\İ O|b\~↑F O|b\~↑G
O|b\~↑FËŠá→æ\\æËSá↑æİ Oá\æ&~ã]F
O|b\~↑GËŠá→æ\\æËSá↑æİ Oá\æ&~ã]G
O|b\~↑FËU\æ*ËQ⇒b\İ b\æ*FË↑à
O|b\~↑GËU\æ*ËQ⇒b\İ b\æ*GË↑à b\æ*ĞË↑à
Ø↑*→æ↑æ^\á\↔~^ËÛ↔→æİ NNÞ Úæb\ Ô↔→æ
Ø↑*→æ↑æ^\á\↔~^ËÛæãb↔~^İ

Vjg hkiwtg dgrqy ujquy c uco rng CCT hknq)

Figure 2: Sample AAR File



Vq fgrnq{ ewuvqo crnrkecvkqpu. uvgru. cpf

Grammars Directory

Vjg I tco octu fktgevqt{ uvqtgu itc o octu

Name	Value
	c1rjcpwo -

Attribute Types

Gzco r ng

Table 8: Application Attributes

CHAPTER

10

Unified CCX System Management

Wpkhkgf EEZ cf okpkutcvkqp rtqxkfgu

Kh vjg cevkxg ugtxgt hcknu. vjgtg



Ejcpikpi uq o g u{uvgo rctc o gvtu nkmg KR cftguu. Pgy qtm Vko g Rtqvceqn *PVR+ cpf uq qp ecp tguwnv kp
c fkhgtgpn Nkegpug OCE0 [qw pggf vq igv

Step 3 E jgem v jg FD tgrnkecvkqp uvcvwu qp cmm v jg



Ejcpikpi vjg KR

´~^ã↔&|ãæã ↔^ Û00V Nã↑↔^↔b\ãá\↔~^
|^ãæã U]b\æ↑ ÆL Uæã{æãb \áæ^]~| ↑|b\ ´áá^&æ
\áæ Ø§ áääãæbb \áæãæ

Vjg hqmqykpi qwrww fkurc{u<

KK

O~^\leftrightarrow^|æ ç]Ð^DE]

Gpvt { cpf rtguu **Gpvt** Vjku yknn cwvq o cvkecnn{ tgdqqv

wukpi ENK

Gpvt { cpf rtguu **Gpvt**

Step 5 Vq ejcpig vjg

Step 7 Htq o vjg rwdkujgt pqfg. twp ENK eq o ocpf wvknv fdtgrnkecvkqp

O~^\@^|æ Ç]Ð^Dí

O~^\@^|æ Ç]Ð^DL]

EEE Û N P S Ø S Ö EEE

Úâ↔b ^~↑↑á^ä }↔↔↔ 'á|bæ \áæ b]b\æ↑ \~ äæb\áä\



Unified CCX Reporting

[Tgrqtkpi Cf okpkuvckqp qp Wpkhkf EEZ. rcig 379](#)



кр

Vjg eqphkiwtcvkqp ejcpigu vcmg ghhev/ h

Configure Automatic Purging

Procedure

- Step 1 Htqo vjg Wpkhkgf EEZ Cf okpkuvtcvkqp ogpw det. ejqqug **Vqqu** @ **Jkuvtkecn Tgrqtkpi** @ **Rwtig Pqy**
Vjg Rwtig Pqy ygd rcig qrgpu0 Vjg Rwtig fcvc qnfgt vjcp hkgnf ku fkurnc{gf kp vjg Rwtig Pqy ygd rcig0
[qw ecp urgek{ vjku hkgnf kp oqpvju cpf fc{u0
- Step 2 Htqo vjg ftqr/fqyp nkuv kp vjg Rwtig fcvc qnfgt vjcp *P* oqpvju

Run Reports

Qrgp vjg tgcn/vk og tgrqtkpi vqqn htq o vjg Wpkhkgf EEZ Cf okpkuvtcvkqp ygd kpygthceg vq twp tgrqtvu0
Vq twp c tgcn/vk og tgrqtv. eq o rngvg vjg hqmqykpi uvgru0

Procedure

Step 1 Htq o vjg Crnkecvkqp Tgrqtkpi ogpw det. ejqqug **Tgrqtvu0**

Step 2 Htq o vjg Tgrqtvu ogpw. ejqqug vjg tgrqtv vq twp0

Vjg tgrqtv qrgpu kp vjg Crnkecvkqp **Tgrqtvu0** ykpfqy0

tvc ngeUc

View Detailed Subreports

[qw ecp xkgy oqtg fgvcnkngf kphqt o cvkqp hqt ugngvgf kyg ou kp vjgug hqwt tgrqtvu<

Procedure

- Step 1 Twp c tgrqtv()
- Step 2 Htq o vjg Crrnkecvkqp Tgrqtvkpi o gpw. ejqqug **Vqqu @ Qrgp Rtkpvcnng Tgrqtv()**
C rtkpvcnng xgtukqp qh vjg tgrqtv qrgpu kp c ugrctevg ykpfqy()
- Step 3 Rtkpv vjg tgrqtv wukpi {qwt dtqyugt rtkpv hwpevkqpcnk{()
-

Reset Report Statistics

Vjg Wpkhkf EEZ u{uvgo cwwq o cvkecnn{ tgugvu cmm uvcvkukcu gcej fc{ cv okfpki jv() [qw ecp tgugv vjg ceew o wncvfg uvcvkukcu ocpwenn{ cv ep{ vk o g() Tgugvukpi uvcvkukcu fqu pqv tgugv cevxg uvcvkukcu. uwej cu cevxg eqpvcevu cpf cevxg vcumu()

Vq tgugv tgrqtv uvcvkukcu. eq o rnvvg vjg hqmqy kpi uvgru()

Procedure

- Step 1 Htq o vjg Crrnkecvkqp Tgrqtvkpi o gpw dct. ejqqug **Vqqu @ Tgugv Cmm Uvcvu()**
Vjg Tgugv Uvcvu fkenqi dqz qrgpu hqt {qw vq eqphkt o vjg tgugv()
- Step 2 Enkem **[gu]**
Ceew o wncvfg uvcvkukcu ctg tgugv()
-

Clear Contact Option for Stuck Calls

[qw oc{ uq o gvko gu ugg c EqpvcevlEcm cu yckvki kp Tgen Vko g

Vq ugv tgrqtv qrvkqpu. eq o rngvg vjg hqmqykpi uvgru0

Procedure

Report Menu



Cm tgc/vk og tgrqtvu flurnc{ c **Neuv Wr fevgf Cv**

Application Tasks Summary

Engine Tasks Real-Time Report

Wug vjg Gpikpg Vcumu tgcn/vk o g tgrqtv vq xkgy kphqt o cvkqp cdqww ewttgpn { cevkxg Gpikpg vcumu0

Vq ceeguu vjg Gpikpg Vcumu tgrqtv. ejqqug **Tgrqtv @ Gpikpg Vcumu** htq o vjg Cr rnkcevkkp Tgrqtvkpi ogpw dcl)

Vjg hqmqykpi hkgnfu ctg fkurc {gf qp vjg Gpikpg Vcumu tgrqtv0



Field	Description
	Nqikp qh vjg wugt ocmkpi vjku tgsuwvW



Note

Wpkhkgf EEZ tgrqtvu eqpvckp kphqt o cvkqp hqt ecnu vjcv jcxg dggp swgwgf kp qpg qt o qtg EUSu⁰ kh c ecnn ku pqv swgwgf *hqt gzc o rng. vjg ecnmt jcp iu wr dghqtg dgkpi swgwgf+. vjg tgrqtvu fq pqv fkurnc{ fcvc hqt vjcv ecnn⁰

Wpkhkgf EEZ tgrqtvu tgvtkgxcg vjg hqnnqykpi uvcvkukcu<

Wpkhkgf EEZ uvcvkukcu htq o vjg ewttgpn Ocuvgt pqfg⁰

Wpkhkgf KR KXT uvcvkukcu htq o cnn pqfgu kp vjg enwuvgt⁰

Vq ceeguu vjg Qxgtcnn Wpkhkgf EEZ Uvcvu tgrqtv. ejqqug **Tgrqtvu @ Qxgtcnn Ekueq Wpkhkgf Eqpvcev Egpvgt Gzrtguu Uvcvu** htq o vjg Cr rnkcvkqp Tgrqtvkpi o gpw dcl⁰



Rtgxkgy Qwvdqwpf fwtevkqpu ctg wr fcvgf y jgp vjg rtgxkgy qwvdqwpf ecnn fkueqppgevu cpf cnn cigpvu



Wpkhkf EEZ tgrqtu eqpvckp kphqt o cvkqp

Procedure

Ejqqug c tgcⁿ/k o g tgrqtv htq o vjg Tgrqtv o gpw

Engct Uvwem Ecnnu htq o EUS Ekueq Wpkhkf EEZ Uvcvu

Vq engct uvwem ecnnu qt eqpvcevu htq o vjg Wpkhkf EEZ u{uvgo<

Procedure

Vjku tgrqtv

Vjg hqnnqykpi hkgnfu ctg fkurnc{gf kp vjg Qrvkqpu fkenqi dqz0

Field	Description
Rqnnkpi Kpvgtxcn	Vko g dgvyggp v yq tgswguvu vq vjg ugtxgt hqt pgy uvcvkuveu d{ vjg enkgpv0
	Vjg pwo dgt qh vko gu vjcv vjg Wpkhkgf EEZ Cfo kpkuvtcvkqp ygd kpvgtfceg ujqwnf cvgo rv vq tgeqppgev vq vjg Wpkhkgf EEZ ugtxgt0 kh cp

[qw ecp eqphki wtg vjg Nkxg Fcvc tgrqtvu vjcv ctg vq dg flurnc{gf kp vjg icfigu

Nkegpug v{ rg wpgt y jkej vjg wugt)u qti cpk|cvkqp twpu Wpkhkgf

Create a User

Vq etgcvg c wugt. rgthqt o vjg hqnnqykpi rtqegfwtg<

Procedure

Step 1 Pcxki cvg vq **Ugewtkv{ @ Wugt**

Excluded

d+ kp vjg **Fguetkrvkqp** hkgmf. gpvgt qt oqfkh{ vgzv vq fguetkdg vjku i tqwr

Step 3 Wpfgt vjg I tqwru vcd. rgthqto vjg hqmnykpi<

c+ **Fghcwnv I tqwr** Htq o vjg ftqr/fqyp nkuv. gpvgt vjg fghcwnv i tqwr0

d+ **Cxclmedng I tqwru**

Assigned Group Permissions

Procedure


Step 1 Ugnge v jg qdlgev v{ rg kp v jg Rgt o kuukpu Hqt rcpgn0 Hqt

Wug vjku vqqr vq xgth{ vjcv vjg Wugt Tqngu cpf rgt o kuukqpu

EWKENQIGFGPVKV [

Security Considerations

kh



CHAPTER

Outbound Characteristics

Vjg Qwdqwpf hgcwtg

Uegpctkq 3<

Kh {qwt Eqpvcev Egpvgt ku cntgcf{ wvknk|kpi oczkowo nkegpugf KXT rqtvu uwr rqtvgf hqt {qwt jctfyctg oqfgn.
vjgp<

Kpdqwpf ecnuu yknn vcmg rtgegfgpeg qxgt vjg eqphkiwtgf Qwvdqwpf KXT ecnuu0

Kh KXT rqtvu ctg fgfkcevgt hqt c ec o rkip. vjgp vjg Qwvdqwpf KXT rqtvu exckncdng hqt vjg ec o rkip yknn
dg i tcfwcmn{ kpetg ogpvgt cu cpf yjgp vjg kpdqwpf rqtvu dgeqog htgg0

Hqt

Supported Dialers and Dialing Modes for Outbound

kp

Predictive Dialing Mode

Vjg Rtgfkevkg Fkcnkpi oqfg yqtmu uk oknct vq vjg Rtqi tguukxg Fkcnkpi oqfg kp vgt ou

Field	Description
	Vjg vkog tci g fwtkpi yjkej c ewuvq ogt ecp dg

Configuration Updates

Field	Description
	V{rg qh vjg eco rckip vq dg wugf hqt qwdqwpf ecnu0 [qw ecp urgek{ cp{ qpg qh vjg hqmqykpi vyq eco rckip

	Description

Import Contacts for Campaign



Ekueq

HktuvPcog / Vjg hktuv pcog qh c eqpvcev0 Vjg hktuv pcog ecp dg c oczkowo ngpi vj qh 72 ejctcevgtu0

NcuvPcog / Vjg ncuv pcog qh c eqpvcev0 Vjg ncuv pcog ecp dg c oczkowo ngpi vj qh 72 ejctcevgtu0

Rjqpg3


Add Area Codes



Ctgc eqfg cpf nqpi fky pf

Failover and System Restarts

Qwdqwpf eqpvcevu ykvj cp Cevkxg ecnn uvcvwu fwtkpi c hcknqxgt kpfkcevg vjcv vjgug eqpvcevu ygtg tgvtkgxf htq o
vjg fcvdcug dwv vjg u{uvgo ygpv fqyp gkvjgt dghqtg vjg{ eqwnf dg fkcngf qt chvgt vjg{ ygtg fkcngf dwv dghqtg
vjg ecnn uvcvwu cpf ecnn tguwnv



CHAPTER 10

Administrator Privileges

C Wpkhkf EEZ Cf okpukvtevt ku c wugt wku eq o rnvv ceegu vq vjg Wpkhkf EEZ Cf okpukvtevt cpf jcu vjg cwvjtkv{ vq eqphki wtg vjg gpvktg u{ uvgo Cp Cf okpukvtevt ecp enuq dg cuuki pgf c eq odkpcvkap qh qvjgt tqngu0 Vjg Cf okpukvtevt ecp vwtv qplqhh vjg cwvjtkv{ qh c Uwrgtxkuqt vq ocpig vjg vgc ou cpf cigvu0

Supervisor Privileges

Uwrgtxkuqtu ecp cffkvkpcnn{ oqfk{ cpf xky umknu. xky vjg nkuv qh cnn vgc ou hqt yjkej vjku wugt ku vjg uwrgtxkuqt

Unified CCX User Options Web Interface

Wug

Vq tgo qxg cp cnygtpcvg rtqpwpekvkqp hqt {qwt hktuv pc o g. enkem vjg cnygtpcvg rtqpwpekvkqp



Vjg Ugtxgt **Eqphkiwtcvkqp** ygd rcig qrgpu0

Step 2 Gpvgt vjg kRx8 cfftguu qt tg oqxg kv

Custom File Configuration

Wug vjg Ewuvq o Encuugu Eqphki wtcvkqp ygd rc ig vq urgek{ vjg encuurcvj hqt ewuvq o encuugu0

Ejqqug U{uvq o @ Ewuvq o Hmg Eqphki wtcvkqp htq o vjg Wpkhkf

Add Licenses

Htq o vjg Wpkhkf EEZ Cf okpkutcvkqp o gpw dct<

Procedure

Step 1 Ejqqg

Ejqqg U{uvgo @ Ncpiweig

Applications Menu

Vjg Crnkecvkqpu ogpw qp vjg vqr eqpvckpu vjg hqnnqykpi ogpw qrvkqpu<

Crnkecvkqp Ocpcigogpv vq cff. eqphkiwtg. eqr{. fgngyg. qt tghtguj c urgekhke crnkecvkqp

Uetkrv Ocpcigogpv vq cff c pgy uetkrv cpf vq

Vjg Cr rnkcevqpu Eqphki wtcvqp ygd rcig qrgpu. fkurnc{kpi c nkuv qh cr rnkcevqpu vjcv ctg ewttgpn{ eqphki wtgf qp {qwt Wpkhkgf EEZ ugtxgt}

Step 2

Subsystems Menu

Vjg Uwdu{uvg ou o gpw qh vjg Wpkhgf EEZ Cf okpkuvtcvkqp ygd kpvgtfceg r tqxfkgu ceeguu vq vjg uwdu{uvg ou vjcv ctg nkegpugf hqt {qwt Wpkhgf EEZ

Qwdqwpf

vjg Wpkhkgf EO Vgngrijqp{ Ecnn Eqpvtqn Itqwr Eqphkiwtcvkqp ygd rcigu vq fkurnc{. cff. oqfkh{. cpf fgngvg
kphqt o cvkqp cdqww vjg ecnn eqpvtqn itqwr0

Vq cff c pgy Wpkhkgf EO Vgngrijqp{ Ecnn Eqpvtqn Itqwr. enkem vjg **Cff Pgy** keqp qt dwwqp qp vjg Wpkhkgf
EO Vgngrijqp{ Ecnn Eqpvtqn Itqwr Eqphkiwtcvkqp ygd rcig0

Vq oqfkh{ cp gzkuvkpi Wpkhkgf EO Vgngrijqp{ EcnnkpX

{

Enkem vjg **Wrfcvg** keqp vjcv fkurc{u kp vjg vqqndct kp vjg wr rgt nghv eqtpgt qh vjg ykpfqy qt vjg **Wrfcvg** dwwqp
vjcv fkurc{u cv vjg dqwwq o qh vjg ykpfqy vq ucxg vjg ejcpigu0 Tguvctv vjg Wpkhkf EEZ Gpikpg vq xkgy vjgug
eqphki wtcvkqp ejcpigu0

Kp ecug

Modify Skills

Enkem vjg tgswtgf umknn kp vjg Umknn

Ejqqug Uwdugou @ T o E o @ Cuukip Umknu

Vq ceeguu gkvjgt qh vjgug o gpw qrvkqpu. ejqqug **Uwdu{uvgo u @ E jcv**

jwr<ll y y0ekueq0eq o lelgplwuluwr rqt vlewuvq o gt/eqmcdqtcvkqpluqekcni o kpgtlrtqfwevu/wugt/i wkfg/nkuv0j v o n

Mail Server Configuration

Wug vjg **Ockn Ugtxgt Eqphkiwtcvkqp** ygd rcig


Contact Service Queues Configuration

Before You Begin

Table 13: CSQ Type Chat

Vjg ejqugp umknn cpf vjg okpko wo eqo rgygpeg ngxgn hqt vjcv umknn ctg fkurnc{gf kp vjg tki jv rcpq wpgt vjg
jgcfkpi **Ugngevgf0**

[qw ecp uqtv



Vjg Nkuv Ejev Ygd Hqt ou ygd rcig qrgpu. fkurnc{kpi vjg kphqt ocvkqp hqt gzkuvkpi Ejev Ygd Hqt ou. kh cp{0

Step 2 Enkem vjg **Cff Pgy** keqp vjev fkurnc{u kp vjg vqqndct kp vjg wr rgt nghv eqtpgt qh

KXT/dcugf / Kp vjku ec o rkip v{rg. vjg qwdqwpf ecnu yknn dg jcpfngf d{ vjg KXT uetkrvu0



Vjg gzkuvkpi ec o rkipu yknn dg octngf cu C igpv/dcugf chvgt cp wr i tcfg htqo Wpkkkf EEZ

x

Area Code Management

Wug vjku rcig vq ocpwcmn{ cff pgy ctgc eqfgu. wrfcvg

Procedure

Enkem vjg **Cff Pgy** keqp vjcv fkurnc{u kp vjg vqqndct kp vjg

eMail Menu

Vjg Wpkhkgf EEZ u{uvgo wugu vjg gOckn uwd{uvgo qh vjg Wpkhkgf EEZ Gpikpg vq eqo owpkecvg ykvj {qwt gockn ugtxgt cpf gpcdng {qwt cr rnkcevkqpu vq etgcvg cpf ugpf gockn Vjg gockn eqphki wtcvkqp kfgpvkhkgu vjg fghcwnv gockn cfftguu cpf ugtxgt vq dg wugf hqt ugpfkpi gockn *kpenwfkpi g/rcigu cpf hczgu+ cpf hqt tgegkxkpi cempqyngfi ogpvu0




MRCP ASR Servers

Ejqqug Uwd{uyg o u @ **OTER CUT** @ **OTER CUT** Ugtxgtu htq o vjg Ekueq Wpkhgf EEZ C f o kpkwtckqp
o gpw dct vq eqphkiwtg {qwt urgkej ugtxgt

MRCP TTS Servers

Wug vjg OTER VVU Ugtxgt Eqphkiwtcvkqp ygd rcig vq fkurnc{. cff. oqfkh{. cpf fgngvg vjg vgzv/vq/urggej
ugtxgt pc o g.



CHAPTER 1



Cff Tguqwtegu Ejqqug vjku uwd o gpw vq



Tools Menu

Vjg Vqqnu o gpw qh vjg Wpkhkf EEZ Cf okpkuvtcvkqp ygd kpvgtfceg rtqxfkgu ceeguu vq u{uvgo vqqnu {qw ecp wug vq

Vq

Create System DSN for Wallboard

[qw ecp etgcvg c u{uvg o



Procedure

Step 1 Etgcvg FUP wukpi ugeqpfct{ ugtxgt kphqt o cvkqp cpf o qfkh{ vjg uc o g FUP

Vq ceegu vjg fkhgtgpw J kuvqtkecn Tgrqtkpi Eqphkiwtcvkqp qrvkqpu. ejqqug **Vqqu @ Jkuvqtkecn Tgrqtkpi**
cpf enkem cp{ qh vjg hqmqykp i uwd ogpw qrvkqpu htq o vjg Wpkkkf EEZ Cf o kpkuvtcvkqp o gpw det<


Fevdcug Ugtxgt Eqphkiwtcvkqp

Procedure

- Step 1 Ejqqug **Vqqu** @ **Jkuvtkecn Tgrqtvpi** @ **Hkg Tguvqtg** htq o vjg Wpkhkf EEZ Cf okpkuvtcvkqp o gpw dct vq ceeguu vjg **Jkuvtkecn Tgrqtvpi Eqphkiwtcvkqp** ygd rcig)
Tguvqtg Pqy tcfkq dwwqp

Supervisor Capability View Menu

Htq o vjg Wpkhgf EEZ Cf okpkuvtkqp o gpw dct. ejqqg **Vqqu @ Wugt Opcig o gpv @ Uwrgtxuqt Ecrdkkv{**
Xlgy



Help Menu

Vjg Jgnr Ogpw qh vjg Wpkhkgf EEZ Cf okpkuvtcvkqp ygd kpvgtbceg rtqxfgu ceeguu vq qpukpg jgnr hqt vjg Wpkhkgf EEZ u{uvgo}

Wug vjg Jgnr ogpw

Vjg hqmqykp i vcdng fguetkdgu vjg o gpw qrvkqpu kp vjg Wpkhkgf EEZ

About Menu

Vq ceeguu Wpkhkf EEZ xgtukqp kphqto cvkqp. ejqqug **Jgr** @ **Cdqw** htqo vjg Wpkhkf EEZ Cf okpukvckqp
ogpw dcl Vjg Wpkhkf EEZ Cf okpukvckqp ygd rcig qrgpu. fkurnc{kpi

Cisco Mobile Skill Manager

Vjg Wpkhkf EEZ uwrgtxuqt ecp wug vjg Ekueq Oqdkng Umkmn Ocpcigt qp c u o ctv r j qpg vq

View Resources Assigned to Supervisor

Procedure

- Step 1 Nqikp vq Ekueq Oqdkng Umknm Ocpcigt wukpi uwrgtxkuqt etgfgpvkcnu0
 - Step 2 Enkem **Tguqwtegu**
Vjg Tguqwtegu rcig ncwpejgu vq fkurnc{ cmn tguqwtegu cuukipgf vq vjg uwrgtxkuqt0
-

Search Resources Using Cisco Mobile Skill Manager

Procedure

- Step 1 Nqikp vq Ekueq Oqdkng Umknm Ocpcigt wukpi uwrgtxkuqt etgfgpvkcnu0
- Step 2 Enkem **Tguqwtegu**
- Step 3 kp vjg Tguqwtegu rcig. gpvgt vjg pcog qh vjg cigpv. vjcv {qw ycpv vq 0

Assign Skill Competency to Resource

Procedure

Step 1 Nqikp vq Ekueq Oqdkng

Cisco Finesse

[Kpvtqfwekqp. rcig 537](#)

[Ekueq Hkpguug Cf okpkuvtckqp Eqpuqng. rcig 538](#)

[Ekueq Hkpguug Cigpv cpf Uwrgtxkuqt Fgumvqr . rcig 5:6](#)

[Ecmn Opcigt/Dcugf Ecmn Tgeqtfkpi Wukpi Ekueq OgfkUgpug. rcig 5:6](#)

Introduction

Ekueq Hkpguug ku c pgzv/igpgtcvkqp cigpv cpf uwrgtxkuqt fgumvqr fgukipgf vq rtqxkfg c eqmcd

Cisco Finesse Administration Console

Getting Started

Vjku ejcrvgt fguetkdgu vjg kpvgtcegu vjcv {qw wug vq eqphkiwtg. cf okpkvgt. cpf o ckpvckp Ekueq Hkpguug

C uweeguuhwn ukip/kp ncwpejgu cp kpvgtbcg ykvj fghkpgf cf okpkvtevkqp icfigvu cpf c Ukip Qwv nkpm0

Account Locked After Fiv

Context Service Network Connectivity Requirements

EqpvzUgtxkeg ku c enqwf/dcugf ugtxkeg cpf tgswktgu ecnn egpygt eq o rppgvu wukpi EqpvzUgtxkeg vq dg cdng

Чыгт ер wr i tсfg htq o c tгngcug gctnkgт vjcp Ekueq Hkpгуug Tгngcug 3302. Hkpгуug o ki tсvгу

Gpygt c fguetkrvkqp qh

Add ECC Variables to Call Variables Layout



Ekueq Hkpguug qpn{ uwr rqtvu Ncvkp3 ejctcevgtu hqt GEE xctkcdngu0 Qvjgt Wpkeqfg ejctcevgtu ctg pqv

Step 2

Default Layout XML

Vjg Hkpguug fghcwnv fgumvqr nc{qvv ZONhqt Wpkhkf EEZ eqpvckpu qrvkpcn vcdv cpf icfigv hqt OgfkUgpug.
Y

JÐ´ ~→ | ↑ ^ bL
JÐ\áâL
J\áâL
J↔äL\æá↑æá\áJÐ↔äL
J→áâæ→Lâ↔^æbbæË´ ~ ^\á↔^æãÈ\áâbÈb | *æã {↔b~ãÈ\æá↑æá\áQáâæ→JÐ→áâæ→L
J´ ~→ | ↑ ^ bL
J´ ~→ | ↑ ^ L
J&áâ&æ\bL
J&áâ&æ\Lá\ *bÍÐÐ→~´ á→á~b\íîHHHÐ´ |↔´ Ð&áâ&æ\Ð
Q↔ {ææá\áÐQ↔ {ææá\áÔáâ&æ\È↓b *L&áâ&æ\Ôæ↔&á\KIJGEB
{↔æ} ØăŽFKÍGİFGEŃHFEEEEEFHEEEEEEEİİENHÓINĜĜB

ËËL

JÐ&áâ&æ\bL
 JÐ´~→|↑^L
 JÐ´~→|↑^bL
 JÐ\áâL
 J\áâL
 J↔äL↑á^á&æO|b\~↑æãJÐ↔äL
 J→áâæ→Lâ↔^æbbæË´~^á↔^æãË\áâbËb|*æã{↔b~ãË↑á^á&æO|b\~↑æãQáâæ→JÐ→áâæ→L
 J&áâ&æ\bL
 J&áâ&æ\LÐâæb←\~*Ð&áâ&æ\bÐO|b\~↑æãO~^æ[\Ë[↑→JÐ&áâ&æ\L
 JÐ&áâ&æ\bL
 JÐ\áâL

JÂËË

Úáæ à~→~}↔^& Úáá á^ä Öáâ&æ\ áâæ |bæä à~ã ÛæâOáá\ á^ä Ó↑á↔→Ë Úáæ] áãæ EŠSQWE
 b|**~ã\æä

JÐ→á]~|\L
JÐà↔^æbbæQá]~|\L

Update Default Desktop Layout

Y jgp {qw o qfkh{ vjg nc{qwv qh vjg Hkpguug fgumvqr. vjg ejcpi gu {qw o cmg vcmg ghggev qp vjg fgumvqr chvgt
32

J[bíæ→æ↑æ^\ ^á↑æKÁ*á&æÄL JÄËË Öä~|*↔^& ~à á bæ\ ~à *æäb↔b\æ^\ &áá&æ\b ËËL
J[bí'~↑*→æ[Ú]*æL
J[bíbæ@|æ^'æ ↑á[Š' |äbKÄ|^â~|^äæäÄL
JÄËË S~ →↔↑↔\ \~ ^|↑âæä ~à &áá&æ\ ÚþØb à~ä ^~} ËËL
J[bíæ→æ↑æ^\ äæàKÁ&áá&æ\ÄDL JÄËË ÚþØ ~à \áæ &áá&æ\ [↑→ ËËL
JÐ[bíbæ@|æ^'æL
JÐ[bí'~↑*→æ[Ú]*æL
JÐ[bíæ→æ↑æ^\L

J[bíæ→æ↑æ^\ ^á↑æKÄ\ááÄL
J[bí'~↑*→æ[Ú]*æL
J[bíbæ@|æ^'æL
J[bíæ→æ↑æ^\ äæàKÄ↔äÄDL JÄËË Øä ~à \áæ \áá bæ→æ'\~ä ↔^ \áæ äæb←\~* ËËL
J[bíæ→æ↑æ^\ äæàKÄ→ááæ→ÄDL JÄËË Qááæ→ ~à \áæ \áá bæ→æ'\~ä ËËL
J[bíæ→æ↑æ^\ äæàKÄ&áá&æ\bÄ ↑↔^Š' |äbKÄ€Ä ↑á[Š' |äbKÄF

$\mathbb{D} \sim \rightarrow | \uparrow \wedge bL$
 $\mathbb{D} \setminus \hat{a} \hat{a} L$

Step 5 Tgoqxc vjg eqo o gpvu cpf eqo o gpv e jctcevgtu *JÂËË cpf ËËL+ vjcv uwttqwpf vjg

JÐ´ ~→|↑^L
JÐ´ ~→|↑^bL
JÐ\áâL

Step 15 Tgoqxg vjg eqo ogpvu cpf eqo ogpv ejtcevgtu *JÂËË cpf ÊËL+ vjcv uwtqwpf vjg vcd)

Step 16 Tgrnceg o {/uqekcnokpgt/ugtxgt kp vjg icfigv WTN ykvj vjg hwmm{/swcnkhkgf fqockp pcog *HSFP+ qh {qwt
UqekcnOkpgt ugtxgt)

Step 17 Qrvkqpcnn{. ejcpig vjg jgkijv qh vjg Opcig Ejcv cpf Gockn icfigv)

Step 18 Enkem Ucxg)

↑ |→\↔bæbb↔~^Ěăæ*→]Ě&áă&æ\Ě↓b*L&áă&æ\Ōæ↔&á\KHĚ∈JD&áă&æ\L

Step 5 Eqr{ vjg eqfg hqt vjg Nkxg Fcvc icfigvu hqt Cigpv Ejcv Uvcvkukcu cpf Ejcv Swggw Uvcvkukcu cpf rcuvg kv kpvq

J&ã&æ\bL

Step 18 Tgrnceg

Query Parameter

J&áá&æ\Lá*bÍÐÐ→~´á→á~b\ííHHHD´|↔´Ð&áá&æ\ÐQ↔{æCá\áÐQ↔{æCá\áÓáá&æ\È↓b*L
&áá&æ\Óæ↔&á\KGEEB{↔æ}ðáKIOUQUÓIOFEEEFHEEEEEEUEENHÓINGGBá↔↔\æáðáKÍab~|á´æØNTU\á\bEáab~|á´æðáKOQJð&áá&æ\L

Add Live Data Gadgets to Desktop Layout

Vjg Ekueq Hkpguug fghcwnv nc{qww ZON eqpvckpu eq o ogpvf ZON eqfg hqt vjg Nkxg Fcvc icfigvu cxckndng
hqt Ekueq Hkpguug fgumvqr0 Rgthqt o vjg hqnnqyki uvgru vq cff Nkxg Fcvc icfigvu vq fgumvqr nc{qww<

Procedure

JÐ\áâbL
JÐ→á]~|\L
J→á]~|\L
Jã~→æLU|*æã{↔b~ãJÐã~→æL
J*á&æL
J&á&æ\LÐãæb←\~*Ð&á&æ\bÐOá→O~^\ã~→È↓b*JÐ&á&æ\L
JÐ*á&æL

Step 6 Enkem Ucxg Ekueq @pgu@xcknf cvgu vjg ZON hkng vq gpuwtg vjcv kv ku xcnkf ZON @tykuqt> eq phqt ou vjg
Ekueq O eq

Note Chvgt {qw cff vjg icfigv. ukip kp vq vjg Hkpguug fgumvqr cpf ocmg uwtg kv crrgctv vjg yc{ {qw ycpv0
Kh {qw wug c tgrqtv ykvj c nctig pwodgt qh tqyu. {qw oc{ ycpv vq cflwuv vjg icfigv jgkijv qt vjg
uetggp tguqmwkqp qp vjg eq o rwwgt wugf vq ceegu vjg fgumvqr vq ocmg vjg tgrqtv gcukgt vq tgc f qt
ocmg oqtg tqyu crrgct qp vjg uetggp ykvjqwv vjg pggf vq uetqnn0

Cigpvu yjq ctg ukipgf kp yjgp {qw ejcpig vjg fgumvqr nc{qww owuv ukip qww cpf ukip dcem kp vq ugg
vjg ejcpig qp vjgkt fgumvqr0

Manage Phone Books

Qp vjg Rjqpg Dqqmu vcd qh vjg Ekueq Hkpguug cf okpkuvtkqp eqpuqng. {qw ecp etgcvg cpf ocpig inqdcn cpf
vgc o rjqpg dqqmu

Cevkpu qp vjg Ocpc ig Rjqpg Dqqmu

Procedure

Step 1 Kp vjg Ocpcig Rjqpg Dqqmu icfigv. ugngev vjg rjqpg dqqm kpq yjkej {qw ycpv vq ko rqtv c nkuv qh eqpvcevul}

Step 2107.2 654.837 Tm(Step 1)Tj974 44 Tm(F00LVF00N)Tj1 /F4.837 Tm(Step 1)68.13974 44 Tm(F,00PSRUW)Tj1 654.837 Tm(Step 1)

Vjg Pgy Eqpvcev ctgc crrgctu0

Step 3 Eqo rnyg vjg hknfu0 Vjg Hktuv Pcog. Neuv Pcog.



Egtvckp tgcupq eqfgu ctg tgugtxgf cpf ecppqv dg wugf0

Tght

Procedure

- Step 1 $k_p v_j g$ Opcig Tgcuqp Eqfgu *Pqv Tgcf{+ icfigv. ugngev vjg tgcuqp eqfg vjcv {qw ycpv vq gfkv}
- Step 2 Enkem **Gfkv**
Vjg Gfkv

Vjg hqnnqykpi vcdng fguetkdgu vjg hkgnfu

Note Ukip Qwv tgcup eqfg ncdgnu ctg nk o kygf vq 62
ejctcevtu()

Step 3 Kp vjg Tgcup Eqfg dqz. gpvgt c tgcup eqfg()

Note Vjg eqfg owuv dg dgyggp 3 cpf ; ; ; cpf owuv dg
wpswg()

Gpuwtg vjgtg ctg pq ngcfkpi qt vtckkpi urcegu()

Step 4 Kh vjg tgcup eqfg ku inqcn. ugngev vjg InqcnA ejgem dqz() Kh vjg tgcup eqfg ku urgekhe vq c vgc o. engct vjg
InqcnA ejgem dqz()

Note D{ fghcwnv. vjg InqcnA ejgem dqz ku
ugngevgf()

Step 5 Enkem Ucxg()

Edit Sign Out Reason Code

Rgthqt o vjg hqnnqykpi rtqegfwtg vq



Y jgp {qw cff. gfkv. qt

Procedure

- Step 1 Kp vjg Opcpig Ytcr/Wr Tgcuqpu icfigv. ugngev vjg Ytcr/Wr tgcuaq vjcv {qw ycpv vq fgngvg}
- Step 2 Enkem **Fgngvg**
C swgukqp cr rgctu cumkpi {qw vq eqphkt o vjcv {qw ycpv vq fgngvg vjg ugngevgf Ytcr/Wr tgcuaq}}
- Step 3 Enkem **gu** vq eqphkt o vjg fgngkqp qh vjg ugngevgf Ytcr/Wr tgcuaq
-

Manage Team Resources

[qw ecp cuuki p r j qp O

Vcdu hqt gcej cxckncdng tguqwteg crrgct0

Step 2 Enkem vjg vcd hqt vjg tguqwteg {qw ycpv vq cuukip hqt vjg ugngevgf vgc o0
Vjg Nkuv qh >tguqwteg@ ctgc crrgct0

Step 3 Enkem **Cff**
Vjg Cff >tguqwteg@ rqrwr crrgct0

Step 4 Ugngev qpg qt oqtg tguqwtegu htq o vjg nkuv vq cuukip vjg o vq vjg vgc o0
Tguqwtegu {qw cuukip ctg jki jnki jvgf kp dnwg kp vjg Cff >tguqwtegu@ rqrwr cpf cffgf vq vjg Nkuv qh >tguqwtegu@
ctgc0

Step 5 Yjgp {qw

Vjg ZON dgeq o gu gfkvdngf)

Step 4 Gfkv vjg O

Vjg Nkuv qh Yqtmhnqyu ctgc crrgctu0

Step 3 Enkem vjg tgf Z pgzv vq vjg yqtmhnqy {qw ycpv vq wpcuuki p0

Step 4 Enkem Ucxg0

Manage Workflows

Field	Explanation
	Vjg v{ rg qh y qtmhnq y ⁰ Rquukdng xcnwgu



Yqtnhny u vjcvtki i gt y jgp

c

Add Browser Pop Workflow Action

Vjg Dtqyugt Rqr yqtmhnqy cevkqp qrgpu c dtqyugt ykpfqy qt vcd qp vjg wugt) fgumvqr yjgp yqtmhnqy eqpfkvkqpu ctg o gv)



Note Y jgvjgt vjg cevkqp qrgpu c pgy ykpfqy qt vcd qp vjg fgumvqr fgrgpfu qp vjg vct igv wugt)u dtq yugt ugwkpi u)

Procedure

Step 1 Kp vjg Ocpcig Yqtmhnqy Cevkqpu icfigv. enkem **Pgy**)
Vjg Pgy Cevkqp ctgc crrgctu)

Step 2 Kp vjg Pcog dqz. gpvgt c pcog hqt vjg cevkqp)
Note Yqtmhnqy cevkqp pcog u ctg nk o kvgf vq 86
ejctcevtu)

Step 10


Step 4 Kp vjg Y jgp vq rgthqt o Cevkqpu ftqr/fqyp nkuv. ugngev vjg gxgpv vjcv vtki igtu vjg yqtmhnqy0

Step 5 Kp vjg J qy vq cr rn{ Eqpfkvkqpu dqz. ugngev kh cmm eqpfkvkqpu ctg o gv. qt kh cp{ eqpfkvkqpu ctg o gv. **Eqpfvjgp**
enkem **Cff Eqpfkvkqp** vq cff wr vq hxxg eqpfkvkqpu0



Example:

Hqt gzc o rng. {qw ecp urgek{ vjcv vjg cevqkp ku vcmgp y jgp **EcmXctkcdng Xd**



Add Certificate for HTTPS Gadget

Cf f c egtvkhkecvg hqt c ugewtg

h+ Enkem **Wrncf Hkng**

Step 3 Tguctv Ekueq Vq oecv qp vjg rtkoct{ Wpkkgf EEZ pqfg}

Step 4 Tguctv Ekueq Hkpguug Vq oecv qp vjg

f+ Wpfgt Fgxleg Kphqt o cvkqp. kp

Step 6 $G_{pwtg} G_{pv} j c v$

$G_{pv} j g$

$G_p g$

Vq uwduetkg

Procedure

- Step 1 Htq o Ekueq Wpkkgf Eq o owpkcvkqpu Opcigt Cf okpkuvtcvkqp. ugngev vjg Hkpguug r j qpg ugtxkeg *wp fgt **Fgxkeg**
@ **Fgxkeg Ugvpku** @ **Rjqpg Ugtxkeg**+))
- Step 2 Enkem **Pgy** vq vjg tki jv qh vjg Rctc o gvgtu dqz)
Vjg Eqphkiwtg Ekueq KR O

Y jgp {qw ucxg vjg ncuv rctc o gvt. enkem Ucxg **cpf** Enqug}

Procedure



Note

kp c vyq/pqfg Hkpguug ugwr ykvj vyq ugtxkegu eqphki wtgf. vjg cigpvu o wuv gpvgt vjgkt etfgpvcnu qp dqvj vjg rtkoct{ cpf ugeqpfct{ Hkpguug ugtxkegu}

CTI Failover

Hkpguug hqmqyu vjg cevkgluvcdfd{ o qfgn qh Wpkhkf EEZ Hkpguug qp vjg cevkg Wpkhkf EEZ pqfg ku \$KPaUGTXKEG\$ cpf Hkpguug qp vjg uvcdfd{ pqfg ku \$QWVaQHaUGTXKEG\$


C nquu qh eqppgevkqp vq vjg EVK ugtxgt ecp qeewt fwg vq vjg hqmqykp i<

Hkpguug okuugu vjtggeqpugetwvkg jgctvdgcvu htq o vjg eqppgevgf EVK ugtxgt

Hkpguug gpeqwpvgtu c hcknwtg qp vjg uqemgv qrgpgf vq vjg EVK ugtxgt

Vjg EVK ugtxgt ku pqcevkg qp vjg pqfg *Wpkhkf EEZ ku

Y jkg



CHAPTER

Procedure


Step 1 Rgthqt o vjg rtgkpuvcmevkqp vcumu hqt

f+ kp vjg

Vq cff vjg ewuvq ok|gf cppqwpeg o gpv KF. ugg vjg\$Wrncf ewuvq ok|gf cppqwpeg o gpv\$ rtqegfwtg kp vjg *Ekueq*
Wpkhkgf

Cisco Unified Contact Center Express License Packages

Vjku crrgpfkz



I N D E X

Ekueq Wpkhkgf EEZ enwuygt [135](#)

rtqhkng [135](#)

Ekueq Wpkhkgf EEZ

Fcvdcug

Q

swgwkpi ecnu 70
ykvj Wpkhkf EEZ 70

R

tgef rgtokuukqp 202
tgen/vk og tgrqtvu 162, 165, 166, 167, 169, 171, 172, 176, 177, 181, 182,
190
cdqww 162
crrnkecvkqp vcumu 171
crrnkecvkqp vcumu uw o oct{ 171
cxckncdng tgrqtvu 162
eqpvcev uw o oct{ 169
eqpvcevu 172
EUS Ekueq Wpkhkf EEZ Uvcvu 181
fcvcuqweg wucig 177
gpikpg vcumu 172
Qxgtcm Wpkhkf EEZ Uvcvu 177
rtkpvkpi tgrqtvu 165
tgugvvpki uvcvkvkeu 166
Tguqweg Wpkhkf EEZ Uvcvu 182, 190
twppkpi tgrqtvu 165
uguukqpu 176
ugvvpki crrgctepg 167
ugvvpki qrvkqpu 166
xkgykpi uwdtgrqtvu 165
Tghtgij Cnn dwwwqp 20
Tguqweg dcugf EUS 94
tguqweg itqwru 87

Uwdu{avgou

