Cisco Catalyst 3850 Series Switches

The Cisco® Catalyst® 3850 Series is

Table 1 shows the Cisco Catalyst 3850 Series configurations.

Table 1.   Cisco Catalyst 3850 Series Configurations

Models	Total 10/100/1000 or SFP or SFP+ Ports

An SFP+ receptacle supports both 10 Gigabit Ethernet and Gigabit Ethernet modules, allowing customers to use their investment in

Cisco StackPower Technology

Software Features and Services on Cisco Catalyst 3850 Series Switches

Software services supported on the Cisco Catalyst 3850 Series S

Backward compatibility with traditional centralized wireless deployment mode on the WLC 5508, WiSM2, and WLC 5760

Cisco Catalyst 3850 Series Specifications

Switch Performance

Table 9

MTBF Hours
WS-C3850-

Description	Specification
	CISCO-DEVICE-LOCATION-MIB
	CISCO-DHCP-SNOOPING-MIB
	CISCO-EIGRP-MIB
	CISCO-EMBEDDED-EVENT-MGR-MIB
	CISCO-ENTITY-FRU

Models	Uplink Module	Power Consumption (W)

Table 17. Technical Services Available for Cisco Catalyst 3850 Switches

Technical Services

Cisco SMARTnet Service

    Around-the-clock, global access to the Cisco TAC

    Unrestricted access to the extensive Cisco.com knowledge base and tools

    Next-business