



Configuring Basic File Transfer Services

Wukpi

[qwecp gpcdnq tuj uwrrqtv qp c tqwvgt vq cmqy wugtu qp tg o qvg u{uvgo u vq gzgewvg eqo o cpf u J qy gxgt.
qwt ko rmg o gpvcvkqp

Hqt vjg ter eqr { tgswguv vq gzgewwg uweeguuhwmn{. cp ceeqwpv o wuv dg fghkpgf qp vjg pgvy qtm ugtxgt hqt vjg
tg o qvg wugtpc o g \emptyset

Kh {qw ctg y tkvki vq vjg ugtxgt. vjg ter ugtxgt

Chvgt {qw xgtkh{ vjg eqppgevkqp. gpuwtg vjcv c VHVR/dqqvcdng ko c ig ku rtgugpv qp vjg ugtxgt@ Vjku ku vjg u{uvgo
uqhvy ctg

Kp vjg hqnmqykp i gzc o rng. c tqwvgt ugpfu c eqr{ qh vjg hknq iu9/m0;039 kp Hncuj o go qt{ kp tgurqpuq vq c VHVR
Tgc f Tgswguv0 Vjg enkgpv

DETAILED STEPS

Ó~^à↔& | áá\↔~^ áæ&↔b\æá ↔b €[€F€Ó
Vjg k o rqtvcpv kphqt o cvkqp kp vjku gzc o r̄ng ku eqpvckpgf kp vjg hktuv nkpg Ekueq KQU *v̄o +00 cpf kp vjg nkpg vjcv
dgikpu U{uvgo k o c ig hkng000 Vjg Ekueq KQU *v̄o +000 nkpg ujqy u vjg

Examples

Vjg hkiwtg dgnyqy kmnwuvtcvgu c pgvyqtm eqphkiwtcvkqp kp y jkej c tqwvgt ku eqphkiwtgf vq cev cu c TCTR ugtxgt
hqt c fkumnguu y qtmuvckqp0 kp vjku gzc o rmg. vjg Uwp y qtmuvckqp cvvg o rvu vq tguqnxg kuu OCE *jctfyctg+
cfftgwu vq

Examples

Hqt gzco rng. kh vjg FPU ugtxgtcfftguu ku urgekhkf cu gzvgpf gf fcvc hqt DQQVR tgurqpu. {qw yknn ugg qwvrvw ukoknct vq vjg hqmnqy kpi<

P~ | \æäää ujqy cu{pe dqqvr

Úáæ à~→~ }↑ & æ[\æ^äæä äá\á }→ → áæ bæ^ \ ↪ ^

Disabling DNS Reverse Lookup for rcmd

FPU Tgxgtug Nqqmwr hqt te o f ku gpcd\g f d{ fghew\l [qw ecP fkucd\g vjg FPU ej gem hqt TEOF *tuj cpf
ter+ ceeguu d{ eq o r\ngvkpi vjg vcum kp vjku ugevkqp<

DETAILED STEPS

Executing Commands Remotely Using rsh

Vq gzgewv c eq o o cpf tg o qvg{ qp c pgv y qtm ugtxgt wukpi tuj. wug vjg hqmqy kpi eq o o cpf u kp wugt GZGE o qfg<

SUMMARY STEPS

1. **gpcdn**
2. **tu j }kr/cfftguu - jquv i]lwugtwugtpc og - tgoqvg/eqo o cpf**

DEe70DQ

Configuring the Router to Accept rcp Requests from Remote Users

Vq eqphkiwtg vjg Ekueq KQU uqhvy ctg vq uwrrqtv kpeq okpi ter tgswguuu. wug vjg hqnnq ykpi eq o o cpfu kp inqdcn eqphkiwtcvkqp oqfg<

SUMMARY STEPS

1. **gpcdng**
- 2.

dqvj c~~m~~qy gf vq eqppgev vq vjg

SUMMARY STEPS

1. **gpcdnq**
2. **eqphkiwtg vgtokpcn**
3. **kr hvr wugtpc og wtkipi**
4. **kr hvr rceuuyqtf]vrg_rceuuyqtf**
5. **Fq qpg qh vjg hqmnqy kpi<**

kr hvr rceuukxg

pq

	Command or Action	Purpose
	Example:	