


Handwritten text, possibly a signature or name, written in a cursive style. The text is oriented vertically and appears to read "Handwritten text" or similar. The text is written in black ink on a white background.



Whats New in Cisco IOS XE Denali 16.3.2

Software Features in Cisco IOS XE Denali 16.3.2

Feature Name	Description and License Level Information
New in Wired Switching	
Audio Video Bridging (AVB): IEEE 802.1BA	<p>Refers to standard IEEE 802.1 BA - AVB. This feature defines a mechanism whereby endpoints and the network function as a whole to enable high-quality streaming of professional audio and video (AV) over an Ethernet infrastructure. Instead of one-to-one, the network transport enables many-to-many seamless plug-n-play connections for multiple AV endpoints including talkers and listeners.</p> <p>AVB is composed of the following:</p> <ul style="list-style-type: none"> Generalized Precision Time Protocol (gPTP)—IEEE 802.1AS. Provides a mechanism to synchronize clocks of the bridges and end point devices in an AVB network. Quality of Service (QoS) —TJ13.5(6) TcTD.0218 Tc-.0002 Tw[...]

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL



FINAL REVIEW DRAFT:

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT:

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL





Compatibility Matrix

FINAL REVIEW DRAFT:

FINAL REVIEW DRAFT:

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

```
Switch# reload
```

- Step 9** If your switches are configured with auto boot, the stack will automatically boot up with the new image that your boot variable is configured to. If not, you can manually boot flash:
cat3k_caa-universalk9.16.02.01.SPA.bin

```
switch:boot flash:cat3k_caa-universalk9.16.03.01.SPA.bin
```

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

```
/flash/cat3k_caa-platform.SPA.03.07.02E.pkg
/flash/cat3k_caa-universalk9.16.01.01.SPA.bin
/flash/cat3k_caa-wcm.SPA.10.3.120.0.pkg
/flash/packages.conf
[2]:
/flash/cat3k_caa-base.SPA.03.07.02E.pkg
/flash/cat3k_caa-drivers.SPA.03.07.02E.pkg
/flash/cat3k_caa-infra.SPA.03.07.02E.pkg
/flash/cat3k_caa-iosd-universalk9.SPA.152-3.E2.pkg
/flash/cat3k_caa-platform.SPA.03.07.02E.pkg
/flash/cat3k_caa-universalk9.16.01.01.SPA.bin
/flash/cat3k_caa-wcm.SPA.10.3.120.0.pkg
/flash/packages.conf
[3]:
/flash/cat3k_caa-base.SPA.03.07.02E.pkg
/flash/cat3k_caa-drivers.SPA.03.07.02E.pkg
/flash/cat3k_caa-infra.SPA.03.07.02E.pkg
/flash/cat3k_caa-iosd-universalk9.SPA.152-3.E2.pkg
/flash/cat3k_caa-platform.SPA.03.07.02E.pkg
/flash/cat3k_caa-universalk9.16.01.01.SPA.bin
/flash/cat3k_caa-wcm.SPA.10.3.120.0.pkg
/flash/packages.conf
[4]:
/flash/cat3k_caa-base.SPA.03.07.02E.pkg
/flash/cat3k_caa-drivers.SPA.03.07.02E.pkg
/flash/cat3k_caa-infra.SPA.03.07.02E.pkg
/flash/cat3k_caa-iosd-universalk9.SPA.152-3.E2.pkg
/flash/cat3k_caa-platform.SPA.03.07.02E.pkg
/flash/cat3k_caa-universalk9.16.01.01.SPA.bin
/flash/cat3k_caa-wcm.SPA.10.3.120.0.pkg
/flash/packages.conf

Do you want to proceed? [y/n]y
[1]:
Deleting file flash:cat3k_caa-base.SPA.03.07.02E.pkg ... done.
Deleting file flash:cat3k_caa-drivers.SPA.03.07.02E.pkg ... done.
```


FINAL REVIEW DRAFT:

■
FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

- Step 9** When the new image boots up, you can verify the version of the new image, using the `show version` command:

```
Switch# show version
Cisco IOS Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version
Denali 16.4.1, RELEASE SOFTWARE (fc1)
Technical Support: http://www.cisco.com/techsupport
Copyright (c) 1986-2016 by Cisco Systems, Inc.
Compiled Thu 1-Aug-16 22:49 by mcpre
```

Downgrade from Cisco IOS XE 16.x to Cisco IOS XE 3.xE in Install Mode

■
FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL



FINAL REVIEW DRAFT:

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

Adding Adder AP Count Licenses

Decrementing Adder AP Count licenses

Activating Evaluation AP Count License on the Stack

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL



FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL



FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

CSCva71996 CLNS ping failing to 3850

Resolved Caveats in Cisco IOS XE Denali 16.3.1a

The following are the resolved caveats in Cisco IOS XE Denali 16.3.1a. Click on the identifier to view the details of a caveat in the BST.

Resolved Caveats in Cisco IOS XE Denali 16.3.1

FINAL REVIEW DRAFT: CISCO CONFIDENTIAL

