



Cisco 40-Gigabit Ethernet Transceiver Modules Compatibility Matrix

Revised: December 15, 2017

Because requirements and procedures for initial configurations and software upgrades tend to change, you should always refer to the switch or router software release notes for the latest information. Before installing, configuring, or upgrading a switch, refer to the product release notes on Cisco.com for the latest information. This compatibility matrix does not replace or supersede the release notes. This publication lists the Cisco platforms and the minimum required software versions to support 40-Gigabit Ethernet transceiver modules.

Contents

40-Gigabit Ethernet Transceiver Modules	2
• QSFP+ Transceivers	2
• CFP Transceivers	4
Data Center Switching Minimum Software Release Requirements	4
• Cisco Nexus 2000 Series	4
• Cisco Nexus 3000 Series	9
• Cisco Nexus 3100 Series	13
• Cisco Nexus 3200 Series	24
• Cisco Nexus 3600 Series	26
• Cisco Nexus 5000 Series	27
• Cisco Nexus 6000 Series	34
• Cisco Nexus 7000 Series	38
• Cisco Nexus 7700 Series	40
• Cisco Nexus 9000 Series (Modular 9500)	43
• Cisco Nexus 9000 Series (Fixed 9300)	59
• Cisco Nexus 9000 Series (Fixed 9200) NX-OS Mode	76
• Cisco Nexus 9000 Series (Fixed 9300) ACI Mode	83
• Catalyst 3560 Series	96
• Catalyst 3650 Series	97
• Catalyst 3850 Series	97
• Catalyst 4500-E Series	97

• Catalyst 6500 Series	98
• Catalyst 6800 Series	100
• Catalyst 9300 Series	101
• Catalyst 9400 Series	102
• Catalyst 9500 Series	103
• Cisco Unified Computing System (UCS).....	105
Router Support and Minimum Software Release Requirements	108
• CRS Router.....	108
• NCS 1000 Series Router	109
• NCS 2000 Series Router	109
• NCS 5000 Series Router	109
• NCS 5500 Series Router	110
• NCS 6000 Series Router	113
• ASR 900 Series Router	113
• ASR 9000 Series Router	114
Cisco Security Appliance Minimum Software Release Requirements.....	114
• Cisco Firepower	114
Obtaining Documentation and Submitting a Service Request	115

40-Gigabit Ethernet Transceiver Modules

QSFP+ Transceivers	
Model Number	Transceiver Description
QSFP-40G-SR4=	40GBASE-SR4 QSFP+ transceiver module for MMF, 4-lanes, 850-nm wavelength, 12-fiber MPO/MTP connector
QSFP-40G-CSR4=	40GBASE-CSR4 QSFP+ transceiver module for MMF, 4-lanes, 850-nm wavelength, 12-fiber MPO/MTP connector, 300 m reach with OM3 fiber
QSFP-40G-SR4-S=	40GBASE-SR4 (IEEE 802.3ba Spec.) QSFP+ transceiver module for MMF, 4-lanes, 850-nm wavelength, 12-fiber MPO/MTP connector
FET-40G=	40G Fabric Extender Transceiver in QSFP form factor, 4-lanes, 850-nm wavelength, 12-fiber MPO/MTP connector, 100m reach with OM3 fiber

QSFP+ Transceivers	
Model Number	Transceiver Description
QSFP-40G-SR-BD=	40G QSFP Bi-Directional transceiver module, Duplex Multi-mode Fiber, LC Duplex connector, 100m reach with OM3 fiber
QSFP-40G-LR4-S=	40GBASE-LR4 QSFP40G transceiver module for Single Mode Fiber, 4 CWDM lanes in 1310nm window Muxed inside module, Duplex LC connector, 10km, 40G Ethernet rate only
QSFP-40GE-LR4=	This product is End-of-Sale
QSFP-40G-LR4=	40GBASE-LR4 QSFP40G transceiver module for Single Mode Fiber, 4 CWDM lanes in 1310nm window Muxed inside module, Duplex LC connector, 10km, Multi-rate Support (40G Ethernet and OTU3)
QSFP-40G-ER4=	40GBASE-LR4 QSFP40G transceiver module for Single Mode Fiber, 4 CWDM lanes in 1310nm window Muxed inside module, Duplex LC connector, 40km, Multi-rate Support (40G Ethernet and OTU3)
WSP-Q40GLR4L=	40GBASE-LR4 QSFP40G transceiver module for Single Mode Fiber, 4 CWDM lanes in 1310nm window Muxed inside module, Duplex LC connector, 2km, 40G Ethernet rate only
QSFP-4SFP10G-CU5M=	40GBASE-CR4 QSFP+ to four 10GBASE-CU SFP+ direct attach breakout cable assembly, 5 meter passive
QSFP-4SFP10G-CU3M=	40GBASE-CR4 QSFP+ to four 10GBASE-CU SFP+ direct attach breakout cable assembly, 3 meter passive
QSFP-4SFP10G-CU1M=	40GBASE-CR4 QSFP+ to four 10GBASE-CU SFP+ direct attach breakout cable assembly, 1 meter passive
QSFP-4x10G-AC7M=	40GBASE-CR4 QSFP+ to four 10GBASE-CU SFP+ direct attach breakout cable assembly, 7 meter active
QSFP-4x10G-AC10M=	40GBASE-CR4 QSFP+ to four 10GBASE-CU SFP+ direct attach breakout cable assembly, 10 meter active
QSFP-H40G-CU5M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 5 meter passive
QSFP-H40G-CU3M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 3 meter passive
QSFP-H40G-CU1M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 1 meter passive
QSFP-H40G-ACU7M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 7 meter active
QSFP-H40G-ACU8M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 8 meter active
QSFP-H40G-ACU9M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 9 meter active
QSFP-H40G-ACU10M=	40GBASE-CR4 QSFP+ direct-attach copper cable, 10 meter active
QSFP-4X10G-AOC1M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 1 meter
QSFP-4X10G-AOC2M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 2 meter

QSFP+ Transceivers

Model Number	Transceiver Description
QSFP-4X10G-AOC3M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 3 meter
QSFP-4X10G-AOC5M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 5 meter
QSFP-4X10G-AOC7M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 7 meter
QSFP-4X10G-AOC10M=	40GQSFP to four 10G SFP+ direct attach breakout Active Optical cable assembly, 10 meter
QSFP-H40G-AOC1M=	40G QSFP direct-attach Active Optical cable, 1 meter
QSFP-H40G-AOC2M=	40G QSFP direct-attach Active Optical cable, 2 meter
QSFP-H40G-AOC3M=	40G QSFP direct-attach Active Optical cable, 3 meter
QSFP-H40G-AOC5M=	40G QSFP direct-attach Active Optical cable, 5 meter
QSFP-H40G-AOC7M=	40G QSFP direct-attach Active Optical cable, 7 meter
QSFP-H40G-AOC10M=	40G QSFP direct-attach Active Optical cable, 10 meter
QSFP-H40G-AOC15M=	40G QSFP direct-attach Active Optical cable, 15 meter
QSFP-H40G-AOC20M=	40G QSFP direct-attach Active Optical cable, 20 meter
CVR-QSFP-SFP10G=	Cisco QSFP to SFP/SFP+ Adapter (QSA) module

CFP Transceivers

Model Number	Transceiver Description
CVR-CFP-4SFP10G=	Cisco FourX CFP to four SFP+ converter module Please see the Cisco 10-Gigabit Ethernet Transceiver Modules Compatibility Matrix
CFP-40G-SR4=	Cisco 40GBASE-SR4 CFP transceiver module for MMF, 4-lanes, 850-nm wavelength, 12-fiber MPO/MTP connector
CFP-40G-LR4=	Cisco multirate 40GBASE-LR4 and OTU3 C4S1-2D1 for SMF, 1310-nm window, SC duplex connector
CFP-40G-FR=	Cisco 40GBASE-FR serial 40G, 1550-nm, SC duplex connector, 2 km reach

Data Center Switching Minimum Software Release Requirements

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N2K-C2248PQ	QSFP-40G-SR4	--	NX-OS 6.0(2)N1(1)
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	FET-40G	--	NX-OS 6.0(2)N1(2)

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N2K-2348UPQ	QSFP-40G-SR4	--	NX-OS 7.0(3)N1(1)
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD		
	WSP-Q40GLR4L		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	FET-40G		
	CVR-QSFP-SFP10G with (SFP-10G SR, LR, ER & FET-10G)		NX-OS 7.0(4)N1(1)

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N2K-2348TQ	QSFP-40G-SR-BD	--	NX-OS 7.1(0)N1(1)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-CSR4		
	WSP-Q40GLR4L		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-ACU7M		
	QSFP-4SFP10G-ACU10M		
	FET-40G		
	CVR-QSFP-SFP10G with (SFP-10G SR, LR, ER & FET-10G		NX-OS 7.0(4)N1(1)

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N2K- 2332TQ	QSFP-40G-SR-BD	--	NX-OS 7.1(0)N1(2)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-CSR4		
	WSP-Q40GLR4L		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-ACU7M		
	QSFP-4SFP10G-ACU10M		
	FET-40G		

[Cisco Nexus 2000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N2K-C2348TQ-E	QSFP-40G-SR-BD		NX-OS 7.3(0)N1(1)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-CSR4		
	WSP-Q40GLR4L		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4x10G-AOC5M		
	QSFP-4x10G-AOC7M		
	QSFP-4x10G-AOC10M		
	QSFP-4SFP10G-ACU7M		
	QSFP-4SFP10G-ACU10M		
	FET-40G		
	QSFP-4x10G-LR-S		7.3(1)N1(1)
	CVR-QSFP-SFP10G with (SFP-10G SR, LR, ER & FET-10G)		NX-OS 7.3(0)N1(1)

[Cisco Nexus 3000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 3000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3064PQ	QSFP-40G-SR4	--	NX-OS 5.0(3)U1(1d)
	QSFP-40G-SR4-S		
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-40GE-LR4	--	NX-OS 6.0(2)U1(2)
	QSFP-40G-LR4-S		
N3K-C3064PQ-10GE	QSFP-40G-SR4	--	NX-OS 5.0(3)U1(2)
	QSFP-40G-SR4-S		
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)U2(1)

Cisco Nexus 3000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40GE-LR4	--	NX-OS 6.0(2)U1(2)
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		
N3K-C3064PQ-10GX	QSFP-40G-SR4	--	NX-OS 5.0(3)U3(1)
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-40GE-LR4	--	NX-OS 6.0(2)U1(2)
	QSFP-4x10G-LR-S		
	WSP-Q40GLR4L	--	NX-OS 7.0(3)I3(1)
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)U2(1)
	QSFP-40G-CSR4		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

[Cisco Nexus 3000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		
N3K-C3016Q-40GE	QSFP-40G-SR4	--	NX-OS 5.0(3)U2(2a)
	QSFP-40G-SR4-S		
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-40GE-LR4	--	NX-OS 6.0(2)U1(2)
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)U2(1)
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		

[Cisco Nexus 3000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4X10G-AC7M QSFP-4X10G-AC10M QSFP-H40G-ACU7M QSFP-H40G-ACU10M	--	NX-OS 5.0(3)U5(1)
N3K-C3064TQ-10GT N3K-C3064TQ-32T	QSFP-40G-SR4 QSFP-40G-SR4-S QSFP-4SFP10G-CU5M QSFP-4SFP10G-CU3M QSFP-4SFP10G-CU1M QSFP-H40G-CU5M QSFP-H40G-CU3M QSFP-H40G-CU1M	--	NX-OS 5.0(3)U3(1)
	QSFP-40GE-LR4 QSFP-40G-LR4-S	--	NX-OS 6.0(2)U1(2)
	QSFP-40G-SR-BD QSFP-40G-CSR4 QSFP-4X10G-AC7M QSFP-4X10G-AC10M QSFP-H40G-ACU7M QSFP-H40G-ACU10M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M QSFP-H40G-AOC15M QSFP-H40G-AOC20M QSFP-H40G-AOC25M QSFP-H40G-AOC30M QSFP-4X10G-AOC1M QSFP-4X10G-AOC2M QSFP-4X10G-AOC3M QSFP-4X10G-AOC5M QSFP-4X10G-AOC7M QSFP-4X10G-AOC10M CVR-QSFP-SFP10G	--	NX-OS 6.0(2)U2(1)

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3132Q-40GE	QSFP-40G-SR4	When supported by transceiver module	NX-OS 6.0(2)U2(1)
	QSFP-40G-SR4-S		
	QSFP-4SFP10G-CU5M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU1M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-40GE-LR4		
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		
	QSFP-40G-LR4		NX-OS 6.0(2)U3(1)
	QSFP-4X10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3132Q-40GX	QSFP-H40G-AOC1M	When supported by transceiver module	NX-OS 6.0(2)U4(1)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR-BD		
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	CVR-QSFP-SFP10G		
	QSFP-4x10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3132Q-XL	QSFP-40G-SR4	When supported by transceiver module	NXOS 7.0(3)I2(2)
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	CVR-QSFP-SFP10G		
	QSFP-4X10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3132Q-V	QSFP-40G-SR4	When supported by transceiver module	NXOS 7.0(3)I4(1)
	QSFP-40G-SR4-S		
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-LR-S		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	CVR-QSFP-SFP10G		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3172TQ-10GT	QSFP-40G-SR4	When supported by transceiver module	NX-OS 6.0(2)U3(1)
	QSFP-40G-SR-BD		
	QSFP-40GE-LR4		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		
	QSFP-4x10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
N3K-C3172TQ-32T	QSFP-40G-SR4	When supported by transceiver module	NX-OS 7.0(3)I3(1)
	QSFP-40G-SR-BD		
	QSFP-40GE-LR4		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		

Cisco Nexus 3100 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4X10G-AC10M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		
	QSFP-4x10G-LR-S		
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
N3K-C3172PQ-10GE	QSFP-40G-SR4	When supported by transceiver module	NX-OS 6.0(2)U4(1)
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-H40G-CU1M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU5M		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4SFP10G-CU3M		NX-OS 6.0(2)U3(1)
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-CU5M		
	QSFP-H40G-CU3M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-LR4		
	QSFP-40GE-LR4		
	CVR-QSFP-SFP10G		
	QSFP-4X10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

Cisco Nexus 3100 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3172PQ-XL	QSFP-40G-SR4	When supported by transceiver module	NXOS 7.0(3)I2(2)
N3K-C3172TQ-XL	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	CVR-QSFP-SFP10G		
	QSFP-4X10G-LR-S		NX-OS 7.0(3)I3(1)
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
N3K-C31108PC-V	QSFP-40G-SR4	When supported by transceiver module	NXOS 7.0(3)I4(1)
N3K-C31108TC-V	QSFP-40G-SR4-S		
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-LR-S		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	CVR-QSFP-SFP10G		

[Cisco Nexus 3100 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C31128PQ-10GE	QSFP-40G-SR4*	When supported by transceiver module	NXOS 7.0(3)I2(1a)
	QSFP-40G-SR4-S		
	QSFP-40G-SR-BD		
	QSFP-40G-CSR4*		
	QSFP-40GE-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-LR-S*		NX-OS 7.0(3)I3(1)

[Cisco Nexus 3100 Series](#)

		Minimum Release Required	
Network Device	Transceiver Model	DOM Support	Software Release
N3K-C3164Q-40GE	QSFP-40G-SR4	When supported by transceiver module	NXOS 6.1(2)I2(2a)
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR4-S		NXOS 6.1(2)I2(2b)
	QSFP-40G-LR4-S		
	QSFP-40GE-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		NXOS 7.0(3)I1(2)
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
QSFP-4X10G-AC7M			
QSFP-4X10G-AC10M			
QSFP-40G-LR4		NXOS 7.0(3)I2(1a)	
QSFP-4X10G-LR-S		NXOS 7.0(3)I3(1)	

*Port breakout not supported

[Cisco Nexus 3200 Series](#)

Network Device	Transceiver Model	Minimum Release Required
----------------	-------------------	--------------------------

		DOM Support	Software Release
N3K-C3264Q	QSFP-40G-SR-BD	When supported by transceiver module	NX-OS 7.0(3)IX1(2)
	QSFP-40G-SR4*		
	QSFP-40G-LR4		
	QSFP-40G-CSR4*		
	QSFP-40G-ER4		
	QSFP-4SFP10G-CU1M*		
	QSFP-4SFP10G-CU3M*		
	QSFP-4SFP10G-CU5M*		
	QSFP-4x10G-AC7M*		
	QSFP-4x10G-AC10M*		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M*		
	QSFP-4X10G-AOC3M*		
	QSFP-4X10G-AOC5M*		
	QSFP-4X10G-AOC7M*		
	QSFP-4X10G-AOC10M*		
	WSP-Q40GLR4L		NX-OS 7.0(3)I3(1)
	QSFP-4x10G-LR-S*		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		

[Cisco Nexus 3200 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N3K-C3232C	QSFP-40G-SR-BD	When supported by transceiver module	NX-OS 7.0(3)IX1(2)
	QSFP-40G-SR4		
	QSFP-40G-LR4		
	QSFP-40G-CSR4		
	QSFP-40G-ER4		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	WSP-Q40GLR4L		NX-OS 7.0(3)I3(1)
	QSFP-4x10G-LR-S		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	CVR-QSFP-SFP10G		NX-OS 7.0(3)I5(1)

* Only two 10G lanes per port when in breakout mode

[Cisco Nexus 3600 Series](#)

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release

Cisco Nexus 3600 Series

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release
N3K-C36180YC-R	QSFP-40G-LR4	NX-7.0(3)F3(1)	NX-7.0(3)F3(1)
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC10M		

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N5K-C55XX	QSFP-40G-SR4	--	NX-OS 6.0(2)N1(2)
N55-M4Q	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	FET-40G		

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N5K-C5672UP-16G	QSFP-40G-SR4		NX-OS 7.3(0)N1(1)
	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	CVR-QSFP-SFP10G ¹		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-H40G-AOC15M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER		
	w/ SFP-10G-ER-S		

¹Supports SFP-10G-LR, SFP-10G-ER, SFP-10G-ZR, GLC-SX-MMD, GLC-LH-MMD, GLC-T.

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4x10G-LR-S		NX-OS 7.1(1)N1(1)
N5K-C5672UP	QSFP-40G-SR4	--	NX-OS 7.0(1)N1(1)
	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	CVR-QSFP-SFP10G ²		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER		

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	w/ SFP-10G-ER-S		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)
	QSFP-4x10G-LR-S		NX-OS 7.3(1)N1(1)
N5K-C5648Q	QSFP-40G-SR4		NX-OS 7.1(1)N1(1)
N5600-M12Q	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		

[Cisco Nexus 5000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N5K-C5624Q	QSFP-40G-SR4		NX-OS 7.1(0)N1(1a)
N5600-M12Q	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		

Cisco Nexus 5000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N5K-C5696Q	QSFP-40G-SR4	--	NX-OS 7.1(0)N1(1a)
N5696-M12Q	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	CVR-QSFP-SFP10G with (SFP-10G SR,SR-S, LR,LR-S, ER, ER-S)		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		NX-OS 7.3(1)N1(1)
N5K-C56128P	QSFP-40G-SR4	--	NX-OS 7.0(2)N1(1)
N56-M24UP2Q	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		

[Cisco Nexus 5000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	CVR-QSFP-SFP10G with (SFP-10G SR,SR-S, LR,LR-S, ER, ER-S)		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)

[Cisco Nexus 6000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 6000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N6004-96Q	QSFP-40G-SR4	--	NX-OS 6.0(2)N1(1)
	N6K-C6004-M12Q		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	FET-40G	--	NX-OS 6.0(2)N1(2)
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	CVR-QSFP-SFP10G ³	--	NX-OS 6.0(2)N2(1)
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)N2(4)
	QSFP-H40G-AOC1M	--	NX-OS 7.0(0)N1(1)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)

³Supports SFP-10G-LR, SFP-10G-LR-S, SFP-10G-SR, SFP-10G-SR-S, GLC-SX-MMD, GLC-LH-MMD, GLC-T.

[Cisco Nexus 6000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N6004-B-24Q	QSFP-40G-SR4	--	NX-OS 6.0(2)N2(1b)
	QSFP-40G-CSR4		
	FET-40G		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	CVR-QSFP-SFP10G		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)N2(4)
	QSFP-H40G-AOC1M	--	NX-OS 7.0(0)N1(1)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)

Cisco Nexus 6000 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N6K-C6001-64P	QSFP-40G-SR4	--	NX-OS 6.0(2)N1(2)
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	CVR-QSFP-SFP10G		NX-OS 6.0(2)
	QSFP-40G-SR-BD	--	
	QSFP-H40G-AOC1M	--	NX-OS 7.0(0)N1(1)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	QSFP-4x10G-LR-S		
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)

[Cisco Nexus 6000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N6K-C6001-64T	QSFP-40G-SR4	--	NX-OS 6.0(2)N2(1)
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	CVR-QSFP-SFP10G	-	NX-OS 6.0(2)
	QSFP-40G-SR-BD	--	NX-OS 6.0(2)N2(4)
	QSFP-H40G-AOC1M	--	NX-OS 7.0(0)N1(1)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-ER4		NX-OS 7.1(1)N1(1)
	WSP-Q40GLR4L	--	NX-OS 7.1(0)N1(1)

[Cisco Nexus 7000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 7000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N7K-M206FQ-23L	QSFP-40G-SR4	--	NX-OS 6.1(1)
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4	NX-OS 6.1(4)	NX-OS 6.1(4)
	QSFP-40G-LR4-S		
	QSFP-40G-CSR4	--	NX-OS 6.2(2)
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-LR4	NX-OS 6.2(12)	NX-OS 6.2(12)
	QSFP-40G-ER4		
	FET-40G	--	NX-OS 6.2(6)
	QSFP-40G-SR-BD		
	QSFP-4X10G-AC7M	--	NX-OS 6.2(8)
	QSFP-4X10G-AC10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-H40G-AOC15M	-	NX-OS 7.2(0)D1(1)
	WSP-Q40GLR4L	NX-OS 6.2(10)	NX-OS 6.2(10)
	QSFP-4X10G-AOC1M	-	NX-OS 8.0
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4x10G-LR-S		
N7K-M202CF-22L	CFP-40G-SR4	NX-OS 6.1(2)	NX-OS 6.1(2)
	CFP-40G-LR4		

[Cisco Nexus 7000 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N7K-F312FQ-25	QSFP-40G-SR-BD QSFP-40G-SR4 QSFP-40G-CSR4 FET-40G	--	NX-OS 6.2(6)
	QSFP-40G-LR4-S QSFP-40GE-LR4	NX-OS 6.2(8)	NX-OS 6.2(6)
	QSFP-40G-LR4 QSFP-40G-ER4	NX-OS 6.2(12)	NX-OS 6.2(12)
	QSFP-H40G-ACU7M QSFP-H40G-ACU10M	--	NX-OS 6.2(8)
	QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M		
	QSFP-4X10G-AC7M QSFP-4X10G-AC10M		
	QSFP-4X10G-AOC1M QSFP-4X10G-AOC2M QSFP-4X10G-AOC3M QSFP-4X10G-AOC5M QSFP-4X10G-AOC7M QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M QSFP-4SFP10G-CU3M QSFP-4SFP10G-CU5M		
	QSFP-H40G-AOC15M		NX-OS 7.2(0)D1(1)
	WSP-Q40GLR4L	NX-OS 6.2(10)	NX-OS 6.2(10)
	QSFP-4X10G-LR-S		NX-OS 7.3(2)D1(1)

[Cisco Nexus 7700 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

Cisco Nexus 7700 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N77-M324FQ-25L	QSFP-40G-SR4	NX-OS 7.3	NX-OS 7.3
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-ER4		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	FET40G	-	NX-OS 8.1(1)
	QSFP-4X10G-AOC1M	-	NX-OS 8.0
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4x10G-LR-S		
N77-F324FQ-25	QSFP-40G-SR-BD	--	NX-OS 6.2(6)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4-S	NX-OS 6.2(8)	NX-OS 6.2(6)
	QSFP-40GE-LR4		

Cisco Nexus 7700 Series

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	FET-40G	--	NX-OS 6.2(8)
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-H40G-AOC15M		NX-OS 7.2(0)D1(1)
	QSFP-40G-LR4	NX-OS 6.2(12)	NX-OS 6.2(12)
	QSFP-40G-ER4		
	WSP-Q40GLR4L	NX-OS 6.2(10)	NX-OS 6.2(10)
	QSFP-4X10G-LR-S		NX-OS 7.3(2)D1(1)
N77-M312CQ-26L	QSFP-40G-SR-BD	--	NX-OS 8.0(1)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-ER4		
	QSFP-40G-LR4-S		
	QSFP-40GE-LR4		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		

[Cisco Nexus 7700 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N77-M324FQ-25L	QSFP-40G-SR-BD	--	NX-OS 7.3(0)DX(1)
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4-S	-	NX-OS 7.3(0)DX(1)
	QSFP-40GE-LR4		
	FET-40G	--	NX-OS 8.1(1)
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-H40G-ACU7M		NX-OS 7.3(0)DX(1)
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40G-LR4		NX-OS 7.3(0)DX(1)
	QSFP-40G-ER4		
	WSP-Q40GLR4L		NX-OS 7.3(0)DX(1)
	QSFP-4X10G-LR-S		NX-OS 7.3(2)D1(1)

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9636PQ (NX-OS Mode)	QSFP-40G-SR-BD	--	6.1(2)I1(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR4	6.1(2)I1(1)	6.1(2)I1(1)
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSFP-4SFP10G-CU1M	--	7.0(3)I1(2)
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	FET-40G	--	7.0(3)I2(1)
	QSFP-4X10G-LR-S	--	7.0(3)I4(2)

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9564PX (uplinks) N9K-X9564TX (uplinks) (NX-OS Mode)	QSFP-40G-SR-BD	--	6.1(2)I2(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR4	6.1(2)I2(1)	6.1(2)I2(1)
	QSFP-40GE-LR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M	--	6.1(2)I2(2a)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40G-LR4	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
N9K-X9636Q-R (NX-OS Mode)	QSFP-40G-LR4	7.0(3)F2(1)	7.0(3)F2(1)
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-AOC3M		
N9K-X9636C-R (NX-OS Mode)	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC10M		
	QSFP-40G-LR4	7.0(3)F2(1)	7.0(3)F2(1)
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC3M		
N9K-X9636C-RX (NX-OS Mode)	QSFP-40G-LR4	7.0(3)F3(1)	7.0(3)F3(1)
	QSFP-40G-LR4-S		

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-ER4	-	
	QSFP-40G-SR-BD		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC3M		
N9K-X9464PX (uplinks)	QSFP-40G-SR-BD	--	6.1(2)I2(2a)
N9K-X9464TX (uplinks)	QSFP-H40G-CU1M		
(NX-OS Mode)	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40G-SR4	6.1(2)I2(2a)	6.1(2)I2(2a)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	FET-40G	--	7.0(3)I2(1)

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9536PQ (NX-OS Mode)	QSFP-40G-SR-BD	--	6.1(2)I2(2a)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR4	6.1(2)I2(2a)	6.1(2)I2(2a)
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSFP-4SFP10G-CU1M	--	7.0(3)I1(2)
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	FET-40G	--	7.0(3)I2(1)
	QSFP-4X10G-LR-S	--	7.0(3)I4(2)
	QSFP-40G-BD-RX		7.0(3)I5(1)

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9432PQ (NX-OS Mode)	QSFP-40G-SR-BD	--	6.1(2)I2(2a)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-40G-SR4	6.1(2)I2(2a)	6.1(2)I2(2a)
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSFP-4SFP10G-CU1M	--	7.0(3)I1(2)
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	FET-40G	--	7.0(3)I2(1)
	QSFP-4X10G-LR-S	--	NX-OS 7.03I4.2

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-BD-RX		7.0(3)I5(1)
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-H10GB-CU1M		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-H10GB-CU3M		
	w/ SFP-10G-ER		
	w/GLC-T		
	w/ GLC-TE		
	w/GLC-SX-MM		
	w/GLC-SX-MMD		
N9K-X9432C-S (NX-OS Mode)	QSFP-40G-SR4	7.0(3)I3(1)	7.0(3)I3(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	7.0(3)I3(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S	--	NX-OS 7.03I4.2
N9K-X9464TX2 (NX-OS Mode)	QSFP-40G-SR4	NXOS-703I3.1	NXOS-703I3.1
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NXOS-703I3.1
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	FET-40G		
	QSA (CVR-QSFP-SFP10G)	--	NXOS-703I4.1
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-H10GB-CU1M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-H10GB-CU3M		
	QSA (CVR-QSFP-SFP10G)	--	NXOS-703I5.1
	w/ SFP-10G-ER		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9732C-EX (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-CSR4 QSFP-40G-SR4-S QSFP-40GE-LR4 QSFP-40G-LR4 QSFP-40G-LR4-S QSFP-40G-ER4 WSP-Q40GLR4L	NX-OS 7.03I4.2	NX-OS 7.03I4.2
	QSFP-40G-SR-BD QSFP-H40G-CU1M QSFP-H40G-CU3M QSFP-H40G-CU5M QSFP-H40G-ACU7M QSFP-H40G-ACU10M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M QSFP-H40G-AOC15M QSFP-H40G-AOC20M QSFP-H40G-AOC25M QSFP-H40G-AOC30M QSFP-4X10G-AOC1M QSFP-4X10G-AOC3M QSFP-4X10G-AOC5M QSFP-4X10G-AOC7M QSFP-4X10G-AOC10M QSFP-4SFP10G-CU1M QSFP-4SFP10G-CU3M QSFP-4SFP10G-CU5M QSFP-4X10G-AC7M QSFP-4X10G-AC10M QSFP-4x10G-LR-S	--	NX-OS 7.03I4.2

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA (CVR-QSFP-SFP10G)		NX-OS 7.0(3)I5(2)
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		
N9K-9736C-EX (NX-OS Mode)	QSFP-40G-SR4	NX-OS 7.0(3)I6(1)	NX-OS 7.0(3)I6(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X97160YC-EX (uplinks) (NX-OS Mode)	QSFP-40G-SR-BD	--	NX-OS 7.0(3)I5(2)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-X9732C-EX (ACI Mode)	QSFP-40G-SR4	NX-OS 7.0(3)I5(2)	NX-OS 7.0(3)I5(2)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
N9K-9736C-FX (ACI Mode)	QSA (CVR-QSFP-SFP10G)	--	ACI-N9KDK9-12.1(1h)
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		

Cisco Nexus 9000 Series (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)	--	ACI-N9KDK9-13.0
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
N9K-X9736PQ (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4	--	ACI-N9KDK9-11.0(2j)
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		

[Cisco Nexus 9000 Series](#) (Modular 9500)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-M12PQ (NX-OS Mode)	QSFP-40G-SR-BD	--	6.1(2)I2(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR4	6.1(2)I2(1)	6.1(2)I2(1)
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M	--	6.1(2)I2(2a)
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-H10GB-CU1M w/ SFP-10G-AOC1M	--	6.1(2)I2(2)
	QSFP-40G-LR4 QSFP-40G-LR4-S WSP-Q40GLR4L	6.1(2)I2(2b)	6.1(2)I2(2b)
	QSA(CVR-QSFP-SFP10G) w/ DWDM SFP+ w/ SFP-10G-ZR	--	6.1(2)I3(3)

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-H10GB-CU3M w/ SFP-10G-LRM *(SMF - up to 300m only)	--	7.0(3)I1(2)
N9K-M6PQ (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-SR4-S QSFP-40G-CSR4 QSFP-40GE-LR4 QSFP-40G-LR4 QSFP-40G-LR4-S WSP-Q40GLR4L	6.1(2)I3(1)	6.1(2)I3(1)
	QSFP-H40G-CU1M QSFP-H40G-CU3M QSFP-H40G-CU5M QSFP-H40G-ACU7M QSFP-H40G-ACU10M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M QSFP-H40G-AOC15M QSFP-H40G-AOC20M QSFP-H40G-AOC25M QSFP-H40G-AOC30M QSFP-40G-SR-BD QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-H10GB-CU1M w/ SFP-10G-AOC1M	--	6.1(2)I3(1)
	QSA(CVR-QSFP-SFP10G) w/ DWDM SFP+ w/ SFP-10G-ZR	--	6.1(2)I3(3)
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR-S w/ SFP-10G-LR-S	--	7.0(3)I1(2)

Cisco Nexus 9000 Series (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	w/ SFP-H10GB-CU3M w/ SFP-10G-LRM *(SMF - upto 300m only)		
N9K-M6PQ-E (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-SR4-S QSFP-40G-CSR4 QSFP-40GE-LR4 QSFP-40G-LR4 WSP-Q40GLR4L QSFP-40G-LR4-S QSFP-40G-ER4	7.0(3)I2(1)	7.0(3)I2(1)
	QSFP-40G-SR-BD QSFP-H40G-CU1M QSFP-H40G-CU3M QSFP-H40G-CU5M QSFP-H40G-ACU7M QSFP-H40G-ACU10M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M QSFP-H40G-AOC15M QSFP-H40G-AOC20M QSFP-H40G-AOC25M QSFP-H40G-AOC30M QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-H10GB-CU1M w/ SFP-10G-AOC1M w/ DWDM SFP+ w/ SFP-10G-ZR w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-H10GB-CU3M w/ SFP-10G-LRM* *(SMF - upto 300m only) QSFP-40G-ER4	--	7.0(3)I2(1)
N9K-C9372TX (uplinks) N9K-C9372PX (uplinks) (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-SR4-S QSFP-40G-CSR4 QSFP-40GE-LR4 QSFP-40G-LR4	6.1(2)I3(1)	6.1(2)I3(1)

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	WSP-Q40GLR4L		
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD	--	6.1(2)I3(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-H10GB-CU1M		
	w/ SFP-10G-AOC1M		
	QSA(CVR-QSFP-SFP10G)	--	6.1(2)I3(3)
	w/ DWDM SFP+		
	w/ SFP-10G-ZR		
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSA (CVR-QSFP-SFP10G)	--	7.0(3)I1(2)
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-H10GB-CU3M		
	w/ SFP-10G-LRM		
	*(SMF - upto 300m only)		
N9K-C9372PX-E (uplinks) (NX-OS Mode)	QSFP-40G-SR4	7.0(3)I2(1)	7.0(3)I2(1)
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	7.0(3)I2(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-H10GB-CU1M		
	w/ SFP-10G-AOC1M		
	w/ DWDM SFP+		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-H10GB-CU3M		
	w/ SFP-10G-LRM*		
	*(SMF - upto 300m only)		
N9K-C9332PQ (NX-OS Mode)	QSFP-40G-SR4	6.1(2)I3(1)	6.1(2)I3(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-CU1M	--	6.1(2)I3(1)
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40G-SR-BD		
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-H10GB-CU1M w/ SFP-10G-AOC1M	--	6.1(2)I3(1) Supported on ports (27-32) only
	QSA(CVR-QSFP-SFP10G) w/ DWDM SFP+ w/ SFP-10G-ZR	--	6.1(2)I3(3) Supported on ports (27-32) only
	QSFP-4X10G-AOC1M QSFP-4X10G-AOC3M QSFP-4X10G-AOC5M QSFP-4X10G-AOC7M QSFP-4X10G-AOC10M	--	7.0(3)I1(1) Supported on ports (1-12, 15-26) only
	QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSFP-4SFP10G-CU1M QSFP-4SFP10G-CU3M QSFP-4SFP10G-CU5M QSFP-4X10G-AC7M QSFP-4X10G-AC10M	--	7.0(3)I1(2) Supported on ports (1-12, 15-26) only
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-H10GB-CU3M w/ SFP-10G-LRM* *(SMF - upto 300m only)	--	7.0(3)I1(2) Supported on ALE ports (27-32) only

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	FET-40G	--	7.0(3)I2(1) Supported on ports (1-26) only
	QSFP-4X10G-LR-S	--	7.0(3)I3(1) Supported on ports (1-12, 15-26) only
N9K-C93120TX (uplinks) (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-CSR4 QSFP-40G-SR4-S QSFP-40GE-LR4 QSFP-40G-LR4 WSP-Q40GLR4L QSFP-40G-LR4-S QSFP-40G-ER4	7.0(3)I1(2)	7.0(3)I1(2)
	QSFP-40G-SR-BD QSFP-H40G-CU1M QSFP-H40G-CU3M QSFP-H40G-CU5M QSFP-H40G-ACU7M QSFP-H40G-ACU10M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M QSFP-H40G-AOC15M QSFP-H40G-AOC20M QSFP-H40G-AOC25M QSFP-H40G-AOC30M QSFP-40G-LR4 QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-H10GB-CU1M w/ SFP-10G-AOC1M w/ DWDM SFP+ w/ SFP-10G-ZR w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-H10GB-CU3M w/ SFP-10G-LRM *(SMF - upto 300m only)	--	7.0(3)I1(2)

Cisco Nexus 9000 Series (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9372TX-E (NX-OS Mode)	QSFP-40G-SR4	7.0(3)I3(1)	7.0(3)I3(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	--	7.0(3)I3(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA		
	(CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-H10GB-CU1M		
	w/ SFP-10G-AOC1M		
	w/ DWDM SFP+		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-H10GB-CU3M		
	w/ SFP-10G-LRM		
	*(SMF - upto 300m only)		
N9K-C93180YC-EX (uplinks) (NX-OS Mode)	QSFP-40G-SR4	NX-OS	NX-OS 7.03I4.2
	QSFP-40G-CSR4	7.03I4.2	
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NX-OS 7.03I4.2
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		
	QSFP-40G-BD-RX		NXOS-703I6.1

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	FET-40G	--	NXOS-703I5.1
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		
N9K-C93108TC-EX (uplinks) (NX-OS Mode)	QSFP-40G-SR4	NX-OS	NX-OS 7.03I4.2
	QSFP-40G-CSR4	7.03I4.2	
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NX-OS 7.03I4.2
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-10G-ER w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-10G-ER-S w/ SFP-H10GB-CU1M w/ SFP-H10GB-CU3M w/ SFP-H10GB-CU5M w/ SFP-H10GB-ACU7M w/ SFP-H10GB-ACU10M w/ SFP-10G-AOC1M w/ SFP-10G-AOC2M w/ SFP-10G-AOC3M w/ SFP-10G-AOC5M w/ SFP-10G-AOC7M w/ SFP-10G-AOC10M w/ GLC-T (1000BASE-T) w/ GLC-TE w/ GLC-SX-MM w/ GLC-SX-MMD	--	NXOS-703I5.1
N9K-C93180LC-EX (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-CSR4 QSFP-40G-SR4-S QSFP-40GE-LR4 QSFP-40G-LR4 QSFP-40G-LR4-S QSFP-40G-ER4 WSP-Q40GLR4L	NXOS-703I6.1	NXOS-703I6.1

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NXOS-703I6.1
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	FET-40G		
	Breakout supported	--	NXOS-703I7.1
	Hardware profile port mode 28x40G+4x100G		
	ports 1,3,5,...27		
	Hardware profile port mode 24x40G+6x100G		
	ports 1,3,5,...23		
	Hardware profile port mode 18x100G ports		
	1,3,5,...27		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4X10G-AOC1M	--	NXOS-703I6.1*
	QSFP-4X10G-AOC3M		Supported on ports 29-
	QSFP-4X10G-AOC5M		32 only
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA Supported Hardware profile port mode 28x40G+4x100G ports 1,2,3,...28 Hardware profile port mode 24x40G+6x100G ports 1,2,3,...24 Hardware profile port mode 18x100G ports 1,3,5,...27 QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-10G-ER w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-10G-ER-S w/ SFP-H10GB-CU1M w/ SFP-H10GB-CU3M w/ SFP-H10GB-CU5M w/ SFP-H10GB-ACU7M w/ SFP-H10GB-ACU10M w/ SFP-10G-AOC1M w/ SFP-10G-AOC2M w/ SFP-10G-AOC3M w/ SFP-10G-AOC5M w/ SFP-10G-AOC7M w/ SFP-10G-AOC10M w/ GLC-T (1000BASE-T) w/ GLC-TE w/ GLC-SX-MM w/ GLC-SX-MMD	-	NXOS-703I7.2
N9K-C9348GC-FXP (NX-OS Mode)	(Supported on ports 53 and 54 only) QSFP-40G-SR4 QSFP-40G-CSR4 QSFP-40G-LR4-S QSFP-40G-ER4 QSFP-40G-SR-BD QSFP-H40G-CU1M QSFP-H40G-CU3M QSFP-H40G-CU5M QSFP-H40G-ACU7M QSFP-H40G-AOC1M QSFP-H40G-AOC2M QSFP-H40G-AOC3M QSFP-H40G-AOC5M QSFP-H40G-AOC7M QSFP-H40G-AOC10M	-	NXOS-703I7.1

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93180YC-FX (uplinks) (NX-OS Mode)	QSFP-40G-SR4	-	NXOS-703I7.1
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		
	QSFP-40G-BD-RX		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93108TC-FX (uplinks) (NX-OS Mode)	QSFP-40G-SR4	-	NXOS-70317.1
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		

[Cisco Nexus 9000 Series](#) (Fixed 9300)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9364C (NX-OS Mode)	QSFP-40G-SR4	NXOS-703I7.2	NXOS-703I7.2
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD	-	NXOS-703I7.2
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C92304QC (NX-OS Mode)	QSFP-40G-SR4	NXOS-703I4.1	NXOS-703I4.1
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		

Cisco Nexus 9000 Series (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NXOS-703I4.1
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		NXOS-703I4.1 Breakout supported on Port 1-16
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S		NX-OS 7.03I4.2 Breakout supported on Port 1-16
N9K-C9236C (NX-OS Mode)	QSFP-40G-SR4	NXOS-703I4.1	NXOS-703I4.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD	--	NXOS-703I4.1
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S	--	NX-OS 7.03I4.2
	(QSFP ports with QSA: CVR-QSFP-SFP10G)	-	NX-OS-703I5.1
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C92160YC-X (Uplink ports) (NX-OS Mode)	QSFP-40G-SR4	7.0(3)I3(1)	7.0(3)I3(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	--	7.0(3)I3(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M	--	7.0(3)I3(1)*
	QSFP-4X10G-AOC3M		*Supported on
	QSFP-4X10G-AOC5M		ports 50 and 52 only
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA (CVR-QSFP-SFP10G)	--	NXOS-70315.1
	w/ SFP-10G-SR		*Supported on
	w/ SFP-10G-LR		ports 50 and 52 only
	w/ SFP-10G-ER		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		
	w/ SFP-10G-ER-S		
	w/ SFP-H10GB-CU1M		
	w/ SFP-H10GB-CU3M		
	w/ SFP-H10GB-CU5M		
	w/ SFP-H10GB-ACU7M		
	w/ SFP-H10GB-ACU10M		
	w/ SFP-10G-AOC1M		
	w/ SFP-10G-AOC2M		
	w/ SFP-10G-AOC3M		
	w/ SFP-10G-AOC5M		
	w/ SFP-10G-AOC7M		
	w/ SFP-10G-AOC10M		
	w/ GLC-T (1000BASE-T)		
	w/ GLC-TE		
	w/ GLC-SX-MM		
	w/ GLC-SX-MMD		
	QSFP-4x10G-LR-S	--	NX-OS 7.0314.2
			*Supported on
			ports 50 and 52 only
N9K-C9272Q (NX-OS Mode)	QSFP-40G-SR4	7.0(3)I3(1)	7.0(3)I3(1)
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	WSP-Q40GLR4L		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	7.0(3)I3(1)
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4X10G-AOC1M	--	7.0(3)I3(1)
	QSFP-4X10G-AOC3M		Support on
	QSFP-4X10G-AOC5M		port 37-71
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4x10G-LR-S	--	NX-OS 7.03I4.2
			Support on
			port 37-71

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ SFP-10G-ER w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ SFP-10G-ER-S w/ SFP-H10GB-CU1M w/ SFP-H10GB-CU3M w/ SFP-H10GB-CU5M w/ SFP-H10GB-ACU7M w/ SFP-H10GB-ACU10M w/ SFP-10G-AOC1M w/ SFP-10G-AOC2M w/ SFP-10G-AOC3M w/ SFP-10G-AOC5M w/ SFP-10G-AOC7M w/ SFP-10G-AOC10M w/ GLC-T (1000BASE-T) w/ GLC-TE w/ GLC-SX-MM w/ GLC-SX-MMD		NX-OS 7.03(I)5.1
N9K-C92300YC uplinks (NX-OS Mode)	QSFP-40G-SR4 QSFP-40G-CSR4 QSFP-40G-SR4-S QSFP-40GE-LR4 QSFP-40G-LR4 WSP-Q40GLR4L QSFP-40G-LR4-S QSFP-40G-ER4	NXOS-703I6.1	NXOS-703I6.1

[Cisco Nexus 9000 Series](#) (Fixed 9200) NX-OS Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	--	NXOS-703I6.1
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Cisco Nexus 9000 Series](#) (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
Uplink Module: N9K-M12PQ (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40GE-LR4	--	ACI-N9KDK9-11.0(2j)
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
Uplink Module: N9K-M6PQ (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0(2j)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-M6PQ-E (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.1(2h)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

[Cisco Nexus 9000 Series](#) (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9372PX (uplinks)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0(3f)
N9K-C9372TX (uplinks)	QSFP-40G-SR4		
	QSFP-40G-CSR4		
(ACI Mode)	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9332PQ (ACI mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0(3f)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	FET-40G	--	ACI-N9KDK9-11.0(3f) *Supported on ports 1 to 26 Only
	QSA (CVR-QSFP-SFP10G) w/ SFP-10G-SR w/ SFP-10G-LR w/ DWDM SFP+ w/ SFP-10G-ZR w/ SFP-10G-SR-S w/ SFP-10G-LR-S w/ FET-10G w/ GLC-T w/ GLC-TE	-	ACI-N9KDK9-12.0 *Supported on ports 1 to 26 Only

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4X10G-AOC1M	--	ACI-N9KDK9-12.2* Supported on ports (1-12, 15-26) only
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4X10G-LR-S		
	QSFP-H40G-AOC15M		ACI-N9KDK9-12.2
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
N9K-C9372PX-E (uplinks) (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.1(2h)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93120TX (uplinks) (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.2(1i)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
N9K-C9336PQ (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.0
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40GE-LR4	--	ACI-N9KDK9-11.0(2j)
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
N9K-C9372TX-E (uplinks) (ACI Mode)	QSFP-40G-SR-BD	--	ACI-N9KDK9-11.2 (2g)
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93180YC-EX (uplinks) (ACI Mode)	QSFP-40G-SR4	--	ACI-N9KDK9-11.3
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)	--	ACI-N9KDK9-12.1(1h)
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93108TC-EX (uplinks) (ACI Mode)	QSFP-40G-SR4	-	ACI-N9KDK9-12.0
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)	--	ACI-N9KDK9-12.1(1h)
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93180LC-EX (ACI Mode)	WSP-Q40GLR4L	--	ACI-N9KDK9-12.2* Supported on ports 1-24, 25,27,29,30,31,32
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	FET-40G	--	ACI-N9KDK9-12.2* Supported on ports 1-24 only
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		

Cisco Nexus 9000 Series (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C93180YC-FX (uplinks)	QSFP-40G-SR4	-	ACI-N9KDK9-12.2A
N9K-C93108TC-FX (uplinks) (ACI Mode)	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSA (CVR-QSFP-SFP10G)		
	w/ SFP-10G-SR		
	w/ SFP-10G-LR		
	w/ SFP-10G-ZR		
	w/ SFP-10G-SR-S		
	w/ SFP-10G-LR-S		

[Cisco Nexus 9000 Series](#) (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9364C (ACI Mode)	(Supported on ports 1 to 64 only)	-	ACI-N9KDK9-13.0
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Cisco Nexus 9000 Series](#) (Fixed 9300) ACI Mode

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
N9K-C9348GC-FXP (ACI Mode)	(Supported on ports 53 and 54 only)	-	ACI-N9KDK9-13.0
	QSFP-40G-SR4		
	QSFP-40G-CSR4		
	QSFP-40G-SR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Catalyst 3560 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
WS-C3560X-24T	QSFP-40G-SR4		XE 3.7.2
WS-C3560X-48T	QSFP-40G-SR4-S		
WS-C3560X-24P	QSFP-40G-CSR4		
WS-C3560X-48P	QSFP-40G-LR4		
WS-C3560X-48PF	QSFP-40G-LR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR-BD		

[Catalyst 3650 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
WS-C3560X-24T	QSFP-40G-SR4		XE 3.7.2
WS-C3560X-48T	QSFP-40G-SR4-S		
WS-C3560X-24P	QSFP-40G-CSR4		
WS-C3560X-48P	QSFP-40G-LR4		
WS-C3560X-48PF	QSFP-40G-LR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR-BD		

[Catalyst 3850 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C3850-NM-2-40G	QSFP-40G-SR4	XE 3.7.2	XE 3.7.2
WS-C3850-48XS-S	QSFP-40G-SR4-S		
WS-C3850-48XS-E	QSFP-40G-CSR4		
WS-C3850-48XS-F-S	QSFP-40G-LR4		
WS-C3850-48XS-F-E	QSFP-40G-LR4-S		
WS-C3850-48XS	QSFP-H40G-CU1M		XE 3.7.2
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4-S	-	XE Denali16.3.3
	QSFP-40G-ER4		
	QSFP-40G-LR4-S		XE Denali 16.5.1a
	WSP-Q40GLR4L		

[Catalyst 4500-E Series](#)

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release

[Catalyst 4500-E Series](#)

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release
WS-X45-SUP9-E	QSFP-40G-SR4	XE 3.10	XE 3.10
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4-S		
	QSFP-40GE-LR4		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		

[Catalyst 6500 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
WS-X6904-40G-2T	CFP-40G-SR4	15.0(1)SY1	15.0(1)SY1
WS-X6904-40G-2TXL	CFP-40G-LR4 CVR-CFP-4SFP10G		
C6800-32P10G(-XL)	QSFP-40G-SR4	15.3(1)SY	15.3(1)SY
C6800-16P10G(-XL)	QSFP-40G-CSR4		
C6800-8P10G(-XL)	QSFP-40G-LR4		
(SFP-10G ports with 4SQRA)	QSFP-40G-SR-BD		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Catalyst 6500 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C6800-SUP6T	QSFP-40G-SR4	15.3(1)SY	15.3(1)SY
C6800-SUP6T-XL	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		

[Catalyst 6500 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C6800-SUP6T	QSFP-40G-SR4	15.3(1)SY	15.3(1)SY
C6800-SUP6T-XL	QSFP-40G-SR4-S		
(SFP-10G ports with 4SQRA)	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		

[Catalyst 6800 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C6824-X-LE-40G	QSFP-40G-SR4	15.2(2)SY	15.2(2)SY
C6840-X-LE-40G	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-H40G-CU1M		15.2(2)SY3 or 15.4(1)SY2
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		

[Catalyst 6800 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C6800-SUP6T	QSFP-40G-SR4	15.3(1)SY	15.3(1)SY
C6800-SUP6T-XL	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4X10G-AC7M		
	QSFP-4X10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		

[Catalyst 9300 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release

[Catalyst 9300 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C9300-24T	QSFP-40G-SR4		XE 16.5.1a
C9300-24P	QSFP-40G-CSR4		
C9300-24U	QSFP-40G-LR4		
C9300-24XU	QSFP-40G-ER4		
C9300-48T	QSFP-H40G-CU1M		
C9300-48P	QSFP-H40G-CU3M		
C9300-48U	QSFP-H40G-CU5M		
(With C9300-NM-2Q for 40G uplink modules)	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-40G-SR-BD		
	QSFP-40G-SR4-S		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		

[Catalyst 9400 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C9400-SUP-1	QSFP-40G-SR4	XE 16.6.1	XE 16.6.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD	-	
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC15M		
C9400-Sup-1XL	QSFP-40G-SR4	XE 16.6.2	XE 16.6.2
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		

[Catalyst 9400 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-40G-SR-BD	-	
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC15M		

[Catalyst 9500 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C9500-12Q	QSFP-40G-SR4		XE 16.6.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-4x10G-LR-S (40G Mode only)		XE 16.6.1
	CVR-QSFP-SFP10G (10G Optics only)		

[Catalyst 9500 Series](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
C9500-24Q	QSFP-40G-SR4		XE 16.5.1a
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-4x10G-LR-S (40G Mode only)		
	CVR-QSFP-SFP10G (10G Optics only)		
C9500-40X (with C9500-NM-2Q Uplink)	QSFP-40G-SR4		XE 16.6.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	WSP-Q40GLR4L		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-4x10G-LR-S (40G Mode only)		
	CVR-QSFP-SFP10G (10G Optics only)		

[Cisco Unified Computing System \(UCS\)](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
UCS-FI-6324-UPG	QSFP-4SFP10G-CU1M	-	UCS Manager v3.0
UCS-FI-6324=	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		

[Cisco Unified Computing System \(UCS\)](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
UCS-FI-6332-U	QSFP-40G-SR4	-	UCS Manager v3.1
UCS-FI-6332-16UP-U	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-SR-BD		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	FET-40G		
	CVR-QSFP-SFP10G		

Cisco Unified Computing System (UCS)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
UCSC-PCIE-C40Q-03 (VIC 1385)	QSFP-40G-SR4	-	UCS Manager v3.01
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		

[Cisco Unified Computing System \(UCS\)](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
UCSC-MLOM-C40Q-03 (VIC 1387)	QSFP-40G-SR4	-	UCS Manager v3.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	CVR-QSFP-SFP10G		

Router Support and Minimum Software Release Requirements

[CRS Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
4-40GE-LAN/OTN	CFP-40G-SR4	XR 4.2.3	XR 4.2.3
4-40GE-LAN	CFP-40G-LR4		
2-40GE-LAN/OTN	CFP-40G-FR		
2x100GE-FLEX-40	QSFP-40G-SR4	XR 5.1.2T	XR 5.1.2T
	QSFP-40G-LR4	XR 5.1.3	XR 5.1.3
	QSFP-40G-ER4	XR 5.3.0	XR 5.3.0

[NCS 1000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NCS1002-K9	QSFP-4X10G-LR-S	--	XR 6.0
	QSFP-40G-SR-BD		
	QSFP-40G-LR4-S		
	QSFP-40G-SR4		
	QSFP-40G-CSR4		

[NCS 2000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NCS2K-MR-MXP-LIC	QSFP-40G-SR4 (10G breakout mode only)	--	XR 10.3.1
NCS2K-400G-XP	QSFP-4X10G-LR-S		XR 10.6.1

[NCS 5000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NCS 5011	QSFP-40G-SR4		XR 6.1.0
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	QSFP-40G-SR-BD		
	QSFP-40GE-LR4		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		

[NCS 5000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-4x10G-LR-S		

[NCS 5500 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NC55-36X100G (modular line cards)	QSFP-40G-ER4	--	XR 6.0.1
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD		
	QSFP-4x10G-LR-S	--	XR 6.0.0
	QSFP-40G-CSR4		
	QSFP-40G-SR4		
NC55-24X100G-SE NC55-18H18F (modular line cards)	QSFP-40G-ER4	--	XR 6.0.1
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
NC55-24H12F-SE (modular line cards)	QSFP-40G-ER4	--	XR 6.1.1
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		

[NCS 5500 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NC55-36X100G-A-SE (modular line cards)	QSFP-40G-ER4		XR 6.3.1
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-40G-SR-BD		
	QSFP-4x10G-LR-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR4		
	QSFP-40G-SR4-S		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
NCS-5501	QSFP-40G-SR4	--	XR 6.1.1
NCS-5501-SE	QSFP-40G-SR4-S		
NCS-5502	QSFP-40G-CSR4		
NCS-5502-SE (Fixed)	(10G breakout mode XR 6.3.1)		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		
	QSFP-H40G-ACU7M	--	XR 6.2.25
	QSFP-H40G-ACU10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		

[NCS 5500 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NCS-55A1-36H-S (Fixed)	QSFP-40G-SR4	--	XR 6.2.2
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	(10G breakout mode XR 6.3.1)		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
NCS-55A1-24H (Fixed)	QSFP-40G-SR4		XR 6.3.1
	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-40G-ER4		
	WSP-Q40GLR4L		
	QSFP-4x10G-LR-S		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-4X10G-AOC1M		
	QSFP-4X10G-AOC2M		
	QSFP-4X10G-AOC3M		
	QSFP-4X10G-AOC5M		
	QSFP-4X10G-AOC7M		

[NCS 5500 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
	QSFP-4X10G-AOC10M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
NC55-36X100G-S (modular line card)	QSFP-40G-SR4		XR 6.2.2
	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	QSFP-4x10G-LR-S		
	QSFP-H40G-CU1M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		

[NCS 6000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
NCS-F-SCSW	QSFP-40G-SR4	--	XR 5.2.1
	QSFP-40G-LR4		

[ASR 900 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
A900-IMA2F	QSFP-40G-SR4		3.16
	QSFP-40G-LR4		
	QSFP-40G-ER4		3.18

[ASR 9000 Series Router](#)

Network Device	Transceiver Model	Minimum Release Required	
		DOM Support	Software Release
A9K-MPA-1X40GE	QSFP-40G-SR4	--	XR 4.2.3
A9K-MPA-2X40GE	QSFP-40G-SR4-S		
	QSFP-40G-LR4		
	QSFP-40G-LR4		
	QSFP-40G-CSR4	--	XR 4.3.2
	QSFP-40G-SR-BD		XR 5.2.2
	QSFP-H40G-ACU10M		XR 5.2.3
	QSFP-40G-LR4-S		XR 6.0.1
	QSFP-40G-ER4 (V01)		XR 6.1.1
	QSFP-40G-ER4 (V02)		XR 6.2.1

Cisco Security Appliance Minimum Software Release Requirements

[Cisco Firepower](#)

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release

Cisco Firepower

Network Device	Transceiver Model	Minimum Software Release Required	
		DOM Support	Software Release
FPR4K-NM-4X40G	QSFP-40G-SR4		1.1.4
FPR9K-NM-4X40G	QSFP-40G-SR4-S		
	QSFP-40G-CSR4		
	QSFP-40G-SR-BD		
	QSFP-40G-LR4		
	QSFP-40G-LR4-S		
	WSP-Q40GLR4L		
	QSFP-H40G-CU1M		
	QSFP-H40G-CU3M		
	QSFP-H40G-CU5M		
	QSFP-H40G-ACU7M		
	QSFP-H40G-ACU10M		
	QSFP-H40G-AOC1M		
	QSFP-H40G-AOC2M		
	QSFP-H40G-AOC3M		
	QSFP-H40G-AOC5M		
	QSFP-H40G-AOC7M		
	QSFP-H40G-AOC10M		
	QSFP-H40G-AOC15M		
	QSFP-H40G-AOC20M		
	QSFP-H40G-AOC25M		
	QSFP-H40G-AOC30M		
	QSFP-4SFP10G-CU1M		
	QSFP-4SFP10G-CU3M		
	QSFP-4SFP10G-CU5M		
	QSFP-4x10G-AC7M		
	QSFP-4x10G-AC10M		

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see [What's New in Cisco Product Documentation](#).

To receive new and revised Cisco technical content directly to your desktop, you can subscribe to the [What's New in Cisco Product Documentation](#) RSS feed. The RSS feeds are a free service.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Copyright ©2011-2017, Cisco Systems, Inc.

All rights reserved. Printed in USA.