

ORACLE RIGHTNOW CX CLOUD MANAGED SERVICES

This document outlines Oracle RightNow CX Cloud Managed Services functional and technical tasks that may be completed in a RightNow application. Throughout the CX Cloud Managed Services engagement we will define the risk level and recommended implementation approach to minimize production system impact. Following these guidelines will allow us to ensure the successful delivery of your requested changes to your RightNow solution.

COMMON CONFIGURATION

Task	Description	
Application Appearance		
Application Appearance defines the screen administrators and agents see when logged into		
the RightNow application. Items such as accessing incidents, adding answers, viewing		
fields and accessing reports are changed here. These items are all a part of your account		
profile and can enable or prevent a s	staff account from completing their tasks in RightNow.	
Workspaces	Workspaces determine the layout of fields, controls, and tabs on the content pane as well as the arrangement of buttons on the ribbon and the Quick Access toolbar (QAT).	
Workspace Rules	Set up Workspace rules to dynamically adjust the display, behavior and values of fields and controls on a workspace (incident, answer, contact, task, etc.) based on staff member actions. Each rule is triggered by one or more events and conditions.	
Navigation Sets	Define navigation sets to control the navigation lists and buttons that staff members see on the navigation pane of the RightNow Console. They provide users with access to information and tools within the RightNow system. A navigation set may contain links to reports, dashboards and other controls within each application area.	
Scripts	Create scripts and use them as controls that can be added to a custom workspace to help staff members enter record information in a logical order. Scripts can contain multiple pages with fields and other controls as well as branching logic to guide staff members to different pages based on actions they take on a script page.	
Staff Management		
	ed staff accounts, organize your staff members into	
groups, and define their access to RightNow through profiles.		
Account Profiles	By creating profiles, one can control access to administration functions. Profiles are used for assigning staff members specific permissions, default workspaces, a default navigation set, and report access.	



Staff Accounts	Staff accounts define the staff members who have access to the administration interface in RightNow.
Password Configuration	You can enhance your staff members' password security through options that allow you to prevent repeated invalid login attempts and to set password length, character requirements, and expiration options.
Common Customizable Menus	
base beyond the already flexible	ps organize and classify information in the knowledge alternatives that are available. When you add menu of while working with records, you increase the accuracy base.
Countries	Maintain accurate, consistent data by adding the countries and provinces your organization does business in.
Price Schedules	Establish various pricing schedules that can be applied to sales products (e.g. US, Canadian Reseller, Australian, etc.).
Product Catalog	Use the product catalog to add, edit, and categorize sales products and assign price schedules to them.
Contact Types	Add contact types to help you organize contacts in ways that are most useful to your organization (e.g. Student, Doctor, Engineer, etc.).
Channel Types	Channel types are used by contacts to provide their user names for Twitter and YouTube through the customer portal.
Organization Address Types	Add organization address types when you need more flexibility than that offered by the standard billing and shipping addresses.
Common Business Rules Business rules are powerful tools for	simplifying and automating common business tasks.
Contact Rules	Contact Rules are triggered when contact records are created or updated. For example, you can use contact rules to automatically apply service level agreements (SLAs) or to set fields based on how the record is
Organization Rules	created or updated. Organization Rules are triggered when organization records are created or updated. For example, you can use Organization Rules to notify support staff or accounts receivable when an organization record is created or updated.
Task Rules	Task Rules are triggered when a task is created or updated. Task rules can be used to notify staff members when a task is overdue.
Common Custom Fields When implementing RightNow, you may want to add your own fields for gathering special information about staff accounts, contacts, organizations, sales products, and tasks. Note: You can add up to 500 custom fields in any combination of the nine types of custom	
fields available in RightNow. Staff Account	Add this type of custom field to store additional information about your staff members in their staff account (e.g. hire date). Staff account custom fields appear on the Custom Fields page of the Staff Accounts editor.
Contact	Add this type of custom field to gather additional



	information about your contacts (e.g. age). Contact custom fields can be displayed when adding or editing a contact record, while engaged in a chat session, and on the customer portal.	
Organization	Add this type of custom field to gather additional information about your organizations (e.g. number of employees in the organization). Organization custom fields can be displayed when adding or editing an organization.	
Sales Products	Add this type of custom field to specify additional information about sales products in your product catalog (e.g. international product availability). Sales products custom fields appear on the Custom Fields page of the Sales Products editor.	
Tasks	Add this type of custom field to store additional information about tasks for your staff members when adding or completing a task.	
Site Configuration		
RightNow's Site Configuration options allow you to configure and customize your site. You can customize configuration settings, either individually or using a wizard, to enable, disable, and configure RightNow functions. You can also change some of the text used in RightNow by editing message bases.		
Interfaces	Use this to change the name of the interface as it is displayed for staff members.	
File Manager	The RightNow File Manager provides direct access to RightNow files located on the hosting servers that can be used to customize your organization's application. Using the File Manager, you can view, edit, replace, and back up files that control many aspects of RightNow.	
Message Bases	Text strings that appear on the administration interface, the customer portal, and in email messages and notifications. By editing message bases with the Message Base Editor, you can change the descriptive text within the RightNow application.	
Settings	Configuration settings are used to enable, disable, and configure RightNow products and many functions and features in RightNow. You can customize these settings through the Configuration Editor.	
Distribution Lists	Email address lists that you can use when scheduling reports, configuring rule notifications, forwarding incidents and opportunities, and using CC and BCC in incident responses.	
Mailboxes	Configure Mailboxes to send and receive email for RightNow Service and Marketing. You can also enable or disable email messages and choose to send emails as text or HTML.	
Database		
Incident Thread Type Correction	Use this feature to convert a response thread entry into a note thread entry so it will not be seen by customers in any future response.	
Email Address Sharing	Email address sharing gives you the ability to associate a single email address with multiple contact records, which allows a group of related contacts (such as a family or a team) to maintain individual	



	contact records while sharing an email address.
Contact Upload	
Contact Upload Template	Templates allow you to skip some upload wizard steps—such as mapping columns to database files and customizing duplicate criteria—when performing uploads of multiple data files that have the same column ordering.
Contact Upload Wizard	Contact Upload Wizard is used to map the data file to columns in the <i>contacts</i> table and prescan the file for problems, such as duplicate or invalid email addresses.

SERVICE CONFIGURATION

Service Customizable Menus Products/categories/dispositions ➤ Product Linking Incident Statuses	Allows user to configure product, categories, and dispositions and link them together. As a result, staff members and customers can quickly find answers to their questions. An incident's status is its state in the knowledge base. RightNow Service has four default incident statuses: Solved, Unresolved, Updated, and Waiting. There are three default status types: Solved, Unresolved, and Waiting. Define severity levels to classify incidents so that
> Product Linking Incident Statuses	dispositions and link them together. As a result, staff members and customers can quickly find answers to their questions. An incident's status is its state in the knowledge base. RightNow Service has four default incident statuses: Solved, Unresolved, Updated, and Waiting. There are three default status types: Solved, Unresolved, and Waiting.
	base. RightNow Service has four default incident statuses: Solved, Unresolved, Updated, and Waiting. There are three default status types: Solved, Unresolved, and Waiting.
In aldout Coverity	Define severity levels to classify incidents so that
Incident Severity	agents can resolve the highest severity incidents first.
Incident Queues	Define queues that can be used in incident rules to route unresolved incidents into different custom defined queues based on the criteria you define.
Chat Session Queues	Chat session queues, when used with profiles and business rules, enable automatic sorting of incoming chats based on contact, organization, product, category, and custom field information.
Chat Agent Statuses	Although RightNow Chat contains default chat agent statuses, you can create custom agent statuses and associate them with either the Available or Unavailable status type.
Answer Statuses	An answer's status controls whether it is public and describes its state in the knowledge base. Every answer status is associated with a status type that is either Public or Private.
Answer Access Levels	Answer access levels provide a way to control which answers in the knowledge base become public and visible to customers.
Billable Tasks Service Business Rules	Allows one to track the amount of time agents spend on customer issues and questions. When you enable this feature, agents can add their time to an incident as they work on it.

Service Business Rules

Business rules route incidents to the suitable support person, notify an engineer when answers in the knowledge base should be reviewed, and automatically answer customer questions.



Incident Rules	Incident Rules are triggered when incidents are
incluent ixules	created or updated. You can use incident rules to
	notify staff when incidents are received, to automate
	an escalation, or to present end-users with
	SmartAssistant suggested solutions.
Answer Rules	Answer Rules are triggered when answers in the
7 thower reales	Answer Console are created or updated. You can
	use answer rules to notify your knowledge engineer
	when a new answer has been proposed or to notify
	your legal team when a finished answer is ready for
	their review.
Chat Session Rules	Chat Session Rules are triggered when a new
Chat Session Rules	request for a chat session is received. You can
	use chat session rules to route chat requests to a
	·
	particular agent queue and to escalate the request
	to another queue if it is not answered in a specific
0 1 0 1 5 11	amount of time.
Service Custom Fields	as to DiektNeur von asserties the self-service (C.1)
	es to RightNow, you may want to add your own fields
for gathering special information about	
Incident	Add this type of custom field to gather additional
	information about customers' questions (e.g.
	model/serial numbers). Incident custom fields can
	be displayed when adding or editing an incident and
	on the Ask a Question and Support History pages.
Answer	Add this type of custom field to store and provide
	additional information about answers in your
	knowledge base (e.g. version numbers the answer
	applies to). Answer custom fields can be displayed
	when adding or editing an answer and on the
	Answers and answer detail pages.
Content Library	
Standard Text	Any text or response prepared in advance that can
	be sent to customers when responding to incidents,
	appended to responses by a business rule, or sent
	by an agent during a chat session. Also called
	standard response.
Variables	A temporary data item in a rule base. The variable is
	assigned an initial value that can be modified
	assigned an initial value that can be inculied
	through rule actions, used as a rule condition to
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing.
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the
	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a
Guided Assistance Evalurar	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value.
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide them to the answers they need. The answers and
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide them to the answers they need. The answers and explanations agents find can be sent to customers in
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide them to the answers they need. The answers and explanations agents find can be sent to customers in incident responses or relayed to customers over the
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide them to the answers they need. The answers and explanations agents find can be sent to customers in incident responses or relayed to customers over the phone. Guides can also be made available to
Guided Assistance Explorer	through rule actions, used as a rule condition to trigger other actions, and restored to its initial value for the next round of rules processing. Variables also refer to shortcuts defined for a larger string that can be inserted in the body of an answer or inserted inline during a chat session. When the variable is inserted in the body of the answer or in a chat response, it is replaced with the variable value. Helps agents quickly locate answers and text explanations using branching questions to guide them to the answers they need. The answers and explanations agents find can be sent to customers in incident responses or relayed to customers over the



Channels	Defines the source of an incoming incident or an outgoing response.
Service Level Agreements Service Level Agreements enable your customers.	you to control the type and amount of support you offer
Response Requirements	Configure response requirements to measure agent performance in responding to and solving incidents and can also be used for SLAs that do not have customized response requirements.
Service Level Agreements	A contract that is applied to contacts and organizations specifying the level and type of customer service they are eligible to receive.
Holidays	By adding holidays, you can temporarily suspend response requirements for those days when staff members are not available to respond to customer inquiries and answer their questions.
Knowledgebase Configuration	
External Search Configuration	Enables indexing and searching of documents that are not part of the published answers of your RightNow application.
Search Priority Words	Search priority words let you associate a specific answer or document with specific search terms to ensure that the answer (or document) will always be returned when a customer enters the search term. When you've assigned a search priority word to an answer and the customer enters the search priority word, the answer is displayed in the Recommended Links section on the Answers page.
Answer stop words	These are common words that are excluded from indexing and searching from answers.
Incident stop words	These are common words that are excluded from indexing and searching from incidents.
Topic Browse	A feature that provides clustering functionality on the customer portal so customers can browse specific topics to find related answers.
are eligible for each promotion. It a present offers to customers and corfor your organization.	eate promotions and define which groups of customers lso provides agents with solid information to successfully attribute to increased revenue
Target Rules	A type of business rule that has the sole purpose of creating a target consisting of contacts who meet the conditions established by the rule.
Promotions	A specific message (e.g. a discount, renewal notice, or announcement) delivered to a specific group of customers using Offer Advisor.



MARKETING / FEEDBACK CONFIGURATION

Task	Description	
Marketing Customizable Menus	•	
Tracked Link Categories	Used to group and organize tracked links.	
Communication Configuration		
External Suppression List	Used to define a list of email addresses that are	
	excluded from mailings and surveys.	
Audiences		
Contact Lists	A static or fixed group of contacts that is used to choose the contacts who receive a broadcast mailing or survey.	
Segments	The criteria for creating dynamic lists of contacts based on user-defined filters. Multiple filters can be created and logical expressions can be used to create the exact data set needed to target contacts.	
Content Library		
Documents	Used in a survey, mailing, or served as a web page that can contain text, snippets, conditional sections based on contact filters, merge fields, links, and web forms.	
Snippets	Any text or part of a document that can be used in more than one document. Snippets can be added to documents from the Content Library component.	
Templates	A structured format used in a document in which specified sections are locked and cannot be edited and a section is open for customized content.	
Mailings A collection of one or more messages sent to one or more contacts. A mailing can contain multiple messages for testing purposes.		
Campaigns A multiple-step marketing process based on business logic. Campaigns can contain any number of actions and decisions and move contacts through a series of steps when specified criteria have been met. Feedback		
Broadcast Surveys	A survey sent as a broadcast mailing in which the message, audience, and mailing options are defined in the survey.	
Transaction Surveys	A survey that is sent only when an event occurs. Transactional surveys are sent to a contact when the contact meets specified criteria in a campaign or business rule and can be scheduled to be sent immediately, on a specific date, or at an interval in the future.	
Questions	The main element in a survey. Text, choice, and matrix question types can be created. Questions can be used in multiple surveys, mixing and matching as necessary.	



SALES CONFIGURATION

Task	Description
Sales Customizable Menus	•
Contact Roles	Allow staff members to identify the same contact by different roles in different opportunities.
Opportunity Statuses	Used to identify the current state of opportunities in the knowledge base.
Competitors	Adding competitors to your knowledge base helps your organization track won and lost opportunities by competitor.
Win/Loss	Identify win/loss reasons to determine what contributes to the outcome of opportunities.
Industry Type	Set industry types to identify those your customers are associated with.
Lead Rejection Type	Use lead rejection types to identify reasons for rejecting prequalified opportunities.
Business Rules	
Opportunity Rules	Opportunity rules are triggered when a sales opportunity is created or updated. You can use opportunity rules to notify managers when a sales opportunity reaches a certain status in your sales cycle.
Custom Fields	
Opportunity	Add this type of custom field to gather additional information about opportunities (e.g. the contact's previous service or product). Opportunity custom fields can be displayed when adding or editing an opportunity.
Sales Quotes Custom Fields	Add this type of custom field to store additional information about the quotes sent to customers (e.g. the date the quote was requested). Sales quotes custom fields can be displayed when adding or editing an opportunity.
Sales Process	
	tion that includes stages and associated tasks that rtunities to move through each stage.
Strategies	Strategies allow organizations to define multiple sales plans based on their business processes and help ensure that policies and procedures are enforced.
Sales Period	The period of time used to track the revenue goals assigned to each sales representative. The default sales periods are annual, semi-annual, quarterly, monthly, and weekly.
Territories	A specific geographical sales region configured in RightNow Sales. Sales representatives can be assigned specific territories for opportunity assignment. Up to twelve levels of territories can be defined.



COMMUNITY CONFIGURATION

Task	Description
General Settings	•
Community Naming	Define the name of the community, visible in the browser title bar.
Privacy	Set the visibility of the community between public and private.
Time Zone Settings	Set the default time zone, displayed only when a user's browser can't detect local time zone.
Support Email	Email address where public-facing contact and invitation request messages are sent.
Users	
User creation	Creation of new community member profiles.
User updates	Assistance with updating individual user account settings.
Profile template settings	Maintenance of the user profile template fields and settings.
Create new user types	Definition and creation of powers for new types of users (e.g. Moderator).
Create User Billing	Assigning a small icon or badge to specific user types (e.g. Employee or Steering Committee Member).
Moderating member accounts	Suspending, deleting, or re-enabling individual member accounts.
Applications, Groups, Content	
Create applications	Creation of new community applications (e.g. discussion forum, blog, or idea center).
Administer application permissions	Control who can access an application, and what powers they have within the application.
Create panels	Add new content panels to an application or group summary page, or to a custom page.
Update panels	Modify existing panel settings.
Create custom pages	Create new community pages, including layout of content panels.
Create groups	Create new content, or people, focused groups.
Administer group permissions	Control who can access a group, and what powers they have within the group.
Create post types	Create the structure for new types of content (e.g. a blog post is built differently than a discussion forum post).
Highlight read/unread posts	Application settings that display a previously read post differently than an unread post.
Move posts	Moving content between applications.
Enable subscriptions	Content subscription settings.
Image hosting	RightNow hosting of images used in WYSIWY or HTML panels.
Design Skinning	
Change logo or header/footer design elements	Update the company logo, other design elements defined in the header/footer.
Create theme	Create a unique design skin to be applied to a specific application, group, or page.
Terms of Service/Privacy content	Update static legal content.



updates	
Community Admin Settings	
Update master template, site	Adjust the elements and links in the primary site
navigation	navigation, as well as top/bottom text navigation links.
Join Codes	Create and track unique codes, used to facilitate joining the community.
Provision and using invitations	Define if, and how, members can invite other members into the community.
Community flagging	Settings for flagging inappropriate content.
Adjust flagging threshold	Settings that define when inappropriate content is removed from community visibility.
Reputation levels	Point thresholds that define different member reputation levels.
Reputation actions	Point assignments for different community actions (e.g. submit a post, submit a comment, or rate something).
Using Analytics and Reporting	Assistance in reading and interpreting community reporting data.
Language settings/Internationalization	Defining supported languages, translations.
Troll Filter	Setting that flags a disruptive member, and renders their content invisible.
Profanity filters and word list	List of profane words which are censored from community visibility.
Modify error page content	Edit the content displayed for common system error messages.
Modify system email content	Edit the content displayed for common outbound system emails.
Escalation of a Post into RightNow incident	Settings for when, and how, a community post is escalated into a RightNow CX incident.
Tips content	Edit the "Tip" content that appears on the login page.
Adjust session length	Define the number of hours a community session is valid.
Single Sign-On adjustments	Adjustments to the sign-in, sign-out, or new account creation processes.
Miscellaneous	
Quarterly platform upgrades	Review of new feature release notes, training on new functionality.

TUNE-UPS

Task	Description
TUNE-UPS	
Tune-Ups help clients achieve the greatest return on their investment by following the best practices with RightNow CX. A Tune-Up experience starts by reading an introductory Guide document to learn about the best practices for a specific feature area, and then engaging a Consultant to score your deployment against a Checklist to determine your current level of performance.	
Web Experience Design	This Tune-Up package contains our official guidelines that can help you achieve success with Web Self-Service. Specific checkpoints in six main practice areas are included: • Understand the issues your customer have



	Provide clear and readable content
	Offer multi-channel choice
	Capture customer feedback about the web
	experience
	Optimize the performance of your siteEnsure it is accessible
Knowledge Base and Search	This Tune-Up package contains our official
-	guidelines for ensuring that your Knowledge Base is
	working for your highest volume search terms.
	Included are instructions on:
	 Discovering what your customers search for
	 How to fix search engine configuration
	problems
	 Tweaking individual searches to return great
	results
Answer Content	This Tune-Up package contains our official
	guidelines for designing web content so that it
	effectively communicates important information in an
	engaging way. Content checkpoints are
	recommended in seven main practice areas:
	Write content for your customers, not for you
	 Organize your knowledge base
	 Layout your content for easy scanning
	Carefully use rich media
	 Use the Answer editor properly
	 Maintain key content frequently
	 Create a style guide for your knowledge
	base
Email Marketing	This Tune-Up package contains our official
	guidelines that can help you achieve success with
	Email Marketing. Specific checkpoints in five main
	practice areas are included:
	 Design processes for your marketing efforts
	Build your mailing lists the right way
	Comply to international SPAM regulations
	Make sure you reach the inbox
	Design each mailing so that it is an excellent
	customer experience
Agent Desktop	This Tune-Up package contains our official
	guidelines for achieving a successful agent desktop
	deployment by ensuring that your agents can
	effectively interact with customers. Specific checkpoints in seven practice areas are included:
	Track your interaction volumes by contact
	driver
	 Map contact drivers to interaction categories
	Define logical processes for high volume categories
	Integrate primary agent systems with the desktop
	 Implement optimized workflows for your
	logical business processes
	 Tailor workspaces for each agent group Tune the knowledge base for agent use
	1 - Tane the knowledge base for agent ase



Community Engagement	This Tune-Up package contains our official guidelines for helping to you to cultivate a successful
	online community. Specific checkpoints are included
	for five practice areas:
	Make it easy to find
	 Properly organize your community
	 Specify policies for your community
	 Cultivate and reward good behavior
	Continuously track the performance of your
	community

DEVELOPMENT SERVICES*

Task	Description	
Web Self Service Appearance	•	
WSS Appearance defines the scree	en that end-users see when viewing the RightNow	
	pages through a browser. Items such as accessing incidents, adding answers, viewing	
	anged here. The appearance of these pages	
contributes to the usability and qua	lity of the implementation.	
HTML modifications	HTML modifications may include adding or changing	
	page elements such as spacing, widths, images, text,	
	etc.	
CSS modifications	CSS modifications may be necessary when the page	
	styling depends on Cascading Style Sheets (CSS) to	
	manage colors, fonts, images, and other look and	
	feel page elements.	
Theme implementation	RightNow allows for the use of themes. A theme is a	
	combination of images, HTML and CSS to manage a	
	look and feel for a site. Themes are commonly	
	implemented to manage branding on a single	
	interface.	
End-user Page Functionality		
End-user page functionality is "wha	t" the pages do in terms of end-user interaction. The	
	s and other on-screen elements define the	
functionality.	T	
Webform implementation	Design and implementation of custom webforms to	
	be displayed on end-user pages. Webforms can	
	collect data, trigger actions, or manage certain	
	database items from a web browser.	
Webform modification	database items from a web browser. Modification to the data collection or submission	
	database items from a web browser.	
Integrations	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform.	
	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations	
Integrations	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as	
Integrations	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces	
Integrations	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of	
Integrations Integration adjustments	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces	
Integrations Integration adjustments Data Management	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of an integration.	
Integrations Integration adjustments	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of an integration. Development of scripts to perform an import of data	
Integrations Integration adjustments Data Management Data Import	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of an integration. Development of scripts to perform an import of data into the RightNow database from an outside source.	
Integrations Integration adjustments Data Management	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of an integration. Development of scripts to perform an import of data into the RightNow database from an outside source. Development of scripts to perform an export of data	
Integrations Integration adjustments Data Management Data Import	database items from a web browser. Modification to the data collection or submission criteria of an existing Webform. Adjustments may be made to existing integrations between RightNow and other systems, such as server references, data mappings, and other pieces that are subject to be modified during the lifecycle of an integration. Development of scripts to perform an import of data into the RightNow database from an outside source.	



Logging Miscellaneous	amounts of expired or unneeded data to help maintain usability and performance. Development of a custom script to record a system action, error, or behavior.
Cron jobs	Development and implementation of a reoccurring system task (weekly imports, daily uploads, etc.).
External Event implementation	New, executable scripts that allows one to define actions and processes for interacting with other programs and databases. External events can be written to execute when an incident, answer, contact, or organization is created, updated, or deleted. See Answer ID 498
External Event modification	Updates and changes to existing external events.
General customization updates	Modifications to other customizations at the discretion of the Managed Services Delivery Manager.

Live Help On Demand Services

Task	Description
Click to Call	
Ability to turn a traditional telephony	service into a smart interactive voice experience. It
	voice assistance to the targeted online customers
exactly when they need it.	
Provide Administrative Tools	Learn how to administer the Live Help Webcare
Coaching	portal to add/remove/modify items such as:
	 Users and their settings
	 Operating hours/holiday hours
	 Surveys
	 Live Help Click to Call Button creation
	 Live Help Click to Call Rule creation
Provide Web Portal Rules	Learn how to administer the rules engine to precisely
Coaching	target customers and prospects with the right Click to
	Call invitation at the right time. Parameters for the
	rules can include items such as:
	Page History
	Page Count
	Time on Page
	Cart Value
	Null Search Results
	Page Abandonment
Define and create website page	The consultant will create Click to Call rules as per
rules	the business needs of the organization. Parameters
	for the rules can include items such as:
	Page History
	Page Count
	Time on Page
	Cart Value
	Null Search Results
	Page Abandonment
Establish call routing	Consultant will create a custom call route based on
	operating hours. This will allow calls to be routed to
	different contact centers based on time of day.



Create Click to Call links	Based on customer's requirements, the consultant will create Click to Call links, which include the
	following items:
	 contact center number
	button image
	operating hours
Design the Graphical User	Consultant will design/modify the Click to Call
Interface (GUI)	Graphical User Interface at the customer's direction.
Create customer Survey Window	Consultant will create a Click to Call survey that presents at the conclusion of a call.
Reporting Console Coaching	Learn what call reports are available and how to best
Reporting Console Coaching	utilize them.
Click to Call Agent Console	Contact Center Call Agents will learn how to utilize
Coaching	the Click to Call Agent Console when taking calls.
_	Features such as Post Call Dispositions, Page Peek
	and dynamic variables will be shown.
Click to Chat	
	site visitors to communicate with agents real-time for
assistance with research, making a	
Provide Administrative Tools	Learn how to administer the Live Help portals to
Coaching	add/remove/modify items such as:Users and their settings
	Operating hours/holiday hours
	Surveys
	Live Help Click to Chat button creation
	Live Help Click to Chat rule creation
	Click to Chat Department creation and
	features such as:
	 Manual or automatic chat distribution
	 Queue Thresholds
	 Response Library
Provide Web Portal Rules	Learn how to administer the rules engine to precisely
Coaching	target customers and prospects with the right click to
	chat invitation at the right time. Parameters for the
	rules can include items such as:
	Page HistoryPage Count
	Time on Page
	Cart Value
	Null Search Results
	Page Abandonment
Define and create website page	The consultant will create Click to Chat rules as per
rules	the business needs of the organization. Parameters
	for the rules can include items such as:
	Page History
	Page Count
	Time on Page
	Cart Value
	Null Search Results
	Page Abandonment
Create Click to Chat links	Based on customer's requirements, the consultant
	will create Click to Chat links, which include the
	following items:
	button image



	 operating hours
	Click to Chat Departments and their features
	such as:
	 Manual or automatic chat
	distribution
	 Queue Thresholds
	Response Library
Design the Graphical User	Consultant will design/modify the Click to Chat
Interface (GUI)	Graphical User Interface at the customer's direction.
Create customer Survey Window	Consultant will create a Click to Chat survey that
	presents at the conclusion of a chat.
Reporting Console Coaching	Learn what chat reports are available and how to
	best utilize them.
Chat Agent Console Coaching	Contact Center Chat Agents will be taught how to
	utilize the Chat Console when conducting the chats.
	Items such as Post Chat Dispositions, Page Peek
	and dynamic variables will be shown.
customer interactions and reduce the	s of customer emails and Web forms to optimize ne cost of managing emails.
Provide Administrative Tools	Learn how to administer the Live Help portal to
Coaching	add/remove/modify items such as:
	 Users and their settings
	 Operating hours/holiday hours
	 Email Department creation and features
	such as:
	 Manual or automatic email
	distribution
	 Queue Thresholds
	 Response Library
	 Auto Reply
	 Incoming/Outgoing mail settings
Establishing Email Routing	Learn how to create/modify email routing rules to
	ensure that customer emails are directed to the
	correct skill set/group.
Reporting Console Coaching	Learn what chat reports are available and how to
_	best utilize them.
Email Agent Console Coaching	Contact Center Email Agents will be taught how to
	utilize the Email Console when responding to the
	emails. Items such as Post Email Dispositions and
	auto-responses will be shown.



INTENT GUIDE MANAGED SERVICES

Task	Description
Consultancy	The consultant will: • Assist with design and execution of the plan
	for ongoing Intent Guide database optimization activities
	 Provide consulting guidance on Intent Guide application-related and process-related matters
	 Educate about how Intent Guide functionality can be used
	 Assist with quality assurance activities for the Intent Guide database
	 Assist with monitoring of results and offer suggestions for improvements
	 Assist with identification of what database content should be added, changed or deleted

VOICE MANAGED SERVICES

Task	Description
Not Included	

^{*}Level of effort must be reviewed on all Development Service tasks to determine if a custom scope is required for successful implementation.