



# S11U Interface Support on S-GW for CIoT Devices

---

- Hgcwrtg Uwo oct{ cpf Tgxkukqp Jkuvqt{. rcig 3
- Hgcwrtg Fguetkrvkqp. rcig 4
- Jqy kv Yqtmu. rcig 6
- Uvcpfctfu Eqo rnkcepg. rcig ;
- Eqphkiwtkpi U33W Kpygthceg Uwr rqtv

## Revision History

---







*T*



- Cnn gzkukpi FFP tncvzf hgcwvtgu eqpvkpwg



---

---

# Configuring CloT Feature Support Indication

C pgy ENK eqo o cpf **egmwnct/kqv** jcu dggp kpvtfwegf wpfgt vjg g I VR Ugtxkeg Eqphki wtcvkqp Oqfg vq

- U33W< Tgrtgugpvu U33W kpvgtfceg0

## Configuring Path Failure Related Behavior CLI Command for S11U

Vjg kpvgtfceg U33w jcu dgpp

• **pq**< Fkucdngu vjg urgekhhgf vtki igt eqpfkvp0

• **fghcwnv**<Ugvu vjg urgekhhgf vtki igt tkiq

vg

## show egtpc peers wf1

Vjg hqnnqykpi hkgmfu ctg cffgf vq vjg ujqy qwrww qh vjku eqo ocpf<

- EKQV\*E+
- \*E+ / EKQV

## show subscribers sgw-only full all

Vjg hqnnqykpi hkgmfu ctg cffgf vq vjg ujqy qwrww qh vjku eqo ocpf<

- o og w/vgkf< ]2z4236:e4e\_75:439738
- o og w/cfft< 3940;0;034

## show subscribers saegw-only full all

Vjg hqnnqykpi hkgmfu ctg cffgf vq vjg ujqy qwrww qh vjku eqo ocpf<

- o og w/cfft< 3940;0;033
- o og w/vgkf< ]2z4228d:g:\_

## show saegw-service statistics all function sgw

Vjg hqnnqykpi pgy uvcvkukcu ctg cffgf vq vjg ujqy qwrww<

SEK 4  
SEK 5  
SEK 6  
SEK 7  
SEK 8  
SEK 9  
SEK :  
SEK ;  
SEK 87  
SEK 88  
SEK 8;  
SEK 92  
Pqp/Uvf SEK

show saegw-service statistics all function sgw verbose

Vjg hqmqy kpi pgy uvcvkukcu ctg cffgf vq vjg ujqy qwwrww<

Path failure/Error indication Stats:PathDatas: ×

SEK 6

SEK 7

SEK 8

SEK 9

SEK :

SEK ;

SEK 87

SEK 88

SEK 8;

SEK 92

Pqp/Uvf SEK

## Changes in S-GW CDR

Vjg

*Table 4: Container Level Attribute Added in S-GW CDR*